

**METHODS FOR THE DETECTION OF HEART-SPECIFIC GENE TRANSCRIPTS
IN BLOOD AND USES THEREOF**

BACKGROUND OF THE INVENTION

5 Cross-Reference to Related Application

This application is a divisional of Application No. 10/268,730 filed on October 9, 2002, which is a continuation of U.S. Application No. 09/477,148 filed January 4, 2000, now abandoned, which claims the benefit of U.S. Provisional Application No. 60/115,125 filed on January 6, 1999, now abandoned. Each of these applications is incorporated herein by
10 reference in their entirety, including the figures and drawings.

Field of the Invention

The present invention relates generally to the molecular biology of human diseases. More specifically, the present invention relates to a process using the genetic information contained in human peripheral whole blood for the diagnosis, prognosis and monitoring of
15 genetic and infectious disease in the human body.

Description of the Related Art

The blood is a vital part of the human circulatory system for the human body. Numerous cell types make up the blood tissue including monocytes, leukocytes, lymphocytes and erythrocytes. Although many blood cell types have been described, there are likely many
20 as yet undiscovered cell types in the human blood. Some of these undiscovered cells may exist transiently, such as those derived from tissues and organs that are constantly interacting with the circulating blood in health and disease. Thus, the blood can provide an immediate picture of what is happening in the human body at any given time.

The turnover of cells in the hematopoietic system is enormous. It was reported that
25 over one trillion cells, including 200 billion erythrocytes and 70 billion neutrophilic leukocytes,

turn over each day in the human body (Ogawa 1993). As a consequence of continuous interactions between the blood and the body, genetic changes that occur within the cells or tissues of the body will trigger specific changes in gene expression within blood. It is the goal of the present invention that these genetic alterations be harnessed for diagnostic and prognostic purposes, which may lead to the development of therapeutics for ameliorating disease.

The complete profile of gene expression in the circulating blood remains totally unexplored. It is hypothesized that gene expression in the blood is reflective of body state and, as such, the resultant disruption of homeostasis under conditions of disease can be detected through analysis of transcripts differentially expressed in the blood alone. Thus, the identification of several key transcripts or genetic markers in blood will provide information about the genetic state of the cells, tissues, organ systems of the human body in health and disease.

The prior art is deficient in non-invasive methods of screening for tissue-specific diseases. The present invention fulfills this long-standing need and desire in the art.

SUMMARY OF THE INVENTION

This present invention discloses a process of using the genetic information contained in human peripheral whole blood in the diagnosis, prognosis and monitoring of genetic and infectious disease in the human body. The process described herein requires a simple blood sample and is, therefore, non-invasive compared to conventional practices used to detect tissue specific disease, such as biopsies.

One object of the present invention is to provide a non-invasive method for the diagnosis, prognosis and monitoring of genetic and infectious disease in humans and animals.

In one embodiment of the present invention, there is provided a method for detecting expression of a gene in blood from a subject, comprising the steps of: a) quantifying RNA from a subject blood sample; and b) detecting expression of the gene in the quantified RNA, wherein

the expression of the gene in quantified RNA indicates the expression of the gene in the subject blood.

In another embodiment of the present invention, there is provided a method for detecting expression of one or more genes in blood from a subject, comprising the steps of: a) obtaining a subject blood sample; b) extracting RNA from the blood sample; c) amplifying the RNA; d) generating expressed sequence tags (ESTs) from the amplified RNA product; and e) detecting expression of the genes in the ESTs, wherein the expression of the genes in the ESTs indicates the expression of the genes in the subject blood. Preferably, the genes are tissue-specific genes.

In still another embodiment of the present invention, there is provided a method for detecting expression of one or more genes in blood from a subject, comprising the steps of: a) obtaining a subject blood sample; b) extracting DNA fragments from the blood sample; c) amplifying the DNA fragments; and d) detecting expression of the genes in the amplified DNA product, wherein the expression of the genes in the amplified DNA product indicates the expression of the genes in the subject blood.

In yet another embodiment of the present invention, there is provided a method for monitoring a course of a therapeutic treatment in an individual, comprising the steps of: a) obtaining a blood sample from the individual; b) extracting RNA from the blood sample; c) amplifying the RNA; d) generating expressed sequence tags (ESTs) from the amplified RNA product; e) detecting expression of genes in the ESTs, wherein the expression of the genes is associated with the effect of the therapeutic treatment; and f) repeating steps a)-e), wherein the course of the therapeutic treatment is monitored by detecting the change of expression of the genes in the ESTs. Such a method may also be used for monitoring the onset of overt symptoms of a disease, wherein the expression of the genes is associated with the onset of the symptoms.

In still yet another embodiment of the present invention, there is provided a method for diagnosing a disease in a test subject, comprising the steps of: a) generating a cDNA library for

the disease from a whole blood sample from a normal subject; b) generating expressed sequence tag (EST) profile from the normal subject cDNA library; c) generating a cDNA library for the disease from a whole blood sample from a test subject; d) generating EST profile from the test subject cDNA library; and e) comparing the test subject EST profile to the normal subject EST profile, wherein if the test subject EST profile differs from the normal subject EST profile, the test subject might be diagnosed with the disease.

In still yet another embodiment of the present invention, there is provided a kit for diagnosing, prognosing or predicting a disease, comprising: a) gene-specific primers; wherein the primers are designed in such a way that their sequences contain the opposing ends of two adjacent exons for the specific gene with the intron sequence excluded; and b) a carrier, wherein the carrier immobilizes the primer(s). Such a kit may be applied to a test subject whole blood sample to diagnose, prognose or predict a disease.

In yet another embodiment of the present invention, there is provided a kit for diagnosing, prognosing or predicting a disease, comprising: a) probes derived from a whole blood sample for a specific disease; and b) a carrier, wherein the carrier immobilizes the probes. Such a kit may be applied to a test subject whole blood sample to diagnose, prognose or predict a disease.

Furthermore, the present invention provides a cDNA library specific for a disease, wherein the cDNA library is generated from whole blood samples.

Other and further aspects, features, and advantages of the present invention will be apparent from the following description of the presently preferred embodiments of the invention. These embodiments are given for the purpose of disclosure.

BRIEF DESCRIPTION OF THE DRAWINGS

So that the matter in which the above-recited features, advantages and objects of the invention, as well as others which will become clear, are attained and can be understood in detail, more particular descriptions of the invention briefly summarized above may be had by

reference to certain embodiments thereof which are illustrated in the appended drawings. These drawings form a part of the specification. It is to be noted, however, that the appended drawings illustrate preferred embodiments of the invention and therefore are not to be considered limiting in their scope.

5 **Figure 1** shows the following RNA samples prepared from human blood; **Figure 1A**: Lane 1, Molecular weight marker; Lane 2, RT-PCR on APP gene; Lane 3, PCR on APP gene; Lane 4, RT-PCR on APC gene; Lane 5, PCR on APC gene; **Figure 1B**: Lanes 1 and 2, RT-PCR and PCR of β MyHC, respectively; Lanes 3 and 4, RT-PCR of β MyHC from RNA prepared from human fetal and human adult heart, respectively; Lane 5, Molecular weight
10 marker.

Figure 2 shows quantitative RT-PCR analysis performed on RNA samples extracted from a drop of blood. Forward primer (5'-GCCCTCTGGGGACCTGAC-3', SEQ ID No. 1) of exon 1 and reverse primer (5'-CCCACCTGCAGGTCCTCT-3'', SEQ ID No. 2) of exons 1 and 2 of insulin gene. Blood samples of 4 normal subjects were assayed. Lanes 1, 3, 5 and 7
15 represent overnight "fasting" blood sample and lanes 2, 4, 6 and 8 represent "non-fasting" samples.

Figure 3 shows quantitative RT-PCR analysis performed on RNA samples extracted from a drop of blood. Lanes 1 and 2 represent normal healthy person and lane 3 represents late-onset diabetes (Type II) and lane 4 represents asymptomatic diabetes.

20 **Figure 4** shows multiple RT-PCR assay in a drop of blood. Primers were derived from insulin gene (INS), zinc-finger protein gene (ZFP) and house-keeping gene (GADH). Lane 1 represents normal person. Lane 2 represents late-onset diabetes and lane 3 represents asymptomatic diabetes.

Figure 5 shows standardized levels of insulin gene (**Figure 5A**) and ZFP gene (**Figure**
25 **5B**) expressed in a drop of blood. The first three subjects were normal, second two subjects showed normal glucose tolerance, and the last subject had late onset diabetes type II. **Figure**

5C shows standardized levels of insulin gene expressed in each fractionated cell from whole blood.

Figure 6 shows the differential screening of human blood cell cDNA library with different cDNA probes of heart and brain tissue. **Figure 6A** shows blood cell cDNA probes vs. adult heart cDNA probes. **Figure 6B** shows blood cell cDNA probes vs. human brain cDNA probes.

Figure 7 graphically shows the 1,800 unique genes in human blood and in the human fetal heart grouped into seven cellular functions.

DETAILED DESCRIPTION OF THE INVENTION

In accordance with the present invention, there may be employed conventional molecular biology, microbiology, and recombinant DNA techniques within the skill of the art. Such techniques are explained fully in the literature. See, e.g., Sambrook, Fritsch & Maniatis, "Molecular Cloning: A Laboratory Manual (1982); "DNA Cloning: A Practical Approach," Volumes I and II (D.N. Glover ed. 1985); "Oligonucleotide Synthesis" (M.J. Gait ed. 1984); "Nucleic Acid Hybridization" [B.D. Hames & S.J. Higgins eds. (1985)]; "Transcription and Translation" [B.D. Hames & S.J. Higgins eds. (1984)]; "Animal Cell Culture" [R.I. Freshney, ed. (1986)]; "Immobilized Cells And Enzymes" [IRL Press, (1986)]; B. Perbal, "A Practical Guide To Molecular Cloning" (1984). Therefore, if appearing herein, the following terms shall have the definitions set out below.

A "cDNA" is defined as copy-DNA or complementary-DNA, and is a product of a reverse transcription reaction from an mRNA transcript. "RT-PCR" refers to reverse transcription polymerase chain reaction and results in production of cDNAs that are complementary to the mRNA template(s).

The term "oligonucleotide" is defined as a molecule comprised of two or more deoxyribonucleotides, preferably more than three. Its exact size will depend upon many factors which, in turn, depend upon the ultimate function and use of the oligonucleotide. The term

"primer" as used herein refers to an oligonucleotide, whether occurring naturally as in a purified restriction digest or produced synthetically, which is capable of acting as a point of initiation of synthesis when placed under conditions in which synthesis of a primer extension product, which is complementary to a nucleic acid strand, is induced, i.e., in the presence of nucleotides and an inducing agent such as a DNA polymerase and at a suitable temperature and pH. The primer may be either single-stranded or double-stranded and must be sufficiently long to prime the synthesis of the desired extension product in the presence of the inducing agent. The exact length of the primer will depend upon many factors, including temperature, source of primer and the method used. For example, for diagnostic applications, depending on the complexity of the target sequence, the oligonucleotide primer typically contains 15-25 or more nucleotides, although it may contain fewer nucleotides. The factors involved in determining the appropriate length of primer are readily known to one of ordinary skill in the art.

As used herein, random sequence primers refer to a composition of primers of random sequence, i.e. not directed towards a specific sequence. These sequences possess sufficient complementary to hybridize with a polynucleotide and the primer sequence need not reflect the exact sequence of the template.

"Restriction fragment length polymorphism" refers to variations in DNA sequence detected by variations in the length of DNA fragments generated by restriction endonuclease digestion.

A standard Northern blot assay can be used to ascertain the relative amounts of mRNA in a cell or tissue obtained from plant or other tissue, in accordance with conventional Northern hybridization techniques known to those persons of ordinary skill in the art. The Northern blot uses a hybridization probe, e.g. radiolabelled cDNA, either containing the full-length, single stranded DNA or a fragment of that DNA sequence at least 20 (preferably at least 30, more preferably at least 50, and most preferably at least 100 consecutive nucleotides in length). The DNA hybridization probe can be labelled by any of the many different methods known to those skilled in this art. The labels most commonly employed for these studies are radioactive elements, enzymes, chemicals which fluoresce when exposed to ultraviolet light, and others.

A number of fluorescent materials are known and can be utilized as labels. These include, for example, fluorescein, rhodamine, auramine, Texas Red, AMCA blue and Lucifer Yellow. A particular detecting material is anti-rabbit antibody prepared in goats and conjugated with fluorescein through an isothiocyanate. Proteins can also be labeled with a radioactive element or with an enzyme. The radioactive label can be detected by any of the currently available counting procedures. The preferred isotope may be selected from ^3H , ^{14}C , ^{32}P , ^{35}S , ^{36}Cl , ^{51}Cr , ^{57}Co , ^{58}Co , ^{59}Fe , ^{90}Y , ^{125}I , ^{131}I , and ^{186}Re . Enzyme labels are likewise useful, and can be detected by any of the presently utilized colorimetric, spectrophotometric, fluorospectrophotometric, amperometric or gasometric techniques. The enzyme is conjugated to the selected particle by reaction with bridging molecules such as carbodiimides, diisocyanates, glutaraldehyde and the like. Many enzymes which can be used in these procedures are known and can be utilized. The preferred are peroxidase, β -glucuronidase, β -D-glucosidase, β -D-galactosidase, urease, glucose oxidase plus peroxidase and alkaline phosphatase. U.S. Patent Nos. 3,654,090, 3,850,752, and 4,016,043 are referred to by way of example for their disclosure of alternate labeling material and methods.

As used herein, "individual" refers to human subjects as well as non-human subjects. The examples herein are not meant to limit the methodology of the present invention to human subjects only, as the instant methodology is useful in the fields of veterinary medicine, animal sciences and such.

In one embodiment of the present invention, there is provided a method for detecting expression of a gene in blood from a subject, comprising the steps of: a) quantifying RNA from a subject blood sample; and b) detecting expression of the gene in the quantified RNA, wherein the expression of the gene in quantified RNA indicates the expression of the gene in the subject blood. An example of the quantifying method is by mass spectrometry.

In another embodiment of the present invention, there is provided a method for detecting expression of one or more genes in blood from a subject, comprising the steps of: a) obtaining a subject blood sample; b) extracting RNA from the blood sample; c) amplifying the RNA; d) generating expressed sequence tags (ESTs) from the amplified RNA product; and e)

detecting expression of the genes in the ESTs, wherein the expression of the genes in the ESTs indicates the expression of the genes in the subject blood. Preferably, the subject is a fetus, an embryo, a child, an adult or a non-human animal. The genes are non-cancer-associated and tissue-specific genes. Still preferably, the amplification is performed by RT-PCR using
5 random sequence primers or gene-specific primers.

In still another embodiment of the present invention, there is provided a method for detecting expression of one or more genes in blood from a subject, comprising the steps of: a) obtaining a subject blood sample; b) extracting DNA fragments from the blood sample; c) amplifying the DNA fragments; and d) detecting expression of the genes in the amplified DNA
10 product, wherein the expression of the genes in the amplified DNA product indicates the expression of the genes in the subject blood.

In yet another embodiment of the present invention, there is provided a method for monitoring a course of a therapeutic treatment in an individual, comprising the steps of: a) obtaining a blood sample from the individual; b) extracting RNA from the blood sample; c)
15 amplifying the RNA; d) generating expressed sequence tags (ESTs) from the amplified RNA product; e) detecting expression of genes in the ESTs, wherein the expression of the genes is associated with the effect of the therapeutic treatment; and f) repeating steps a)-e), wherein the course of the therapeutic treatment is monitored by detecting the change of expression of the genes in the ESTs. Such a method may also be used for monitoring the onset of overt
20 symptoms of a disease, wherein the expression of the genes is associated with the onset of the symptoms. Preferably, the amplification is performed by RT-PCR, and the change of the expression of the genes in the ESTs is monitored by sequencing the ESTs and comparing the resulting sequences at various time points; or by performing single nucleotide polymorphism analysis and detecting the variation of a single nucleotide in the ESTs at various time points.

25 In still yet another embodiment of the present invention, there is provided a method for diagnosing a disease in a test subject, comprising the steps of: a) generating a cDNA library for the disease from a whole blood sample from a normal subject; b) generating expressed sequence tag (EST) profile from the normal subject cDNA library; c) generating a cDNA

library for the disease from a whole blood sample from a test subject; d) generating EST profile from the test subject cDNA library; and e) comparing the test subject EST profile to the normal subject EST profile, wherein if the test subject EST profile differs from the normal subject EST profile, the test subject might be diagnosed with the disease.

5 In still yet another embodiment of the present invention, there is provided a kit for diagnosing, prognosing or predicting a disease, comprising: a) gene-specific primers; wherein the primers are designed in such a way that their sequences contain the opposing ends of two adjacent exons for the specific gene with the intron sequence excluded; and b) a carrier, wherein the carrier immobilizes the primer(s). Preferably, the gene-specific primers are
10 selected from the group consisting of insulin-specific primers, atrial natriuretic factor-specific primers, zinc finger protein gene-specific primers, beta-myosin heavy chain gene-specific primers, amyloid precursor protein gene-specific primers, and adenomatous polyposis-coli protein gene-specific primers. Further preferably, the gene-specific primers are selected from the group consisting of SEQ ID Nos. 1 and 2; and SEQ ID Nos. 5 and 6. Such a kit may be
15 applied to a test subject whole blood sample to diagnose, prognose or predict a disease by detecting the quantitative expression levels of specific genes associated with the disease in the test subject and then comparing to the levels of same genes expressed in a normal subject. Such a kit may also be used for monitoring a course of therapeutic treatment or monitoring the onset of overt symptoms of a disease.

20 In yet another embodiment of the present invention, there is provided a kit for diagnosing, prognosing or predicting a disease, comprising: a) probes derived from a whole blood sample for a specific disease; and b) a carrier, wherein the carrier immobilizes the probes. Such a kit may be applied to a test subject whole blood sample to diagnose, prognose or predict a disease by detecting the quantitative expression levels of specific genes associated
25 with the disease in the test subject and then comparing to the levels of same genes expressed in a normal subject. Such a kit may also be used for monitoring a course of therapeutic treatment or monitoring the onset of overt symptoms of a disease.

Furthermore, the present invention provides a cDNA library specific for a disease, wherein the cDNA library is generated from whole blood samples.

The following examples are given for the purpose of illustrating various embodiments of the invention and are not meant to limit the present invention in any fashion.

5 **EXAMPLE 1**

Construction of a cDNA library

RNA extracted from human tissues (including fetal heart, adult heart, liver, brain, prostate gland and whole blood) were used to construct unidirectional cDNA libraries. The first mammalian heart cDNA library was constructed as early as 1982. Since then, the methodology has been revised and optimal conditions have been developed for construction of human heart and hematopoietic progenitor cDNA libraries (Liew *et al.*, 1984; Liew 1993, Claudio *et al.*, 1998). Most of the novel genes which were identified by sequence annotation can now be obtained as full length transcripts.

EXAMPLE 2

15 Catalogue of blood cell ESTs

Random partial sequencing of expressed sequence tags (ESTs) of cDNA clones from the blood cell library was carried out to establish an EST database of blood. The known genes as derived from the ESTs were categorized into seven major cellular functions (Hwang, Dempsey *et al.*, 1997).

20 **EXAMPLE 3**

Differential screening of cDNA library

cDNA probes generated from transcripts of each tissue were used to hybridize the blood cell cDNA clones (Liew *et al.*, 1997). The "positive" signals which were hybridized with P-labelled cDNA probes were defined as genes which shared identity with blood and respective

tissues. The “negative” spots which were not exposed to P-labelled cDNA probes were considered to be blood-cell-enriched or low frequency transcripts.

EXAMPLE 4

Reverse transcriptase-polymerase chain reaction (RT-PCR) assay

5 RNA extracted from samples of human tissue was used for RT-PCR analysis (Jin *et al.* 1990). Three pairs of forward and reverse primers were designed for human cardiac beta-myosin heavy chain gene (β MyHC), amyloid precursor protein (APP) gene and adenomatous polyposis-coli protein (APC) gene. The PCR products were also subjected to automated DNA sequencing to verify the sequences as derived from the specific transcripts of blood.

EXAMPLE 5

Detection of tissue specific gene expression in human blood using RT-PCR

The beta-myosin heavy chain gene (β MyHC) transcript (mRNA) is known to be highly expressed in ventricles of the human heart. This sarcomeric protein is important for heart muscle contraction and its presence would not be expected in other non-muscle tissues and
15 blood. In 1990, the gene for human cardiac β MyHC was completely sequenced (Liew *et al.* 1990) and was comprised of 41 exons and 42 introns.

The method of reverse transcription polymerase chain reaction (RT-PCR) was used to determine whether this cardiac specific mRNA is also present in human blood. A pair of primers was designed; the forward primer (SEQ ID No. 3) was on the boundary of exons 21
20 and 22, and the reverse primer (SEQ ID No. 4) was on the boundary of exons 24 and 25. This region of mRNA is only present in β MyHC and is not found in the alpha-myosin heavy chain gene (α MyHC).

A blood sample was first treated with lysing buffer and then undergone centrifuge. The resulting pellets were further processed with RT-PCR. RT-PCR was performed using the total
25 blood cell RNA as a template. A nested PCR product was generated and used for sequencing.

The sequencing results were subjected to BLAST and the identity of exons 21 to 25 was confirmed to be from β MyHC (Figure 1A).

Using the same method just described, two other tissue specific genes - amyloid precursor protein (APP, forward primer, SEQ ID No. 7; reverse primer, SEQ ID No. 8) found in the brain and associated with Alzheimer's disease, and adenomatous polyposis coli protein (APC) found in the colon and rectum and associated with colorectal cancer (Grodén *et al.* 1991; Santoro and Grodén 1997) - were also detected in the RNA extracted from human blood (Figure 1B).

EXAMPLE 6

Multiple RT-PCR analysis on a drop of blood from a normal/diseased individual

A drop of blood was extracted to obtain RNA to carry out quantitative RT-PCR analysis. Specific primers for the insulin gene were designed: forward primer (5'-GCCCTCTGGGGACCTGAC-3', SEQ ID No. 1) of exon 1 and reverse primer (5'-CCCACCTGCAGGTCCTCT-3'', SEQ ID No. 2) of exons 1 and 2 of insulin gene. Such reverse primer was obtained by deleting the intron between the exons 1 and 2. Blood samples of 4 normal subjects were assayed. It was found that the insulin gene is expressed in the blood and the quantitative expression of the insulin gene in a drop of blood is influenced by fasting and non-fasting states of normal healthy subjects (Figure 2). This very low level of expression of the insulin gene reflects the phenotypic status of a person and strongly suggests that there is a physiological and pathological role for its expression, contrary to the basal or illegitimate theory of transcription suggested by Chelly *et al.* (1989) and Kimoto (1998).

Same quantitative RT-PCR analysis was performed using insulin specific primers on RNA samples extracted from a drop of blood from a normal healthy person, a person having late-onset diabetes (Type II) and a person having asymptomatic diabetes. It was found that the insulin gene is expressed differentially amongst subjects that are healthy, diagnosed as type II diabetic, and also in an asymptomatic preclinical patient (Figure 3).

Similarly, specific primers for the atrial natriuretic factor (ANF) gene were designed (forward primer, SEQ ID No. 5; reverse primer, SEQ ID No. 6) and RT-PCR analysis was performed on a drop of blood. ANF is known to be highly expressed in heart tissue biopsies and in the plasma of heart failure patients. However, atrial natriuretic factor was observed to be expressed in the blood and the expression of the atrial natriuretic factor gene is significantly higher in the blood of patients with heart failure as compared to the blood of a normal control patient.

Specific primers for the zinc finger protein gene (ZFP, forward primer, SEQ ID No. 9; reverse primer, SEQ ID No. 10) were also designed and RT-PCR analysis was performed on a drop of blood. ZFP is known to be high in heart tissue biopsies of cardiac hypertrophy and heart failure patients. In the present study, the expression of ZFP was observed in the blood as well as differential expression levels of ZFP amongst the normal, diabetic and asymptomatic preclinical subjects (Figure 4); although neither of the non-normal subjects has been specifically diagnosed as suffering from cardiac hypertrophy and/or heart failure, the higher expression levels of the ZFP gene in their blood may indicate that these subjects are headed in that general direction.

It was hypothesized that a housekeeping gene such as glyceraldehyde dehydrogenase (GADH) which is required and highly expressed in all cells would not be differentially expressed in the blood of normal vs. disease subjects. This hypothesis was confirmed by RT-PCR using GADH specific primers (Figure 4). Thus, GADH is useful as an internal control.

Standardized levels of insulin gene or ZFP gene expressed in a drop of blood were estimated using a housekeeping gene as an internal control relative to insulin or ZFP expressed (Figures 5A & 5B). The levels of insulin gene expressed in each fractionated cell from whole blood were also standardized and shown in Figure 5C.

EXAMPLE 7

Human blood cell cDNA library

In order to further substantiate the present invention, differential screening of the human blood cell cDNA library was conducted. cDNA probes derived from human blood, adult heart or brain were respectively hybridized to the human blood cDNA library clones. As shown in Figure 7, more than 95% of the "positively" identified clones are identical between the blood and other tissue samples.

DNA sequencing of randomly selected clones from the human whole blood cell cDNA library was also performed. This allowed information regarding the cellular function of blood to be obtained concurrently with gene identification. More than 20,000 expressed sequence tags (ESTs) have been generated and characterized to date, 17.6% of which did not result in a statistically significant match to entries in the GenBank databases and thus were designated as "Novel" ESTs. These results are summarized in Figure 7 together with the seven cellular functions related to percent distribution of known genes in blood and in the fetal heart.

From 20,000 ESTs, 1,800 have been identified as known genes which may not all appear in the hemopoietic system. For example, the insulin gene and the atrial natriuretic factor gene have not been detected in these 20,000 ESTs but their transcripts were detected in a drop of blood, strongly suggesting that all transcripts of the human genome can be detected by performing RT-PCR analysis on a drop of blood.

In addition, approximately 400 novel genes have been identified from the 20,000 ESTs characterized to date, and these will be subjected to full length sequencing and open reading frame alignment to reduce the actual number of novel ESTs prior to screening for disease markers.

Analysis of the approximately 6,283 ESTs which have known matches in the GenBank databases revealed that this dataset represents over 1,800 unique genes. These genes have been catalogued into seven cellular functions. Comparisons of this set of unique genes with ESTs derived from human brain, heart, lung and kidney demonstrated a greater than 50% overlap in expression (Table 1).

TABLE 1

Overlap of Genes Expressed in Blood *

5	<u>Tissues</u>	<u>ESTs**</u>	<u>Overlap in Blood</u>
	brain	134,000	60%
	heart	65,000	59%
	lung	60,200	58%
	kidney	32,300	54%

10 * Estimated from limited known genes of about 1,800 as derived from the database of 6,297 ESTs from human blood cell library.

** Obtained from the National Centre of Biotechnology Information (NCBI), U.S.A.

EXAMPLE 8

15 **Blood cell ESTs**

The results from the differential screening clearly indicate that the transcripts expressed in the whole blood are reflective of genes expressed in all cells and tissues of the body. More than 95% of detectable spots were identical from two different tissues. The remaining 5% of spots may represent cell- or tissue-specific transcripts; however, results obtained from partial
20 sequencing to generate ESTs of these clones revealed most of them not to be cell- or tissue-specific transcripts. Therefore, the negative spots are postulated to be reflective of low abundance transcripts in the tissue from which the cDNA probes were derived.

An alternative approach that was employed to identify transcripts expressed at low levels is the large-scale generation of expressed sequence tags (ESTs). There is substantial
25 evidence regarding the efficiency of this technology to detect previously characterized (known) and uncharacterized (unknown or novel) genes expressed in the cardiovascular system (Hwang & Dempsey *et al.* 1997). In the present invention, 20,000 ESTs have been produced from a

human blood cell cDNA library and resulted in the identification of approximately 1,800 unique known genes (Table 2)

In the most recent GenBank release, analysis of more than 300,000 ESTs in the database (dbESTs) generated more than 48,000 gene clusters which are thought to represent approximately 50% of the genes in the human genome. Only 4,800 of the dbESTs are blood-derived. In the present invention, 20,000 ESTs have been obtained to date from a human blood cDNA library, which provides the world's most informative database with respect to blood cell transcripts. From the limited amount of information generated so far (i.e. 1,800 unique genes), it has already been determined that more than 50% of the transcripts are found in other cells or tissues of the human body (Table 2). Thus, it is expected that by increasing the number of ESTs generated, more genes will be identified that have an overlap in expression between the blood and other tissues. Furthermore, the transcripts for several genes which are known to have tissue-restricted patterns of expression (i.e. β MyHC, APP, APC, ANF, ZFP) have also been demonstrated to be present in blood.

Most recently, a cDNA library of human hematopoietic progenitor stem cells has also been constructed. From the limited set of 1,000 ESTs, there are at least 200 known genes that are shared with other tissue related genes (Claudio *et al.* 1998).

Table 2 demonstrates the expression of known genes of specific tissues in blood cells. Previously, only the presence of "housekeeping" genes would have been expected.

Additionally, the presence of at least 25 of the currently known 500 genes corresponding to molecular drug targets was detected. These molecular drug targets are used in the treatment of a variety of diseases which involve inflammation, renal and cardiovascular function, neoplastic disease, immunomodulation and viral infection (Drews & Ryser, 1997). It is expected that additional novel ESTs will represent future molecular drug targets.

TABLE 2

Comparison of 1,800 Unique Genes Identified in the Blood Cell cDNA Library to Genes Previously Identified in Specific Tissues

Gene Identification	No. of ESTs	Accession No.	Tissue Distribution						
			Bl	Br	H	K	Li	Lu	
100 kDa coactivator	2	U22055		+				+	
10kD protein (BC10)	2	AF053470		+	+		+	+	
14-3-3 epsilon	2	U54778		+	+			+	
14-3-3 protein	11	U28964		+	+		+		
15 kDa selenoprotein (SEP15)	1	AF051894		+	+			+	
1-phosphatidylinositol-4-phosphate 5-kinase isoform C	1	S78798							
23 kD highly basic protein	21	X56932	+	+	+	+	+	+	
2-5A-dependent RNase	1	L10381							
2'-5'oligoadenylate synthetase 2 (OAS2)	4	M87284	B						
26S proteasome subunit 11	1	AF086708							
36 kDa phosphotyrosine protein	2	AJ223280	T		+				
3-7 gene product (non-exact 86%aa)	1	D64159							
3-phosphoglycerate dehydrogenase (PGAD)	1	AF006043	T	+	+			+	
3-prime-phosphoadenosine 5-prime-phosphosulfate synthase 1 (PAPSS1)	2	U53447	+	+	+	+		+	
46kd mannose 6-phosphate receptor (MPR46) (low match)	1	X56257							
5-aminoimidazole-4-carboxamide ribonucleotide transformylase	1	D89976							
5'-nucleotidase	3	D38524	T	+			+		
6-phosphofructo-2-kinase/fructose-2,6-biphosphatase 4 (PFKFB4)	1	D49818		+					
6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase (PF2K)	1	AF041829							
71 kd heat shock cognate protein hsc70	23	Y00371							
76 kDa membrane protein	2	U81006		+	+	+	+	+	

(P76)									
8-oxoguanine DNA glycosylase (OGG1)	1	U96710	B				+	+	
a disintegrin and metalloprotease domain 10 (ADAM10)	1	AF009615	T				+		
a disintegrin and metalloprotease domain 8 (ADAM8)	1	D26579	B	+					
A kinase anchor protein 95 (AKAP95)	2	Y11997	B, T activated		+			+	
A kinase anchor protein, 149kD (AKAP149)	2	X97335		+	+	+		+	
A4 differentiation-dependent protein (A4), triple LIM domain protein (LMO6), and synaptophysin (SYP); calcium channel alpha-1 subunit (CACNA1F)	1	U93305							
ABL and putative M8604 Met protein	1	U07561							
Absent in melanoma 1 (AIM1)	1	U83115	+	+				+	
accessory proteins BAP31/BAP29 (DXS1357E)	2	Z31696		+	+				
acetyl-Coenzyme A acyltransferase (peroxisomal 3-oxoacyl-Coenzyme A thiolase) (ACAA)	2	X12966	+	+	+	+	+	+	
acetyl-Coenzyme A transporter (ACATN)	1	D88152	T lymphoma	+	+				
acidic 82 kDa protein	4	U15552							
acidic protein rich in leucines (SSP29)	1	Y07969	B	+	+		+	+	
Aconitase 2, mitochondrial (ACO2)	1	U80040	+	+	+	+		+	
actin binding protein MAYVEN	1	AF059569							
actin, beta (ACTB)	158	X04098	T, B	+	+		+		
actin, beta (ACTB) (non-exact, low match 73%)	1	M10277							
actin, gamma (low score)	1	K00791							
actin, gamma 1 (ACTG1)	4	X04098	+	+	+	+	+	+	high in many libraries
actin-binding LIM protein (ABLM)	4	D31883		+	+	+		+	
Actinin, alpha 1 (ACTN1)	8	M95178		+	+	+		+	

actinin, alpha 4 (ACTN4)	1	D89980		+	+		+		
activated p21cdc42Hs kinase (ACK)	1	L13738	B	+				+	
activated RNA polymerase II transcription cofactor 4 (PC4)	1	X79805	+	+	+	+		+	
activating transcription factor 1 (ATF1)	1	X55544			+				
activating transcription factor 2 (ATF2)	1	X15875		+	+		+		
activating transcription factor 4 (tax-responsive enhancer element B67) (ATF4)	2	M86842					+	+	
active BCR-related gene (ABR)	1	U01147	+	+	+	+		+	
acyl-CoA oxidase (AOX)	1	U03254							
acyl-Coenzyme A dehydrogenase, C-4 to C-12 straight chain (ACADM)	2	M16827							
acyl-Coenzyme A dehydrogenase, very long chain (ACADVL)	3	D43682	+	+	+	+	+	+	
acyloxyacyl hydrolase (neutrophil) (AOAH)	3	M62840	T		+		+	+	
adaptin, delta (ADTD)	2	U91930		+	+		+		
adaptin, delta (ADTD) (non-exact 59%)	1	AC005328							
adaptin, gamma (ADTG)	1	Y12226		+	+	+		+	
adaptor complex sigma3B (AP3S3)	2	X99459		+		+		+	
adaptor protein p150	1	Y08991							
adducin 1 (alpha) (ADD1)	2	L07261		+	+		+		
adducin 1 (alpha) (add1)	3	L29296	+	+	+	+		+	
adducin 3 (gamma) (ADD3)	3	U37122	B, W	+	+		+	+	
adenine nucleotide translocator 2 (fibroblast) (ANT2)	2	M57424		+	+		+		
adenine nucleotide translocator 2 (fibroblast) (ANT2) (non-exact 81%)	1	J02683							
adenine nucleotide translocator 2 (fibroblast) (ANT2) (non-exact, 79%)	1	J02683							
adenine nucleotide translocator 2 (fibroblast) (ANT2) (non-exact, 86%)	1	J02683							
adenine nucleotide translocator 3 (liver)	3	J03592		+	+		+	+	

(ANT3)									
adenosine deaminase, RNA-specific (ADAR)	6	U18121		+	+		+		
adenylate cyclase 3 (ADCY3)	2	AF033861		+	+	+	+	+	
adenylate cyclase 7 (ADCY7)	1	D25538							
adenylate kinase 2 (AK2)	2	U39945		+	+		+	+	
adenylate kinase 3 (AK3) (non-exact, 67%)	1	X60673							
adenylyl cyclase-associated protein (CAP)	28	M98474	T		+		+		
adipose differentiation-related protein; adipophilin (ADFP)	1	X97324			+		+	+	
ADP-ribosylation factor 1 (ARF1)	13	M84326		+	+		+	+	
ADP-ribosylation factor 3 (ARF3)	2	M33384		+	+		+		
ADP-ribosylation factor 4 (ARF4)	1	M36341	T lymphoma	+	+			+	
ADP-ribosylation factor 5 (ARF5)	1	M57567			+	+	+	+	
ADP-ribosylation factor domain protein 1, 64kD (ARFD1)	1	L04510		+					
ADP-ribosyltransferase (NAD ⁺ ; poly (ADP-ribose) polymerase) (ADPRT)	4	M32721	+	+	+	+	+	+	
adrenergic, beta, receptor kinase 1 (ADRBK1)	2	X61157	B	+			+		
adrenoleukodystrophy-like 1 (ALDL1)	1	AJ000327							
AE-binding protein 1 (AEBP1) (non-exact, 62%)	1	D86479							
AF-17	1	U07932							
A-gamma-globin	1	V00514							
A-gamma-globin (chromosome 11 allele)	1	J00176							
agammaglobulinaemia tyrosine kinase (ATK)	1	U78027							
AHNAK nucleoprotein (desmoyokin) (AHNAK)	4	M80899	+	+	+	+		+	
alanyl (membrane) aminopeptidase (aminopeptidase N, aminopeptidase M, microsomal aminopeptidase, CD13,	1	X13276			+		+		

p150) (ANPEP)									
alcohol dehydrogenase 5 (class III), chi polypeptide (ADH5)	1	M29872							
aldehyde dehydrogenase 1, soluble (ALDH1)	1	AF003341		+			+	+	
aldehyde dehydrogenase 10 (fatty aldehyde dehydrogenase) (ALDH10)	2	U75286							
aldehyde reductase 1 (low Km aldose reductase) (ALDR1)	3	J04795	B	+	+	+	+		
aldo-keto reductase family 1, member A1 (aldehyde reductase) (AKR1A1)	2	J04794	B	+	+		+		
aldo-keto reductase family 1, member C3 (3-alpha hydroxysteroid dehydrogenase, type II) (AKR1C3)	1	D17793		+	+	+		+	
aldo-keto reductase family 7, member A2 (aflatoxin aldehyde reductase) (AKR7A2)	1	Y16675		+	+		+	+	
aldolase A, fructose-bisphosphate (ALDOA)	7	X12447		+	+		+		
aldolase C, fructose-bisphosphate (ALDOC)	2	X05196		+	+		+		
alkaline phosphatase, liver/bone/kidney (ALPL)	1	4502062							
ALL-1 (=L04731;L04284 HRX)	4	Z69780							
alpha mannosidase II isozyme	1	D55649		+			+		
alpha thalassemia/mental retardation syndrome X-linked (ATRX)	3	U75653	+	+	+	+		+	
alpha-2 macroglobulin	1	Z11711							
alpha-2-globin	2	V00516							
alpha-2-macroglobulin receptor/lipoprotein receptor protein (A2MR/LRP)	1	U06985							
alpha-polypeptide of N-acetyl-alpha-glucosaminidase (HEXA)	1	M13520							
alpha-spectrin	1	X86901							
alpha-subunit of Gi2 a (GTP-binding signal	1	X07854							

transduction protein)									
aminin receptor 1 (67kD); Ribosomal protein SA (LAMR1)	2	J03799	T	+	+		+	+	
aminolevulinate, delta-, dehydratase (ALAD)	1	X64467		+					
amino-terminal enhancer of split (AES)	2	X73358	+	+	+	+		+	
amino-terminal enhancer of split (AES)	3	U04241	B	+	+		+	+	
AMP deaminase isoform L (AMPD2)	8	M91029		+				+	
amphiphysin (Stiff-Mann syndrome with breast cancer 128kD autoantigen) (AMPH)	1	U07616	B	+				+	
amphiphysin (Stiff-Mann syndrome with breast cancer 128kD autoantigen) (AMPH)(non-exact, 68%)	1	U07616							
amphiphysin (Stiff-Mann syndrome with breast cancer 128kD autoantigen) (AMPH)(non-exact, 68%)	1	U07616							
amphiphysin II	4	U87558		+	+		+		
amphiphysin II (67%aa amphiphysin?)	1	AF068915							
amphiphysin II (non-exact 69% aa)	1	AF001383							
amphiphysin-like (AMPHL)	1	U68485		+	+				
amphiphysin-like (AMPHL) (low match)	1	AF068918							
AMY-1	1	D50692	B, T				+		
amyloid beta (A4) precursor protein-binding, family B, member 1 (Fe65) (APBB1)	1	L77864		+	+	+		+	
amyloid beta (A4) precursor-like protein 2 (APLP2)	6	L27631	T lymphoma	+	+		+	+	
ankyrin 3, node of Ranvier (ankyrin G) (ANK) (non- exact, 50%)	1	U43965							
annexin I (lipocortin I) (ANX1)	1	X05908		+	+	+		+	
annexin II	1	D28364							
annexin II (lipocortin II; calpactin I, heavy polypeptide) (ANX2)	7	D00017	+	+	+	+	+	+	high in many libraries

annexin IV (placental anticoagulant protein II) (ANX4)	1	M19383		+	+	+	+	+	
annexin V (endonexin II) (ANX5)	2	M21731		+	+	+		+	
annexin V (endonexin II) (ANXV)	1	M19384		+	+	+		+	
annexin VI (p68) (ANX6)	6	Y00097		+	+	+		+	
annexin VII (synexin) (ANX7)	1	J04543		+	+	+		+	
antigen identified by monoclonal antibodies 12E7, F21 and O13 (MIC2)	2	M16279		+	+	+		+	
antigen identified by monoclonal antibodies 4F2, TRA1.10, TROP4, and T43 (MDU1)	3	J02939		+	+	+	+	+	
antigen TQ1	1								
anti-oxidant protein 2 (non-selenium glutathione peroxidase, acidic calcium-independent phospholipase A2) (KIAA0106)	1	D14662		+	+	+	+	+	
APEX nuclease (multifunctional DNA repair enzyme) (APEX)	5	X66133		+	+		+	+	
Apolipoprotein L (APOL) (59%aa)	1	Z82215							
apoptosis inhibitor 1 (API1)	1	L49431		+	+	+	+	+	
apoptosis inhibitor 4 (survivin) (API4)	1	U75285	B, W	+	+		+		
apoptosis inhibitor 5 (API5)	1	U83857	T lymphoma	+			+		
apoptosis specific protein (ASP)	1	Y11588	B	+			+	+	
apoptotic protease activating factor (APAF1)	1	AF013263	B	+	+		+		
aquaporin 3 (AQP3)	1	AB001325	T				+		
aquaporin 9 (AQP9)	7	AB008775	T activated				+		
arachidonate 12-lipoxygenase (ALOX12)	1	M58704	T				+	+	
arachidonate 5-lipoxygenase-activating protein (ALOX5AP)	3	X52195	+	+		+		+	
ariadne homolog (ARI)	1	AJ009771	+	+	+	+		+	
ariadne-2 (D. melanogaster) homolog (all-trans retinoic acid inducible RING finger) (ARI2)	1	AF099149	+	+	+	+		+	

ARP1 (actin-related protein 1, yeast) homolog A (centractin alpha) (ACTR1A)	1	X82206		+			+		
ARP2 (actin-related protein 2, yeast) homolog (ACTR2)	9	AF006082		+	+		+	+	
ARP2/3 protein complex subunit 34 (ARC34)	5	AF006085	T activated, W	+	+		+		
Arp2/3 protein complex subunit p41 (ARC41)	6	AF006084	monocyte stimulated	+	+		+		
Arp2/3 protein complex subunit p41 (ARC41)) (low match)	1	AF006084							
Arp2/3 protein complex subunit p16 (ARC16)	20	AF017807		+	+		+	+	
Arp2/3 protein complex subunit p20 (ARC20)	2	AF006087		+	+		+	+	
Arp2/3 protein complex subunit p21(ARC21)	3	AF006086	W				+	+	
ARP3 (actin-related protein 3, yeast) homolog (ACTR3)	11	AF006083	W		+		+	+	
arrestin, beta 2 (ARRB2)	1	AF106941	B, T, W	+	+		+		
arsA (bacterial) arsenite transporter, ATP-binding, homolog 1 (ASNA1)	1	AF047469	B, T	+			+		
aryl hydrocarbon receptor nuclear translocator-like (ARNTL)	2	AF044288	B	+	+		+		
aryl hydrocarbon receptor-interacting protein (AIP)	1	U31913	+	+	+	+		+	
arylsulfatase A (ARSA)	1	X52151	T activated	+			+		
asialoglycoprotein receptor 2 (ASGR2)	1	M11025					+	+	
asparaginyl-tRNA synthetase (NARS)	3	D84273		+	+		+		
aspartyl-tRNA synthetase (DARS)	1	J05032	B	+	+		+		
ataxia telangiectasia mutated (includes complementation groups A, C and D) (ATM)	1	U82828	B, T		+		+		
ataxin-2-like protein A2LP (A2LG)	1	AF034373	B, T activated	+	+			+	
ATF6	1	AF005887		+			+		
ATP binding cassette transporter (ABCR) (non-exact 80%)	1	U88667							
ATP synthase (F1-ATPase) alpha subunit,	1	X59066							

mitochondrial									
ATP synthase beta subunit gene	1	M19482							
ATP synthase, H ⁺ transporting, mitochondrial F0 complex, subunit b, isoform 1 (ATP5F1)	1	X60221	+	+	+	+		+	
ATP synthase, H ⁺ transporting, mitochondrial F0 complex, subunit c (subunit 9), isoform 1 (ATP5G1)	1	X69907	T activated	+	+		+	+	
ATP synthase, H ⁺ transporting, mitochondrial F1 complex, alpha subunit, isoform 1, cardiac muscle (ATP5A1)	3	D14710							
ATP synthase, H ⁺ transporting, mitochondrial F1 complex, alpha subunit, isoform 1, cardiac muscle (ATP5A1) (low match)	1	D14710							
ATP synthase, H ⁺ transporting, mitochondrial F1 complex, beta polypeptide (ATP5B)	2	M27132							
ATP synthase, H ⁺ transporting, mitochondrial F1 complex, gamma polypeptide 1 (ATP5C1)	1	D16563	W	+	+	+	+		
ATP synthase, H ⁺ transporting, mitochondrial F1F0, subunit g (ATP5JG)	1	AF092124	+	+	+	+	+	+	
ATP/GTP-binding protein (HEAB)	2	U73524	+	+	+	+		+	
ATPase, Ca ⁺⁺ transporting, ubiquitous (ATP2A3)	5	Z69881		+					
ATPase, H ⁺ transporting, lysosomal (vacuolar proton pump) 21kD (ATP6F)	2	D89052	+	+	+	+		+	
ATPase, H ⁺ transporting, lysosomal (vacuolar proton pump) 31kD (ATP6E)	1	X76228		+	+	+		+	
ATPase, H ⁺ transporting, lysosomal (vacuolar proton pump) 42kD; Vacuolar proton-ATPase, subunit C; V-ATPase, subunit C (ATP6D)	5	X69151		+	+	+		+	

ATPase, H ⁺ transporting, lysosomal (vacuolar proton pump), alpha polypeptide, 70kD, isoform 1 (ATP6A1)	3	L09235		+		+			
ATPase, H ⁺ transporting, lysosomal (vacuolar proton pump), beta polypeptide, 56/58kD, isoform 2 (ATP6B2)	6	X62949	+	+	+	+		+	
ATPase, H ⁺ transporting, lysosomal (vacuolar proton pump), member J (ATP6J)	2	AF038954	+	+	+	+		+	high in testis
ATPase, H ⁺ transporting, lysosomal (vacuolar proton pump), subunit 1 (ATP6S1)	1	D16469		+	+	+		+	
ATP-binding cassette 50 (TNF-alpha stimulated) (ABC50)	1	AF027302	+	+	+	+		+	
ATP-binding cassette protein M-ABC1 (mitochondrial)	1	AF047690							
ATP-dependent RNA helicase	1	AJ010840	T lymphoma		+		+		
autoantigen (Hs.75528)	2	L05425	T activated		+				
autoantigen (Hs.75528) (non-exact 84%)	1	L05425							
autoantigen (Hs.75682)	1	U17474	B	+				+	
autoantigen La/SS-B	1	Z35127							
axin (AXIN1)	1	AF009674	T	+					
axonemal dynein heavy chain (DNAH17)	1	AJ000522						+	
BAI1-associated protein 3 (BAIAP3) (non-exact 54%)	1	AB017111							
basement membrane-induced gene (ICB1)	1	AF044896							
basic leucine zipper nuclear factor 1 (JEM-1) (BLZF1)	2	U79751							
basic transcription factor 3 (BTF3)	5	X74070	+	+	+	+	+	+	
basigin (BSG)	1	L10240		+				+	
BC-2	1	AF042384	B		+	+	+		
B-cell CLL/lymphoma 6 (zinc finger protein 51) (BCL6)	1	U00115		+	+				
B-cell translocation gene 1, anti-proliferative (BTG)	1	X61123			+			+	
BCL2/adenovirus E1B 19kD-interacting protein 2	1	U15173	B	+			+	+	

(BNIP2)									
BCL2/adenovirus E1B 19kD-interacting protein 3-like (BNIP3L)	2	AF067396		+	+	+		+	
beclin 1 (coiled-coil, myosin-like BCL2-interacting protein) (BECN1)	1	AF077301	B	+	+		+		
beta-1,2-N-acetylglucosaminyltransferase II (MGAT2)	2	U15128							
beta-2-microglobulin (B2M)	63	S82297	+	+	+	+	+	+	high in invasive prostate tumor
beta-hexosaminidase alpha chain (HEXA)	1	M16411							
beta-tubulin	7	V00599	+	+	+	+	+	+	high in many libraries
beta-tubulin (non-exact, 76%)	1	AF070561							
beta-tubulin, pseudogene	1	J00315							
BING4	1	Z97184							
biotinidase (BTD) (non-exact 62%)	1	U03274							
biotinidase (BTD) (non-exact 70%)	1	U03274							
biotinidase (BTD) (non-exact, 56%)	1	U03274							
BIOTINIDASE PRECURSOR	1	P43251							
biphenyl hydrolase-like (serine hydrolase) (BPHL)	1	X81372		+			+		
bone marrow stromal cell antigen 1 (BST1)	1	D21878					+		
box-dependent myc-interacting protein isoform BIN1-10 (BIN1)	1	AF043900							
box-dependent myc-interacting protein isoform BIN1-10 (BIN1) (non-exact, 64%)	1	AF043900							
brain my047 protein	1	AF063605	T	+	+		+		
branched chain keto acid dehydrogenase E1, alpha polypeptide (maple syrup urine disease) (BCKDHA)	3	Z14093	T	+	+		+		
BRCA1 associated protein-1 (ubiquitin carboxy-terminal hydrolase) (BAP1)	1	D87462	+	+	+	+			
BRCA1, Rho7 and vat1 genes, and ipf35	1	L78833							

breakpoint cluster region protein, uterine leiomyoma, 1; barrier to autointegration factor (BCRP1)	2	AF044773		+	+				
breakpoint cluster region protein, uterine leiomyoma, 2 (BCRP2)	2	AF044774		+	+		+	+	
breast cancer anti-estrogen resistance 3 (BCAR3) (non-exact 73%)	1	U92715							
bromodomain-containing protein, 140kD (peregrin) (BR140)	2	M91585		+					
Bruton's agammaglobulinemia tyrosine kinase (Btk)	1	U13424							
Bruton's tyrosine kinase (BTK)	1	U78027							
Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3)	1	U78027							
BS4	1	AF108083							
BTG2 (BTG2)	6	Y09943	+	+	+	+		+	
BTK region clone ftp	1	U78027	+	+	+	+		+	
BTK region clone ftp-3	1	U01923		+	+		+		
BUB3 (budding uninhibited by benzimidazoles 3, yeast) homolog (BUB3)	4	AF053304	+	+	+	+		+	
butyrate response factor 1 (EGF-response factor 1) (BRF1)	4	X79067	+	+	+	+		+	
butyrophilin (BTF1)	7	U90543		+	+		+		
butyrophilin like receptor	1	AB020625.1							
CAG repeat containing (CTG4A)	2	U80744		+	+				
CAGH32	2	U80743		+	+		+		
calcium channel, voltage-dependent, L type, alpha 1D subunit (CACNA1D) (low match)	1	M83566							
calcium/calmodulin-dependent protein kinase (CaM kinase) II gamma (CAMK2G)	1	AF069765		+	+	+		+	
calcium/calmodulin-dependent protein kinase kinase (KIAA0787)	1	AF101264	B	+	+		+		

calmodulin (=M19311)	7	D45887							
calmodulin 1 (phosphorylase kinase, delta) (CALM1)	6	M27319	B	+	+		+	+	
calnexin (CANX)	3	M94859	T	+			+	+	
calpain, large polypeptide L1 (CAPN1)	5	X04366		+	+		+	+	
calpain, large polypeptide L2 (CANP2)	5	M23254		+	+				
calpain, small polypeptide (CAPN4)	1	X04106		+	+		+	+	
calpastatin (CAST)	3	D16217					+		
Calponin 2	2	D83735		+		+		+	
calponin 2 (CNN2)	1	D83735	B, T	+			+		
calponin 2 (CNN2) (low score)	1	D83735							
calumenin (CALU)	3	AF013759	B		+		+	+	
cAMP response element- binding protein CRE-Bpa (H GS165L15.1)	4	L05912							
cAMP-dependent protein kinase type II (Ht31)	1	M90360							
canicular multispecific organic anion transporter (CMOAT2)	1	AF009670				+	+	+	
capping protein (actin filament) muscle Z-line, alpha 1 (CAPZA1)	6	U56637	B, T		+			+	
capping protein (actin filament) muscle Z-line, alpha 2 (CAPZA2)	2	U03269	B	+	+				
capping protein (actin filament) muscle Z-line, beta (CAPZB)	1	U03271	+	+	+	+		+	
capping protein (actin filament), gelsolin-like (CAPG)	8	M94345	+	+		+		+	
carbamoyl-phosphate synthetase 2, aspartate transcarbamylase, and dihydroorotase (CAD)	1	D78586	+	+	+	+		+	
carbonic anhydrase V, mitochondrial (CA5)	1	L19297		+			+		
carboxypeptidase D (CPD)	3	U65090	B	+	+				
carnitine/acylcarnitine translocase (CACT)	1	Y10319		+	+		+		
Cas-Br-M (murine) ecotropic retroviral transforming sequence	2	X57110					+		

(cbl)									
casein kinase 1, alpha 1 (CSNK1A1)	1	L37042	+	+	+	+		+	
casein kinase 2, alpha 1 polypeptide (CSNK2A1)	2	M55265	B	+			+	+	
casein kinase I gamma 3L (CSNK1G3L)	1	AF049090.1							
casein kinase II alpha subunit(=S72393)	1	X69951							
CASP8 and FADD-like apoptosis regulator (CFLAR)	4	AF015450		+	+	+	+	+	
caspase 1, apoptosis-related cysteine protease (interleukin 1, beta, convertase) (CASP1)	7	U13697	+			+			
caspase 10, apoptosis-related cysteine protease (CASP10)	1	U60519	B, T activated, T lymphoma				+		
caspase 3, apoptosis-related cysteine protease (CASP3)	3	U13737	B, T	+	+	+	+		
caspase 4, apoptosis-related cysteine protease (CASP4)	6	U25804	+	+	+	+		+	
caspase 5, apoptosis-related cysteine protease (CASP5)	1	U28015			+				
caspase 8, apoptosis-related cysteine protease (CASP8)	2	X98173		+		+		+	
caspase 9, apoptosis-related cysteine protease (CASP9)	1	U56390	B			+	+		
catalase (CAT)	5	X04076	B	+	+		+		
catechol-O-methyltransferase (COMT)	1	M65213		+	+		+		
catenin (cadherin-associated protein), alpha 1 (102kD) (CTNNA1)	6	D14705		+	+				
cathelicidin antimicrobial peptide (CAMP)	1	X89658	B						
cathepsin B (CTSB)	4	L16510			+		+	+	
cathepsin C (CTSC)	3	U79415		+	+	+		+	
cathepsin D (lysosomal aspartyl protease) (CTSD)	4	M11233		+	+		+		
cathepsin E (CTSE)	1	J05036					+		
cathepsin G (CTSG)	1	M16117	T, W		+				
cathepsin S (CTSS)	34	M86553	B, Monocyte				+	+	

			stimulated, T lymphoma						
cathepsin W (lymphopain) (CTSW)	4	AF013611						+	
CBF1 interacting corepressor CIR (=U03644 recepin)	1	AF098297							
CCAAT/enhancer binding protein (C/EBP), alpha (CEBPA)	3	X87248		+	+	+		+	
CCAAT/enhancer binding protein (C/EBP), delta (CEBPB)	1	S63168			+		+	+	
CCAAT-box-binding transcription factor (CBF2)	2	M37197	T lymphoma			+	+		
CCR5 receptor (CCR5) (non-exact?)	1	AF011504							
CD14 antigen (CD14)	11	M86511	+	+	+	+		+	
CD18 (=M95293)	4	X64071							
CD1C antigen, c polypeptide (CD1C)	2	M28827						+	
CD2 antigen (cytoplasmic tail)-binding protein 2 (CD2BP2)	1	AF104222							
CD2 antigen (p50), sheep red blood cell receptor (CD2)	4	M14362	+		+	+		+	
CD2 cytoplasmic tail-binding protein 1 (CD2BP1)	2	AF038602					+		
CD20 antigen (CD20)	1	X12530							
CD20 receptor (S7)	1	X07203							
CD22 antigen (CD22)	1	U62631	B						
CD24 signal transducer	1	M58664							
CD33 antigen (gp67) (CD33)	1	M23197					+		
CD33 antigen-like 2; OB binding protein-2 (CD33L2) (non-exact, 68%)	1	U71383							
CD33L2 (61% aa)	1	D86359							
CD36 antigen (collagen type I receptor, thrombospondin receptor) (CD36)	7	M98398	T lymphoma		+		+	+	
CD37 antigen (CD37)	5	X14046	+	+		+		+	
CD38 alt	1	D84277							
CD39 antigen (CD39)	1	U87967	B	+			+	+	
CD3D antigen, delta polypeptide (TiT3 complex) (CD3D)	1	X03934			+	+		+	

CD3E antigen, epsilon polypeptide (TiT3 complex) (CD3E)	1	X03884	+			+			
CD3G antigen, gamma polypeptide (TiT3 complex) (CD3G)	2	X06026	W				+		
CD3Z antigen, zeta polypeptide (TiT3 complex) (CD3Z)	2	J04132	+			+			
CD3-zeta (clone pBS NK1)	1	X55510							
CD4 (low match)	1	S68043							
CD4 antigen (p55) (CD4)	4	M12807		+	+		+		
CD44 antigen (homing function and Indian blood group system (CD44)	6	X56794	W				+	+	
CD48 antigen (B-cell membrane protein) (CD48)	3	X06341	+	+	+	+		+	
CD53 antigen (CD53)	10	L11670	+	+		+		+	
CD53 antigen (CD53) (low match)	1	M60871							
CD63 antigen (melanoma 1 antigen) (CD63)	3	M59907							
CD68 antigen (CD68)	2	S57235		+	+		+	+	
CD74 antigen (invariant polypeptide of major histocompatibility complex, class II antigen-associated) (CD74)	72	K01144	+	+	+	+	+	+	high in many libraries
CD79A antigen (immunoglobulin-associated alpha) (CD79A)	2	M80462			+				
CD79B antigen (immunoglobulin-associated beta) (CD79B)	2	M89957	+						
CD8 antigen, alpha polypeptide (p32) (CD8A)	2	M27161	+			+		+	
CD8 antigen, beta polypeptide 1 (p37) (CD8B1)	1	X13445	W						
CD81 antigen (target of antiproliferative antibody 1) (CD81)	1	M33680		+	+			+	
CD83 antigen (activated B lymphocytes, immunoglobulin superfamily) (CD83)	1	Q01151	B	+	+			+	
CD84 antigen (leukocyte antigen) (CD84)	1	U82988		+	+			+	
CD86 antigen	1	L25259		+					

CD9 antigen (p24) (CD9)	2	M38690			+		+	+	
CD97 antigen (CD97)	12	X84700	+	+		+			
CD97 antigen (CD97) (non-exact 59%)	1	P48960							
CD97 antigen (CD97) (non-exact 62%)	1	X94630	+	+		+			
CDC23 (cell division cycle 23, yeast, homolog) (CDC23)	1	AF053977		+			+	+	
CDC37 homolog	1	U63131	B	+	+		+	+	
Cdc42 effector protein 3 (CEP3)	2	AF104857	B	+	+		+		
CDC-like kinase (CLK)	1	L29219		+	+	+		+	
CDC-like kinase 2 (CLK2)	1	AF023268	B	+	+				
CDW52 antigen (CAMPATH-1 antigen) (CDW52)	13	X15183	T activated	+	+		+		
cell cycle progression restoration 8 protein(CPR8)	1	AF011794							
cell division cycle 10 (homologous to CDC10 of <i>S. cerevisiae</i>) (CDC10)	4	S72008	+	+	+	+		+	
cell division cycle 20, <i>S.cerevisiae</i> homolog (CDC20)	1	U05340		+	+	+			
cell division cycle 25B (CDC25B)	6	Z68092	+	+	+	+		+	
cell division cycle 2-like 1 (PITSLRE proteins) (CDC2L1) (non-exact 42%)	1	AF067514							
cell division cycle 42 (GTP-binding protein, 25kD) (CDC42)	5	M35543	+	+	+	+		+	
cell division protein (non-exact 68%)	1	AF063015							
CELL-CYCLE NUCLEAR AUTOANTIGEN SG2NA (S/G2 NUCLEAR ANTIGEN)	1	Q13033							
centromere protein B (80kD) (CENPB)	1	X55039		+			+		
cep250 centrosome associated protein	3	AF022655	B	+			+		
ceroid-lipofuscinosis, neuronal 2, late infantile (Jansky-Bielschowsky disease) (CLN2)	7	AF017456	+	+	+	+	+	+	high in bone
c-fgr (=M63877 nonreceptor protein-	6	X52206							

tyrosine kinase (fgr))									
CGI-19 protein	3	AF132953.1							
chaperonin containing TCP1, subunit 3 (gamma) (CCT3)	1	X74801		+	+			+	
chaperonin containing TCP1, subunit 4 (delta) (CCT4)	1	AF026291		+	+		+	+	
chaperonin containing TCP1, subunit 6A (zeta 1) (CCT6A)	4	L27706	B	+	+				
chaperonin containing TCP1, subunit 7 (eta) (CCT7)	4	AF026292	B	+				+	
Chediak-Higashi syndrome 1 (CHS1)	1	U67615	B, T lymphoma	+	+		+		
Chediak-Higashi syndrome 1 (CHS1) (low score)	1	U67615							
chemokine (C-C motif) receptor 2 (CCR2)	4	U03905							
chemokine (C-C motif) receptor 4 (CCR4) (low match) (may contain repeat)	1	X85740							
chemokine (C-C motif) receptor 7 (CCR7)	6	L31581							
chemokine (C-X3-C) receptor 1 (CX3CR1)	5	U20350		+					
chemokine (C-X-C motif), receptor 4 (fusin) (CXCR4)	5	M99293	+	+	+	+		+	
chitinase 3-like 1 (cartilage glycoprotein-39) (CHI3L1)	2	M80927		+		+		+	
chitinase 3-like 2 (CHI3L2)	2	U49835		+		+		+	
chloride channel 1, skeletal muscle (CLCN1)	1	G18280							
chloride channel 6 (CLCN6)	1	D28475		+	+				
Chloride intracellular channel 1 (CLIC1)	1	U93205	+	+	+	+		+	
chondroitin sulfate proteoglycan 2 (versican) (CSPG2)	5	X15998			+				
chondroitin sulfate proteoglycan core protein	2	J02814			+			+	
chromatin assembly factor 1 p48 subunit (CAF-1 P48 subunit) (retinoblastoma binding protein p48) (retinoblastoma-binding	1	Q09028							

protein 4) (MSI1 protein homolog)									
chromodomain helicase DNA binding protein 1 (CHD1)	2	AF006513							
chromodomain helicase DNA binding protein 1-like (CHD1L)	1	AF054177							
chromodomain helicase DNA binding protein 2 (CHD2)	1	AF006514	B	+	+		+		
chromodomain helicase DNA binding protein 3 (CHD3)	1	AF006515							
chromodomain helicase DNA binding protein 4 (CHD4)	5	X86691	+	+	+	+		+	
chromosome 1 open reading frame 7 (C1ORF7)	1	AF054176							
chromosome 1 specific transcript KIAA0493	1	AB007962							
chromosome 17 open reading frame 1B (C17ORF1B)	1	AJ008112	T	+					
chromosome 4 open reading frame 1 (C4ORF1)	1	AF006621		+	+	+		+	
chromosome condensation 1-like (CHC1L)	2	AF060219		+	+	+		+	
chromosome X open reading frame 5 (CXORF5)	1	Y15164	B	+	+		+		
chromosome-associated polypeptide C(CAP-C)	2	AF092564	B	+	+		+	+	
cig42	1	AF026944							
cig5	3	AF026941							
citrate synthase (CS)	2	AF047042	B	+	+		+	+	
class I major histocompatibility antigen (HLA-Cw3)	2	U31372							
class I major histocompatibility antigen (HLA-Cw3) (low match)	1	U31372							
clathrin assembly protein lymphoid myeloid leukemia (CALM)	3	U45976	B	+	+			+	
clathrin heavy chain	1	X55878							
clathrin, heavy polypeptide-like 2 (CLTCL2)	1	D21260							
clathrin, light polypeptide (Lca) (CLTA) (low match)	1	M20472							

clathrin-associated/assembly/adapt or protein, medium 1 (CLAPM1)	3	D63475		+	+	+	+	+	
cleavage stimulation factor, 3' pre-RNA, subunit 2 64kD (CSTF2) (non-exact 82%)	1	M85085							
cleavage stimulation factor, 3' pre-RNA, subunit 3, 77kD (CSTF3)	1	U15782	B	+	+		+		
clk3	1	L29220	B	+	+				
clone 23815 (Hs.82845)	1	U90916		+	+			+	
clone 24592 mRNA sequence	1	D88378	+	+	+	+		+	
Clq/MBL/SPA receptor C1qR(p) ()	1	U94333							
clusterin (complement lysis inhibitor, SP-40,40, sulfated glycoprotein 2, testosterone-repressed prostate message 2, apolipoprotein J) (CLU)	1	M64722	+	+	+	+	+	+	
CMP-sialic acid transporter (CMPST)	1	D87969	B	+	+				
CMRF35	3	X66171							
c-myc oncogene containing coxIII	1	X54629							
coagulation factor II (thrombin) receptor (F2R)	1	M62424		+	+			+	
coagulation factor V (proaccelerin, labile factor) (F5)	1	M14335		+		+	+		
coagulation factor XIII a subunit	3	M21998							
coagulation factor XIII, A1 polypeptide (F13A1)	6	M14354		+	+	+		+	
coated vesicle membrane protein (RNP24)	1	X92098	+	+	+	+	+	+	
coatamer protein complex, subunit alpha (COPA)	5	U24105	T	+			+		
Cofilin 1 (non-muscle) (CFL1)	13	X95404	+	+	+	+	+	+	high in fetal brain
cold inducible RNA-binding protein (CIRBP)	7	D78134		+	+			+	
cold shock domain protein A (CSDA)	3	X95325		+	+				
collagen, type IX, alpha 2 (COL9A2)	3	AF019406	B						
colony stimulating factor 1	3	X03663		+			+	+	

receptor, formerly McDonough feline sarcoma viral (v-fms) oncogene homolog (CSF1R)									
colony stimulating factor 2 receptor, beta, low-affinity (granulocyte-macrophage) (CSF2RB)	5	M59941							
colony stimulating factor 2 receptor, beta, low-affinity (granulocyte-macrophage) (CSF2RB) (low match)	1	M59941							
colony stimulating factor 3 receptor (granulocyte) (CSF3R)	16	X55720		+					
complement component 5 receptor 1 (C5a ligand) (C5R1)	1	M62505	L						
conserved gene amplified in osteosarcoma (OS4)	2	AF000152		+	+	+		+	
COP9 (constitutive photomorphogenic, Arabidopsis, homolog) subunit 3 (COPS3)	2	AF031647		+	+			+	
COP9 homolog (HCOP9)	2	U51205	B	+	+	+	+	+	
COP11 protein, homolog of s. cerevisiae SEC23p (SEC23A)	4	X97064		+	+				
copine I (CPNE1)	2	U83246	B	+	+		+		
copine I (CPNE1) (low score)	1	U83246							
coproporphyrinogen oxidase (coproporphyrin, harderoporphyrin) (CPO)	1	D16611			+		+	+	
core-binding factor, beta subunit (CBFB)	1	L20298		+					
coronin	22	X89109	T, W	+	+		+		
coronin (low match)	1	U34690							
coronin (non-exact, 71%)	1	X89109							
cot (cancer Osaka thyroid) oncogene (COT)	1	D14497	+	+	+	+		+	
cryptochrome 1 (photolyase-like) (CRY1)	1	D84657		+	+			+	
CTD (carboxy-terminal domain, RNA polymerase II, polypeptide A) phosphatase, subunit 1 (CTDP1)	1	AF081287		+	+	+		+	
C-terminal binding protein	1	U37408	B	+	+		+		

1 (CTBP1)									
C-terminal binding protein 2 (CTBP2)	2	AF016507		+	+		+		
CUG triplet repeat, RNA-binding protein 1 (CUGBP1)	3	U63289		+	+	+		+	
cullin 1 (CUL1)	3	U58087		+	+	+		+	
cullin 3 (CUL3)	2	U58089		+	+	+		+	
cut (Drosophila)-like 1 (CCAAT displacement protein) (CUTL1)	1	M74099	B	+					
cyclin D2 (CCND2)	2	D13639		+	+	+		+	
cyclin D3 (CCND3)	5	M92287	B, T lymphoma		+		+		
cyclin G1 (CNNG1)	1	D78341	B	+	+			+	
cyclin I	3	D50310	B	+			+		
cyclin T2 (CNNT2)	1	AF048732	B, T lymphoma	B					
cyclin-dependent kinase 2 (CDK2)	1	X62071							
cyclin-dependent kinase inhibitor (p27Kip1)	1	S76986							
cyclin-dependent kinase inhibitor 1A (p21, Cip1) (CDKN1A)	2	S67388	+	+	+	+	+	+	
CYP2D7-CYP2D6 intergenic region (partial)	1	X90926							
cystatin B (stefin B) (CSTB)	1	L03558			+		+	+	
cysteine and glycine-rich protein 3 (cardiac LIM protein) (CSRP3)	5	L54057			+				
cytidine deaminase (CDA)	2	L27943					+		
cytochrome b	1	AF042500							
cytochrome b (CYTB) (isolate Aus5)	1	AF042518							
cytochrome b(-245) beta chain N-terminal region (X-linked granulomatous disease gene)	2	X05895							
cytochrome b-245, beta polypeptide (chronic granulomatous disease) (CYBB)	2	X04011	+			+		+	
cytochrome C	1	P00001							
cytochrome c oxidase subunit IV (COX4)	1	U90915	T	+	+		+	+	
cytochrome c oxidase subunit Vb (COX5B)	2	M59250					+		
cytochrome c oxidase	6	AB007618	+	+	+	+		+	

subunit VII-related protein (COX7RP)									
cytokine suppressive anti-inflammatory drug binding protein 1 (p38 MAP kinase) (CSBP1)	1	L35263	lymphocyte	+	+		+		
Cytoplasmic antiproteinase=38 kda intracellular serine proteinase inhibitor	1	S69272			+				
cytotoxic granule-associated RNA-binding protein p40-TIA-1	1	S70114							
D123 (D123)	1	D14878	+	+		+		+	
D2-2	1	AF019226							
D38	1	X74802							
damage-specific DNA binding protein 1 (127kD) (DDB1)	2	AJ002955	+	+	+	+	+	+	
DCHT (low match)	1	AF017635							
DEAD/H (Asp-Glu-Ala-Asp/His) box binding protein 1 (DDXBP1)	1	U78524		+	+	+	+	+	
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide (72KD) (P72)	2	U59321	T	+	+		+	+	
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 1 (DDX1)	1	X70649		+	+			+	
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 15 (DDX15)	2	AB001636							
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 16 (DDX16)	2	AB011149	+	+	+	+		+	
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 3 (DDX3)	3	U50553	+	+	+	+		+	
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 5 (RNA helicase, 68kD) (DDX5)	37	X15729	+	+	+	+		+	
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 5 (RNA helicase, 68kD) (DDX5) (low match)	1	AF015812							
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 6 (RNA helicase, 54kD) (DDX6)	2	D17532	+	+					

DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 8 (RNA helicase, 54kD) (DDX8)	1	D50487		+	+	+		+	
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 9 (RNA helicase A, nuclear DNA helicase II; leukophysin) (DDX9)	3	L13848	+	+	+	+		+	
DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide, Y chromosome (DBY)	1	AF000985		+	+		+		
Death associated protein 3 (DAP3)	2	X83544	+	+	+	+	+	+	
death effector domain-containing protein (DEDD)	1	AF083236		+	+	+		+	
death-associated protein 6 (DAXX)	2	AF039136		+	+	+		+	
dedicator of cyto-kinesis 2 (DOCK2)	4	D86964	+	+		+		+	
defender against cell death 1 (DAD1)	1	D15057			±		+	+	
Defensin, alpha 1, myeloid-related sequence (DEFA1)	4	L12690				+	+	+	
DEK gene (D6S231E)	1	X64229	B		+		+		
delta sleep inducing peptide, immunoreactor (DSIP)	4	Z50781	+	+	+	+		+	
dendritic cell protein (GA17)	3	AF064603	+	+	+	+		+	
deoxycytidine kinase (DCK)	1	M60527							
deoxyribonuclease II, lysosomal (DNASE2)	3	AB004574							
DGS-I	2	L77566		+					
diacylglycerol kinase	3	D16440							
diacylglycerol kinase alpha (DAGK1) (clone 24)	3	AF064771		+					
diacylglycerol kinase alpha (DAGK1) (clone 24) (low match)	1	AF064771							
diaphanous (Drosophila, homolog) 1 (DIAPH1)	1	AF051782	B, monocyte stimulated	+	+		+	+	
diaphorase (NADH) (cytochrome b-5 reductase) (DIA1)	1	Y09501	+	+	+	+	+	+	
differentiated Embryo Chondrocyte expressed gene 1 (DEC1)	1	AB004066		+			+	+	
differentiated Embryo	1	AB004066							

Chondrocyte expressed gene 1 (DEC1) (low match)									
differentiation antigen CD20	1	L23415							
DiGeorge syndrome critical region gene 2 (DGCR2)	1	X84076		+	+			+	
dihydrolipoamide dehydrogenase (E3 component of pyruvate dehydrogenase complex, 2-oxo-glutarate complex, branched chain keto acid dehydrogenase complex) (DLD)	2	J03620		+			+	+	
dihydrolipoamide S-acetyltransferase (E2 component of pyruvate dehydrogenase complex) (DLAT)	1	Y00978	B	+			+		
dihydropyrimidinase-like 2 (DPYSL2)	1	D78013		+	+		+	+	
dinG gene	1	Y10571							
diphtheria toxin resistance protein required for diphthamide biosynthesis (Saccharomyces)-like 2 (DPH2L2)	3	AF053003	B	+	+		+	+	
disintegrin-protease (non-exact 72%)	1	Y13323							
DJ-1 protein	2	AF021819	+	+	+	+		+	
Dmx-like 1 (DMXL1)	1	AJ005821	+		+	+			
DNA (cytosine-5)-methyltransferase 1 (DNMT1)	3	X63692	T activated, lymphoma	+			+	+	
DNA fragmentation factor, 40 kD, beta subunit (DFFB)	1	AF064019							
DNA fragmentation factor, 45 kD, alpha subunit (DFFA)	2	U91985	T	+	+			+	
DNA mismatch repair protein (hMLH1)	1	U17840							
DNA segment on chromosome X (unique) 648 expressed sequence	3	M64241	+	+	+	+	+	+	high in many libraries
DNA segment, single copy probe LNS-CAI/LNS-CAII (deleted in polyposis) (D5S346)	3	M73547		+	+	+		+	
DNA-damage-inducible transcript 1 (DDIT1) (low	1	L24498							

match)									
DnaJ protein	1	AJ001309							
DnaJ protein	1	AJ001309							
docking protein 2, 56kD (DOK2)	1	AF034970							
dolichyl-diphosphooligosaccharide-protein glycosyltransferase (DDOST)	1	D89060	+	+	+	+	+	+	activated T cell
dolichyl-phosphate mannosyltransferase polypeptide 1, catalytic subunit (DPM1)	1	D86198	T activated	+	+		+		
down-regulated by activation (immunoglobulin superfamily) (DORA)	1	AJ223183					+		
down-regulated in adenoma DRA (low match)	1	P40879							
D-type cyclin-interacting protein 1 (DIP1)	1	AF082569	B				+	+	
dual specificity phosphatase 1 (DUSP1)	4	X68277	+	+	+	+	+	+	
dual specificity phosphatase 11 (RNA/RNP complex 1-interacting) (dusp11)	1	AF023917	+	+	+	+		+	
dual specificity phosphatase 3 (vaccinia virus phosphatase VH1-related) (DUSP3)	1	L05147		+	+		+	+	
dual specificity phosphatase 6 (DUSP6)	6	X93920	+	+	+	+	+	+	
dynactin 1 (p150, Glued (Drosophila) homolog) (DYTN1)	3	X98801							
dynactin 1 (p150, Glued (Drosophila) homolog) (DYTN1) (low match)	1	X98801	B	+	+				
dynamitin 2 (DNM2)	1	L36983							
dynamitin (dynactin complex 50 kD subunit) (DCTN-50) (non-exact 88%)	1	U50733							
dynein, axonemal, heavy polypeptide 17-like (non-exact, 57%aa)	1	X99947							
dynein, cytoplasmic, light intermediate polypeptide 2 (DNCL12)	1	AF035812	B	+	+			+	

dynein, cytoplasmic, light intermediate polypeptide 2 (DNCL12) (non-exact, 69%)	1	AF035812							
dyskeratosis congenita 1, dyskerin (DKC1)	1	U59151	B	+			+	+	
dystonia 1, torsion (autosomal dominant) (DYT1)	1	AF007871		+	+	+		+	
dystrobrevin, beta (DTNB)	1	AF022728		+					
dystrophia myotonica-containing WD repeat motif (DMWD)	1	L19267		+	+		+	+	
dystrophia myotonica-protein kinase (DMPK)	1	L08835	+	+	+			+	
dystrophin (muscular dystrophy, Duchenne and Becker types) (DMD) (low match, 59%aa)	1	X14298							
E1B-55kDa-associated protein	1	AJ007509	W	+	+		+	+	
E2F transcription factor 3 (E2F3)	2	D38550		+	+	+	+	+	
E2F transcription factor 4, p107/p130-binding (E2F4)	1	X86096	B	+			+		
E2F transcription factor 5, p130-binding (E2F5)	2	U15642	+	+		+		+	
E74-like factor 1 (ets domain transcription factor) (ELF1)	1	M82882	B		+		+	+	
E74-like factor 4 (ets domain transcription factor) (ELF4)	3	U32645		+	+			+	
E74-like factor 4 (ets domain transcription factor) (ELF4) (non-exact, 71%)	1	U32645							
early development regulator 2 (homolog of polyhomeotic 2) (EDR2)	4	U89278	+	+	+	+		+	
EBV induced G-protein coupled receptor (EBI2)	1	L08177	W						
ecotropic viral integration site 2B (EVI2B)	3	M60830		+		+			
ectin, galactoside-binding, soluble, 1 (galectin 1) (LGALS1)	1	J04456						+	
EGF-like-domain, multiple 4 (EGFL4)	1	AB011541							
eIF-2-associated p67 homolog	3	U13261	B	+				+	

elastin (supravalvular aortic stenosis, Williams-Beuren syndrome) (ELN) (low match)	1	M24782		+	+				
elav-type RNA-binding protein (ETR-3)	3	U69546							
electron-transfer-flavoprotein, alpha polypeptide (glutaric aciduria II) (ETFA)	2	J04058		+					
ELK3, ETS-domain protein (SRF accessory protein 2) (ELK3)	2	Z36715			+			+	
elongation factor 1-beta	1	L26404							
elongation factor Ts (mitochondrial protein)	1	AF110399							
elongation factor Tu-nuclear encoded mitochondrial	1	X84694							
eMDC II protein	1	AJ242015.1							
ems1 sequence (mammary tumor and squamous cell carcinoma-associated (p80/85 src substrate) (EMS1)	1	M98343		+	+		+	+	
endogenous retroviral element HC2	1	Z70664							
endosulfine alpha (ENSA)	1	X99906	T	+					
endothelial differentiation, sphingolipid G-protein-coupled receptor, 1 (EDG1)	2	M31210		+	+	+		+	
endothelial differentiation, sphingolipid G-protein-coupled receptor, 1 (EDG1) (low match 66%)	1	M31210							
endothelial monocyte-activating polypeptide (EMAPII)	1	U10117	+	+	+	+		+	
enolase 1, (alpha) (ENO1)	12	M14328	+	+	+	+	+	+	
enolase 2, (gamma, neuronal) (ENO2)	1	X51956		+					
enolase-alpha	1	D28437							
enoyl Coenzyme A hydratase 1, peroxisomal (ECH1)	2	U16660							
enoyl Coenzyme A hydratase, short chain, 1, mitochondrial (ECHS1)	1	D13900	+	+	+	+	+	+	
ENOYL-COA	1	P30084							

HYDRATASE, MITOCHONDRIAL PRECURSOR (SHORT CHAIN ENOYL-COA HYDRATASE) (SCEH) (ENOYL-COA HYDRATASE 1) (low match, non-exact 56%)									
epidermal growth factor receptor pathway substrate 15 (EPS15)	2	U07707		+		+		+	
EPIDIDYMAL SECRETORY PROTEIN E1 PRECURSOR (EPI-1) (HE1) (EPIDIDYMAL SECRETORY PROTEIN 14.6) (ESP14.6)	2	Q15668							
epithelial membrane protein 3 (EMP3)	1	U87947	+	+	+	+		+	
Epoxide hydrolase 1, microsomal (xenobiotic) (EPHX1)	1	L29766						+	only
ERCC2 (=L47234)	1	X52221							
ERF-2	3	U07802	+	+	+	+		+	high in gall bladder
ERp28 protein	1	X94910	+	+	+	+		+	
erythrocyte membrane protein	2	M81635							
erythroleukemic cells K562	2	L25343							
EST (Hs.189509)	2	U24166							
estrogen receptor-related protein (hERRa1)	1	L38487							
ESTs, Highly similar to ADENYLOSUCCINATE SYNTHETASE	1	X66503	B, T	+	+				
ESTs, Moderately similar to cysteine-rich fibroblast growth factor receptor	1	U28811	+	+	+	+		+	
ET binding factor 1 (SBF1)	1	U93181	+	+				+	
ets domain protein ERF	1	U15655	+	+	+	+		+	
eukaryotic translation elongation factor 1 alpha 1 (EEF1A1)	326	X03558	T	+	+			+	
eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) (low match)	1	X03558							
eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) (low match)	1	X03558							
eukaryotic translation	5	X60489	+	+	+	+		+	

elongation factor 1 beta 2 (EEF1B2)									
eukaryotic translation elongation factor 1 delta (guanine nucleotide exchange protein) (EEF1D)	1	Z21507	+	+	+	+	+	+	
eukaryotic translation elongation factor 1 gamma (EEF1G)	31	Z11531							
eukaryotic translation elongation factor 2 (EEF2)	2	X51466		+				+	
eukaryotic translation initiation factor 2, subunit 1 (alpha, 35kD) (EIF2S1)	1	J02645							
eukaryotic translation initiation factor 2, subunit 2 (beta, 38kD) (EIF2S2)	1	M29536							
eukaryotic translation initiation factor 2, subunit 3 (gamma, 52kD) (EIF2S3)	3	L19161		+	+				
eukaryotic translation initiation factor 3, subunit 10 (theta, 150/170kD) (EIF3S10)	2	U78311							
eukaryotic translation initiation factor 3, subunit 2 (beta, 36kD) (EIF3S2)	3	U36764	+	+	+	+	+	+	high in white blood cells
eukaryotic translation initiation factor 3, subunit 3 (gamma, 40kD) (EIF3S3)	6	U54559	+	+	+	+		+	high in spleen
eukaryotic translation initiation factor 3, subunit 4 (delta, 44kD) (EIF3S4)	9	AF020833		+	+	+		+	
eukaryotic translation initiation factor 3, subunit 6 (48kD) (EIF3S6)	4	U94175	+	+	+	+		+	high in bladder
eukaryotic translation initiation factor 3, subunit 6 (EIF3S6)	1	U62962		+	+	+		+	Highly represented (1.4833 pct) in library 36 human gall bladder
eukaryotic translation initiation factor 3, subunit 7 (zeta, 66/67kD) (EIF3S7)	3	U54558	+	+	+	+		+	
eukaryotic translation initiation factor 3, subunit 8, 110KD (EIF3S8)	5	U46025	+	+	+	+	+	+	high in testis
eukaryotic translation initiation factor 4 gamma, 1 (EIF4G)	1	AF012088							
eukaryotic translation	1	AF012088							

initiation factor 4 gamma, 1 (EIF4G) (low match)									
eukaryotic translation initiation factor 4 gamma, 1 (EIF4G1)	2	D12686							
eukaryotic translation initiation factor 4 gamma, 2 (EIF4G2)	6	U73824	+	+	+	+	+	+	
eukaryotic translation initiation factor 4 gamma, 2 (EIFG2)	2	U76111	+	+	+	+	+	+	
eukaryotic translation initiation factor 4A, isoform 1 (EIF4A1)	29	D13748							
eukaryotic translation initiation factor 4A, isoform 2 (EIF4A2)	11	D30655	+	+	+	+	+	+	
eukaryotic translation initiation factor 4B (EIF4B)	18	X55733	+	+	+	+		+	
eukaryotic translation initiation factor 4E (EIF4E)	1	P06730							
Eukaryotic translation initiation factor 4E binding protein 2 (EIF4EBP2)	3	L36056	T, B	+			+	+	
eukaryotic translation initiation factor 4H (EIF4H)	2	Q15056							
eukaryotic translation initiation factor 5 (EIF5)	2	U49436	+	+	+	+	+	+	
eukaryotic translation termination factor 1 (ETF1)	2	U90176	+	+	+	+		+	
EV12 protein	1	M55266		+					
Ewing sarcoma breakpoint region 1 (EWSR1)	1	X66899	+	+	+	+		+	
EWS/FLI1 activated transcript 2 homolog (EAT-2)	2	AF020264							
EWS-E1A-F chimeric protein	1	U35622							
excision repair cross-complementing rodent repair deficiency, complementation group 1 (includes overlapping antisense sequence) (ERCC1)	1	M28650	+	+	+	+		+	
excision repair cross-complementing rodent repair deficiency, complementation group 5 (xeroderma pigmentosum,	1	X69978		+	+	+		+	

complementation group G (Cockayne syndrome) (ERCC5)									
exostoses (multiple)-like 3 (EXTL3)	1	AF001690		+	+	+		+	
F11	1	X77744				+			
F1-ATPase beta subunit (F-1 beta)	2	X03559							
Fanconi anaemia group A	2	Z83095							
Fanconi anemia, complementation group A (FANCA)	1	X99226	+	+	+	+			
far upstream element (FUSE) binding protein 1 (FUBP1)	2	U05040	+		+			+	
farnesyl diphosphate synthase (farnesyl pyrophosphate synthetase, dimethylallyltransferase, geranyltransferase) (FDPS)	1	J05262	+	+	+	+		+	
farnesyl-diphosphate farnesyltransferase 1 (FDFT1)	2	X69141	+	+	+	+	+	+	
farnesyltransferase, CAAX box, beta (FNTB)	2	L00635		+	+				
Fas ligand (gene and promoter region)	1	AF044583							
Fas-ligand associated factor 1	1	U70667							
fatty-acid-Coenzyme A ligase, long-chain 1 (FACL1)	4	D10040	+	+	+	+	+	+	
Fc fragment of IgA, receptor for (FCAR)	1	X54150							
Fc fragment of IgE, high affinity I, receptor for; gamma polypeptide (FCER1G)	1	M33195	+	+	+	+		+	
Fc fragment of IgE, low affinity II, receptor for (CD23A) (FCER2)	2	X04772	+	+					
Fc fragment of IgG, low affinity IIa, receptor for (CD32)	6	M31932	+	+	+	+	+	+	
Fc fragment of IgG, low affinity IIa, receptor for (CD32) (FCGR2A)	1	X62572	+	+	+	+	+	+	

Fc fragment of IgG, low affinity IIIa, receptor for (CD16) (FCGR3A)	34	X07934	+	+	+	+		+	
Fc fragment of IgG, receptor, transporter, alpha (FCGR1)	3	U12255		+	+	+	+	+	high in many libraries
fc-fgr	1	Z13983							
Fc-gamma-receptorIIIB (FCGR3B)	2	M90746							
feline sarcoma (Snyder-Theilen) viral (v-fes)/Fujinami avian sarcoma (PRCII) viral (v-fps) oncogene homolog(FES) c-fes/fps)	3	X06292							
female sterile homeotic-related gene 1 (mouse homolog) (FSRG1)	2	X96670	+	+	+	+		+	
ferritin L-chain	9	Y09188							
ferritin, heavy polypeptide 1 (FTH1)	4	M11146	+	+	+	+	+	+	
fertilin alpha pseudogene	1	Y09232							
fetal Alzheimer antigen (FALZ)	2	U05237		+					
fetal Ig heavy chain variable region	1	M34024							
fibrillarin (FBL)	1	X56597	+	+	+	+	+	+	
fibrinogen-like protein 2 (T49)	3	Z36531				+			
fibroblast growth factor receptor 2 (bacteria-expressed kinase, keratinocyte growth factor receptor, craniofacial dysostosis 1, Crouzon syndrome) syndrome, Pfeiffer syndrome, Jackson-Weiss) (FGFR2)	1	M35718	+	+	+	+	+	+	
ficolin (collagen/fibrinogen domain-containing) 1 (FCN1)	19	D83920				+		+	
filamin A, alpha (actin-binding protein-280) (FLNA)	2	X53416							
filamin B, beta (actin-binding protein-278) (FLNB)	1	AF043045		+	+		+		
Finkel-Biskis-Reilly murine sarcoma virus (FBR-MuSV) ubiquitously expressed (fox	2	X65923	+	+	+	+	+	+	Highly represented in intraepithelial neoplasia and

derived); ribosomal protein S30 (FAU)										invasive prostate tumor
FK-506 binding protein	1	M80199	+	+	+	+			+	
FK506-binding protein 1A (12kD) (FKBP1A)	2	M34539								
FK506-binding protein 1B (12.6 kD) (FKBP1B)	1	M92423		+		+			+	
FK506-binding protein 5 (FKBP5)	4	U71321		+	+	+			+	
Flightless I (Drosophila) homolog (FLII)	3	U80184		+						
Flightless I (Drosophila) homolog (FLII) (low match)	1	U80184								
FLN29 (FLN29)	2	AB007447		+		+			+	
flotillin 2 (FLOT2)	5	M60922	+	+	+	+	+	+	+	
folate receptor 2 (fetal) (FOLR2)	1	AF000380		+	+	+			+	
forkhead (Drosophila) homolog (rhabdomyosarcoma) like 1 (FKHRL1)	1	AF032886	+	+		+			+	
Formyl peptide receptor 1 (FPR1)	9	M60627	+	+	+	+			+	
formyl peptide receptor-like 1 (FPRL1)	1	M84562								Found only in libraries from placenta
formyl peptide receptor-like 1 (FPRL1) (low score)	1	M84562								
fragile X mental retardation 1 (FMR1)	1	L29074	+	+		+			+	
fragile X mental retardation, autosomal homolog 1 (FXR1)	1	U25165	+	+	+	+				
Friend leukemia virus integration 1 (FLI1)	3	M93255	+	+						
fructose-bisphosphatase 1 (FBP1)	1	D26054				+			+	
FSHD-associated repeat DNA, proximal region	1	U85056								
fucose-1-phosphate guanylyltransferase (FPGT)	1	AF017445		+	+	+				
full length insert cDNA clone ZA78A09	1	AF086122								
full length insert cDNA YP07G10	1	AF075061								
fumarate hydratase (FH)	1	U59309		+	+	+			+	
FUS (low match)	1	X99006								
FYN-binding protein (FYB-120/130) (FYB)	16	U93049		+		+				

G alpha interacting protein (GAIP) (low score)	1	X91809							
G protein beta subunit-like protein 12.3	2	D28398							
G protein-coupled receptor 64 (HE6) (non-exact 59%)	1	X81892				+			
G protein-coupled receptor kinase 6 (GPRK6)	2	L16862	+	+	+			+	
G1 to S phase transition 1 (GSPT1)	2	X17644		+	+	+	+	+	
GA-binding protein transcription factor, beta subunit 2 (47kD) (GABPB2)	1	D13316		+	+	+	+	+	
galactose-1-phosphate uridylyltransferase (GALT)	2	M60091							
galactosidase, beta 1 (GLB1)	3	M27508		+			+	+	
galactosyltransferase (=X13223 N-acetylglucosamide-(beta 1-4)-galactosyltransferase)	1	M13701							
galectin-9 isoform	1	AB006782	+			+		+	
gamma2-adaptin (G2AD)	1	AF068706	+	+		+		+	
gamma-actin	2	M37130							
gamma-aminobutyric acid (GABA) B receptor 1 (GABBR1)	2	AJ012187		+	+			+	
GATA-binding protein 2 (GATA2)	1	M68891				+		+	
GATA-binding protein 3 (GATA3)	1	M69106			+	+		+	
GCN5 (general control of amino-acid synthesis, yeast, homolog)-like 1 (GCN5L1)	3	D64007	+	+	+	+		+	
GDP dissociation inhibitor 1 (GDI1)	1	D45021	+	+	+	+		+	high in adult brain
GDP dissociation inhibitor 2 (GDI2)	4	Y13286							
GDS-related protein (HKE1.5)	4	U68142	+	+	+	+		+	
gelsolin (amyloidosis, Finnish type) (GSN)	3	X04412		+	+	+	+	+	
general transcription factor II, I (GTF2I)	4	Y14946	+	+	+	+	+	+	
general transcription factor II, i, pseudogene 1 (GTF2IP1)	1	AF038968	+	+	+	+	+	+	high in fetal brain
general transcription factor	4	X64037	+	+	+	+		+	

IIF, polypeptide 1 (74kD subunit) (GTF2F1)									
general transcription factor IIH, polypeptide 3 (34kD subunit) (GTF2H3)	2	Z30093	B, T						
general transcription factor IIH, polypeptide 4 (52kD subunit) (GTF2H4)	3	Y07595		+		+		+	
general transcription factor IIIA (GTF3A)	1	U14134	+	+		+		+	
general transcription factor IIIC, polypeptide 1 (alpha subunit, 220kD) (GTF3C1)	1	U02619		+		+			
general transcription factor IIIC, polypeptide 2 (beta subunit, 110kD) (GTF3C2)	3	D13636	+	+	+	+	+	+	
germline immunoglobulin heavy chain (IGHV@)	1	L06612							
germline immunoglobulin heavy chain, variabl region	1	X92236							
germline immunoglobulin heavy chain, variable region, (21-2)	1	X92343							
GLE1 (yeast homolog)-like, RNA export mediator (GLE1L)	1	AF058922		+	+				
glia maturation factor, beta (GMFB)	1	AB001106	+	+		+		+	
glioma-associated oncogene homolog (zinc finger protein) (GLI)	1	X07384							
glioma-associated oncogene homolog (zinc finger protein) (GLI) (low score)	1	X07384							
globin, alpha 2	1	V00516							
glucocorticoid receptor (=M69104)	1	M32284							
glucocorticoid receptor (GRL)	2	U80947	+	+	+	+		+	
glucos phosphate isomerase (CONTAINS LARGE REPEAT)	1	L09105							
glucosamine (N-acetyl)-6-sulfatase (Sanfilippo disease IIID) (GNS)	1	Z12173	+						
glucosamine (N-acetyl)-6-sulfatase (Sanfilippo disease IIID) (GNS) (non-	1	Z12173							

exact 56%)									
glucose transporter-like protein-III (GLUT3)	1	M20681		+	+	+	+	+	
glucose transporter-like protein-III (GLUT3) (low match)	1	M20681							
glucosidase, alpha; acid (Pompe disease, glycogen storage disease type II) (GAA)	1	Y00839	+	+		+		+	
glucosidase, beta; acid (includes glucosylceramidase) (GBA)	1	K02920	+	+	+	+		+	
glutamate dehydrogenase 1 (GLUD1)	1	M20867		+	+	+	+	+	
glutamate-ammonia ligase (glutamine synthase) (GLUL)	12	X59834	+	+	+	+		+	
glutamate-ammonia ligase (glutamine synthase) (GLUL) (low score)	1	Y00387							
glutamate-cysteine ligase (gamma-glutamylcysteine synthetase), catalytic (72.8kD) (GLCLC)	1	M90656				+			
glutamine cyclotransferase	1	X71125		+	+				
glutamine-fructose-6-phosphate transaminase 1 (GFPT1)	1	M90516		+		+			
glutamyl-tRNA synthetase	1	X72396							
glutamyl-tRNA synthetase (QARS)	6	X76013	+	+	+	+		+	
glutamyl-prolyl-tRNA synthetase (EPRS)	1	X54326							
glutathione peroxidase 1 (GPX1)	2	M21304	+	+	+	+	+	+	
glutathione peroxidase 4 (phospholipid hydroperoxidase) (GPX4)	1	X71973	+	+	+	+		+	
glutathione S-transferase pi (GSTP1)	1	U30897		+	+	+	+	+	
glutathione S-transferase subunit 13 homolog	1	AF070657							
glyceraldehyde-3-phosphate dehydrogenase (GAPD)	12	J02642					+		
glycogenin (GYG)	1	U31525		+	+	+		+	
glycophorin C (Gerbich)	1	X12496		+	+	+		+	

blood group) (GYPC)									
glycoprotein M6B (GPM6B)	1	U45955		+	+				
glycyl-tRNA synthetase (GARS)	1	U09587		+	+	+		+	
glyoxalase I (lactoyl glutathione lyase) (GLYI)	1	L07837	+	+	+	+		+	
golgi autoantigen, golgin subfamily a, 1 (GOLGA1)	1	U51587		+		+			
golgi autoantigen, golgin subfamily a, 2 (GOLGA2) (non-exact, 70%)	1	L06147							
golgi autoantigen, golgin subfamily a, 4 (GOLGA4)	1	U31906							
golgi autoantigen, golgin subfamily b, macrogolgin (with transmembrane signal), 1 (GOLGB1)	1	X75304		+	+	+		+	
gp25L2 protein	4	X90872							
grancalcin	8	M81637		+	+	+			
granulin (GRN)	16	X62320	+	+	+	+		+	
granulin (GRN) (low match)	1	X62320							
Granulysin (NKG5)	5	M85276	+					+	
granzyme A (granzyme 1, cytotoxic T-lymphocyte-associated serine esterase 3) (GZMA)	1	M18737	+	+	+	+		+	
GRB2-related adaptor protein (GRAP)	1	U52518	T only						
Grb2-related adaptor protein 2 (GRAP2)	1	AF090456	T				+		
GRO1 oncogene (melanoma growth stimulating activity, alpha) (GRO1)	1	X54489				+		+	
growth arrest and DNA-damage-inducible gene (GADD153)	1	S40706							
growth arrest-specific 7 (GAS7)	4	AB007854		+	+				
growth factor receptor-bound protein 2 (GRB2)	1	X62852	B	+			+	+	
GS1 (protein of unknown function)	1	M86934		+	+	+			
GS3955	4	D87119		+	+	+		+	
GTP binding protein 1 (GTPBP1)	1	U87964		+	+	+			
GTP binding protein similar to S. cerevisiae HBS1 (HBS1)	1	U87791		+	+	+		+	

GTPase activating protein-like (GAPL)	1	AB011110		+	+	+		+	high fetal brain
GTP-binding protein (low match)	1	Z49068							
GTP-binding protein G(K), alpha subunit (=G(I) ALPHA-3)(=GTP-binding regulatory protein Gi alpha-3 chain)	1	P08754							
Gu protein (GURDB)	2	U41387	+		+	+		+	
guanine nucleotide binding protein	1								
guanine nucleotide binding protein (G protein), alpha inhibiting activity polypeptide 2 (GNAI2)	4	J03004	+	+	+	+		+	
guanine nucleotide binding protein (G protein), alpha inhibiting activity polypeptide 3 (GNAI3)	7	M20597	+	+	+	+		+	
guanine nucleotide binding protein (G protein), alpha stimulating activity polypeptide 1 (GNAS1)	2	X04409	B, T	+			+	+	
guanine nucleotide binding protein (G protein), alpha transducing activity polypeptide 2 (GNAT2)	1	Z18859							
guanine nucleotide binding protein (G protein), beta 5 (GNB5)	2	AF017656		+	+	+		+	
guanine nucleotide binding protein (G protein), beta polypeptide 1 (GNB1)	5	M36430	+	+	+	+	+	+	
guanine nucleotide binding protein (G protein), q polypeptide (GNAQ)	2	AF011496		+	+	+			
guanine nucleotide binding protein-like 1 (GNL1)	1	L25665	+	+	+	+		+	
guanine nucleotide exchange factor	1	L13857	+	+	+	+			
guanine nucleotide regulatory factor (LFP40)	1	X15610	+	+	+	+		+	
guanine nucleotide regulatory factor (LFP40)	1	U72206	+	+	+	+		+	
GUANINE NUCLEOTIDE-BINDING PROTEIN BETA SUBUNIT-LIKE PROTEIN 12.3 (P205) (RECEPTOR OF ACTIVATED PROTEIN	1	P25388							

KINASE C 1) (RACK1)									
GUANINE-MONOPHOSPHATE SYNTHETASE (GMPS)	1	U10860			+				
guanosine monophosphate reductase (GMPR) (non-exact, 72%)	1	M24470							
guanosine-diphosphatase like protein	1	AF016032							
guanylate binding protein 1, interferon-inducible, 67kD (GBP1)	2	M55542		+	+	+	+	+	
guanylate binding protein 2, interferon-inducible (GBP2)	6	M55543	+	+	+	+		+	
H2A histone family, member C (H2AFC)	1	Z83742							
H2A histone family, member Y (H2AY)	2	AF041483	+	+	+	+		+	
H2B histone family, member L (H2BFL)	2	Z80783	+	+	+	+	+	+	high in adrenal gland tumor
h2-calponin	1	D86059							
H-2K binding factor-2	1	L08904		+	+	+		+	
H3 histone family, member K (H3FK)	1	Z83735							
H3 histone, family 3A (H3F3A)	7	M11353	+	+	+	+		+	high in ovary
H3 histone, family 3B (H3.3B) (H3F3B)	15	Z48950	+	+	+	+		+	high in endothelial cells
hbc647	1	U68494		+	+	+	+		
heat shock 27kD protein 1 (HSPB1)	1	U12404		+	+		+	+	
heat shock 40kD protein 1 (HSPF1)	4	D85429	+	+	+	+	+	+	high in testis
heat shock 60kD protein 1 (chaperonin) (HSPD1)	3	M22382	+	+	+	+	+	+	
heat shock 70kD protein 1 (HSPA1A)	7	M59828	+	+	+	+	+	+	high in activated T cells
heat shock 70kD protein 5 (glucose-regulated protein, 78kD) (HSPA5)	13	X87949		+	+		+		
heat shock 70kD protein 6 (HSP70B') (HSPA6)	4	X51757	+	+	+				
heat shock 70kD protein 9B (mortalin-2) (HSPA9B)	2	L15189		+	+	+	+	+	
HEAT SHOCK COGNATE 71 KD PROTEIN	1	P11142							
heat shock factor binding protein 1 (HSBP1)	2	AF068754							

heat shock protein 90	13	M27024	+	+	+	+	+	+	high in many libraries
heat shock protein, DNAJ-like 2 (HSJ2)	1	D13388		+	+		+	+	
Hect (homologous to the E6-AP (UBE3A) carboxyl terminus) domain and RCC1 (CHC1)-like domain (RLD) 1 (HERC1)	1	U50078		+	+	+			
hect domain and RLD 2 (HERC2)	1	AB002391	+	+	+	+		+	
helicase-like protein (HLP)	1	X98378	+	+		+		+	
helix-loop-helix protein HE47 (E2A)	1	M65214						+	
hematopoietic cell-specific Lyn substrate 1 (HCLS1)	18	X16663	+		+	+		+	
heme oxygenase (decycling) 1 (HMOX1)	1	X06985		+		+	+	+	
HEMOGLOBIN ALPHA CHAIN	1	P19015							
hemoglobin beta (beta globin)	5	AF117710							
hemoglobin, alpha 1 (HBA1)	301	V00491			+		+	+	
hemoglobin, alpha 1 (HBA1) (low match)	1	V00491							
hemoglobin, alpha 1 (low match)	1	V00493							
hemoglobin, alpha 1 (non-exact, 76%)	1	J00153							
hemoglobin, alpha 1 (non-exact, 82%)	1	V00493							
hemoglobin, beta (HBB)	129	V00497	+	+	+	+	+	+	high in many libraries
hemoglobin, beta (HBB) (low match)	1	V00497							
hemoglobin, beta (HBB) (low match)	1	L48220							
hemokine (C-X-C motif), receptor 4 (fusin) (CXCR4)	1	D10924	+	+	+	+		+	
hemopoietic cell kinase (HCK)	5	M16591				+		+	
hepatitis C-associated microtubular aggregate protein p44	2	D28908							
hepatoma-derived growth factor	1	D16431	+	+	+	+		+	
Hermansky-Pudlak syndrome (HPS)	2	U65676							
HERV-E integrase (non-exact 76%aa)	1	AF026246							

heterogeneous nuclear protein similar to rat helix destabilizing protein (FBRNP)	2	S63912		+	+	+		+	
heterogeneous nuclear ribonucleoprotein (C1/C2) (HNRPC)	4	M16342							
heterogeneous nuclear ribonucleoprotein A/B (HNRPAB)	1	M65028	+	+	+	+	+	+	
heterogeneous nuclear ribonucleoprotein A1 (HNRPA1)	20	X12671	+	+	+	+	+	+	High in alveolar rhabdomyosarcoma
heterogeneous nuclear ribonucleoprotein A2/B1 (HNRPA2B1)	3	M29064	+	+	+	+	+	+	High in activated T cell, fetal brain
heterogeneous nuclear ribonucleoprotein D (hnRNP D)	2	D55673	+	+	+	+	+	+	
heterogeneous nuclear ribonucleoprotein D-like (HNRPDL)	5	D89092	+	+	+	+	+	+	
heterogeneous nuclear ribonucleoprotein F (HNRPF)	1	L28010	+	+	+	+		+	
heterogeneous nuclear ribonucleoprotein F (HNRPF) (83%)	1	L28010							
heterogeneous nuclear ribonucleoprotein G (HNRPG)	2	Z23064		+	+	+		+	
heterogeneous nuclear ribonucleoprotein H (HNRPH) (FTP-3)	3	P55795							
heterogeneous nuclear ribonucleoprotein H (HNRPH) (low match)	1	P31943							
heterogeneous nuclear ribonucleoprotein H1 (H) (HNRPH1)	2	L22009	+	+	+	+		+	
heterogeneous nuclear ribonucleoprotein K (HNRPK)	21	S74678	+	+	+	+	+	+	
heterogeneous nuclear ribonucleoprotein R (HNRPR)	1	AF000364		+	+	+	+	+	
heterogeneous nuclear ribonucleoprotein U (scaffold attachment factor A) (HNRPU)	3	X65488	+	+	+	+	+	+	

hexokinase 1 (HK1)	2	X66957		+	+	+		+	
hexokinase 2 (HK2)	3	Z46376	+	+	+	+		+	
hexokinase 3 (HK3)	2	U51333							
hexosaminidase A (alpha polypeptide) (HEXA)	1	S62047							
HGMP07I gene for olfactory receptor	2	U76377							
High density lipoprotein binding protein (HDLBP)	2	M64098	+	+	+	+	+	+	
high-mobility group (nonhistone chromosomal) protein 1 (HMG1)	5	X12597	+	+	+	+	+	+	
high-mobility group (nonhistone chromosomal) protein 1 (HMG1) (non-exact 60%)	1	D63874							
High-mobility group (nonhistone chromosomal) protein 17 (HMG17)	2	M12623	+	+	+	+		+	
high-mobility group (nonhistone chromosomal) protein 2 (HMG2)	2	M83665	+	+	+	+	+	+	
high-mobility group (nonhistone chromosomal) protein isoforms I and Y	2	L17131	+	+	+		+	+	
high-risk humanpapilloma viruses E6 oncoproteins targeted protein E6TP1 beta (=AB007900 KIAA0440)	1	AF090990.1							
histidine ammonia-lyase (HAL)	1	D16626			+, only				
histidyl-tRNA synthetase (HARS)	2	Z11518	+	+	+	+	+	+	
histocompatibility antigen (HLA-Cw3), class I	1	U31372							
histone deacetylase 1 (HDAC)	4	U50079	+	+	+	+		+	
histone deacetylase 1 (HDAC1)	2	D50405	+	+	+	+		+	
histone deacetylase 5 (NY-CO-9)	1	AF039691		+	+				
HK2 gene for hexokinase II	1	Z46362							
HL9 monocyte inhibitory receptor precursor	2	U91928				+			
HLA class I heavy chain (HLA-Cw*1701)	1								
HLA class I locus C heavy chain	1	X58536							

HLA class II SB 4-beta chain	1	X03022							
HLA class III region containing NOTCH4 gene	1	U89335	+	+	+	+		+	
HLA-A	1	Z72423							
HLA-A	2	AJ006020							
HLA-A*7402	1	AJ223060							
HLA-A11	1	U02934							
HLA-B	2	X75953							
HLA-B	1	X83401							
HLA-B	1	X78426							
HLA-B associated transcript-1 (D6S81E)	1	Z37166	+	+	+	+	+	+	
HLA-B associated transcript-2 (D6S51E)	2	M33509	+	+	+	+			
HLA-B*1529	4	D44501							
HLA-Bw72 antigen	119	L09736	+	+	+	+	+	+	high in many libraries
HLA-C gene (HLA-Cw*0701 allele)	1	D83957							
HLA-Cw*0701	9	Z46810							
HLA-Cw*0801	1	D64151							
HLA-Cw*1203	1	D64146							
HLA-DC classII histocompatibility antigens alpha-chain (=K01160)	2	X00370							
HLA-DR alpha-chain	17	M60333	+	+	+	+	+	+	high in spleen
HLA-F (leukocyte antigen F)	3	X17093			+	+		+	
HMG box containing protein 1	3	AF019214							
hMLH1 (=U83845)	1	AB017806.1							
Hmob33	3	Y14155							
HMT1 (hnRNP methyltransferase, S. cerevisiae)-like 1 (HRMT1L1)	2	U80213	+	+	+	+		+	
hnRNP C1/C2	2	D28382							
homeobox (=X58250 Mouse homeo box protein, put. transcription factor involved in embryogenesis and hematopoiesis)	1	M60721							
homeobox protein (HLX1) (=M60721)	1	U14326							
homeodomain-interacting protein kinase 3 (HIPK3)	1	AF004849	+		+	+		+	
homolog of Drosophila past (PAST)	2	AF001434	+	+	+	+		+	

homolog of yeast (<i>S. cerevisiae</i>) <i>ufd2</i> (UFD2)	3	D50916		+	+	+		+	
HPV16 E1 protein binding protein	1	U96131		+	+			+	
HRIHFB2157	1	AB015344		+	+			+	
HRX-like protein (=AF010403 ALR)	1	Y08836							
hsc70 gene for 71 kd heat shock cognate protein	3	Y00371							
HSPC012	1	AF077036.1							
HSPC021	1	AF077207.1							
HsPex13p	1	U71374							
htra2-beta-2	1	U87836	+	+	+	+		+	
HU-K4	1	U60644							
hunc18b2	1	U63533		+	+	+		+	
HUNKI	1	Y12059	+	+		+	+	+	
huntingtin-interacting protein HYPA/FBP11 (HYPA)	1	AF049528							
hVps41p (HVPS41)	1	U87309							
hydroxyacyl-Coenzyme A dehydrogenase/3-ketoacyl-Coenzyme A thiolase/enoyl-Coenzyme A hydratase (trifunctional protein), alpha subunit (HADHA)	1	U04627		+	+		+		
hydroxyacyl-Coenzyme A dehydrogenase/3-ketoacyl-Coenzyme A thiolase/enoyl-Coenzyme A hydratase (trifunctional protein), beta subunit (HADHB)	1	D16481	+	+	+	+		+	
hydroxysteroid (17-beta) dehydrogenase 1 (HSD17B1)	1	U34879		+			+		
hypothetical protein	1								
hypothetical protein (AL008729) (dJ257A7.2)	1								
hypothetical protein (CIT987SK_2A8_1 chromosome 8)	1	U96629							
hypothetical protein (clone 24640)	1	AF055004							
hypothetical protein (clone ICRFp507G2490).	1	Z70222							
hypothetical protein (dJ1042K10.4) (non-exact	1	AL022238							

76%)									
hypothetical protein (dJ465N24.1 similar to predicted yeast and worm proteins)	2	AL031432							
hypothetical protein (dJ487J7.1.1)	2	AL008730							
hypothetical protein (dJ753P9.2)	2	AL023653							
hypothetical protein (DKFZp586I111)	1	AL050131.1							
hypothetical protein (J257A7.2)	1	AL008729							
hypothetical protein (KIAA0440) (=AF026504 R.norvegicus SPA-1 like protein)	1	AB007900							
hypothetical protein (L1H 3' region)	1								
hypothetical protein (S164)	1	P49756							
hypothetical protein (similar to thrombospondin) (non-exact 56%)	1	AF109907							
hypothetical protein 3	1								
hypothetical protein B (HSU47926) (non-exact, 56%)	1	U47926							
hypothetical protein from BCRA2 region (CG005)	3	U50532	+	+	+	+		+	
hypoxia-inducible factor 1, alpha subunit (basic helix-loop-helix transcription factor) (HIF1A)	1	AF050115							
Ia-associated invariant gamma-chain (clones lambda-y (1,2,3))	1	M13555							
iduronate 2-sulfatase (Hunter syndrome) (IDS)	2	M58342	+	+	+	+		+	
Ig heavy chain V region (=D11016)	1	L20779							
Ig heavy chain variable region	2	M34024							
Ig heavy chain variable region (VH4DJ) (clone T14.4)	1	Z75378							
Ig heavy chain variable region (VH4DJ) (clone T22.18)	1	Z75392							
Ig J chain	1	M12378							

Ig kappa	1	S49007							
Ig kappa light chain variable region A20	1	X63398							
Ig kappa light chain, V- and J-region (=X59315)	1	D90158							
Ig lambda light chain variable region (26-34ITIIIF120)	1	Z85052							
Ig mu-chain VDJ4-region	1	M16949							
Ig rearranged anti-myelin kappa-chain (V-J4-region, hybridoma AE6-5)	1	M29469							
Ig rearranged H-chain mRNA V-region	2	M97920							
Ig rearranged light-chain V region (=D90158)	1	M74020							
IGF-II mRNA-binding protein 3 (KOC1) (non-exact, 75%)	1	U97188	+	+	+				
IgG Fc binding protein (FC(GAMMA)BP)	1	D84239	+	+		+		+	
IgG heavy chain variable region (vH26)	1	M83136							
IgM heavy chain (C mu, membrane exons)	1	X14939							
IkB kinase-beta (IKK-beta)	1	AF029684							
IL-1 receptor type II	1	U14177							
IL2-inducible T-cell kinase (ITK)	2	S65186							
immediate early protein (ETR101)	1	M62831	+		+	+		+	
immunoglobulin light chain (lambda)	1	D87018							
Immunoglobulin (CD79A) binding protein 1 (IGBP1)	1	Y08915	B, T	+	+		+		
immunoglobulin C (mu) and C (delta) heavy chain (=K02878)	2	X57331							
immunoglobulin G Fc receptor IIIB	1	Z46223							
immunoglobulin gamma 3 (Gm marker) (IGHG3)	3	Y14737	+			+		+	high in many libraries
immunoglobulin gamma heavy chain variable region (=X61011)	1	Z66542							
immunoglobulin heavy chain (VI-3B)	1	X62109							
immunoglobulin heavy chain J region	1	X86356							

immunoglobulin heavy chain J region, B1 haplotype	2	X86355							
immunoglobulin heavy chain variable region (IGH) (clone 21u-48)	1	AF062126							
immunoglobulin heavy chain variable region (IGH) (clone 23u-1)	1	AF062212							
immunoglobulin heavy chain variable region V1-18 (IGHV@) (=X60503)	2	M99641							
immunoglobulin heavy chain variable region V3-43 (IGHV@)	2	M99672							
immunoglobulin heavy chain variable region V3-7 (IGHV@)	3	M99649							
immunoglobulin IgH heavy chain Fd fragment	1	U07986							
immunoglobulin kappa light chain	1	X58081							
immunoglobulin kappa light chain V-segment A27	1	X12686							
immunoglobulin light chain	1	D86990							
immunoglobulin light chain (low match)	1	D86996							
immunoglobulin light chain variable region (lambda IIIb subgroup) from IgM rheumatoid factor	1	L29157							
immunoglobulin M heavy chain V region=anti-lipid A antibody	1	S50735							
immunoglobulin mu (IGHM)	9	X57086	+	+		+		+	
immunoglobulin mu binding protein 2 (IGHMBP2)	1	L24544	T	+			+		
immunoglobulin superfamily, member 2 (IGSF2)	1	Z33642							
Immunoglobulin VH mRNA (487 bp) (=M99652 immunoglobulin heavy chain variable region V3-11 (IGHV@))	1	X61013							
imogen 38 (IMOGEN38)	1	Z68747		+	+	+		+	
IMP (inosine monophosphate) dehydrogenase 1	1	J05272	+	+	+	+			

(IMPDH1)									
IMP (inosine monophosphate) dehydrogenase 2 (IMPDH2)	2	L39210	+	+	+	+		+	
inc finger protein 151 (pHZ-67) (ZNF151)	1	Y09723	+	+	+	+		+	
inc finger protein, C2H2, rapidly turned over (ZNF20)	1	AF011573		+	+				
inducible poly(A)-binding protein (IPABP)	1	U33818	+	+	+	+		+	
inducible poly(A)-binding protein (IPABP) (low match)	1	U33818							
inducible protein (Hs.80313)	2	L47738	+	+	+	+		+	
inhibitor of DNA binding 2, dominant negative helix-loop-helix protein (ID2)	4	M97796	+	+	+	+	+	+	
inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase complex-associated protein (IKBKAP)	2	AF044195							
inositol 1,3,4-trisphosphate 5/6-kinase	1	U51336	+	+	+	+	+	+	
inositol 1,4,5 trisphosphate receptor type 1 (ITPR1)	1	U23850		+	+	+			
inositol 1,4,5-trisphosphate 3-kinase B (ITPKB)	2	X57206	B	+	+		+		
inositol monophosphatase	1	S38980							
inositol polyphosphate-5-phosphatase, 145kD (INPP5D)	2	U84400	+	+	+	+		+	
Ins(1,3,4,5)P4-binding protein	1	X89399		+				+	
insulin-like growth factor 2 receptor (IGF2R)	5	Y00285	+	+	+	+		+	
integral membrane protein 1 (ITM1)	1	L38961			+	+		+	
integral membrane protein 2C (ITM2C)	1	AF038953	T		+		+	+	
integral membrane protein Tmp21-I (p23)	3	U61734	+	+	+	+	+	+	
integrin beta 4 binding protein (ITGB4BP)	2	AF047433			+			+	
integrin, alpha 2b (platelet glycoprotein IIb of IIb/IIIa complex, antigen CD41B)	3	M34480		+			+		

(ITGA2B)									
integrin, alpha 5 (fibronectin receptor, alpha polypeptide) (ITGA5)	4	X06256	+	+	+		+	+	
integrin, alpha L (antigen CD11A (p180), lymphocyte function-associated antigen 1; alpha polypeptide) (ITGAL)	6	Y00796							
integrin, alpha M (complement component receptor 3, alpha; also known as CD11b (p170), macrophage antigen alpha polypeptide) (ITGAM)	1	M18044							
integrin, alpha X (antigen CD11C (p150), alpha polypeptide) (ITGAX)	1	M81695	+	+				+	
integrin, beta 1 (fibronectin receptor, beta polypeptide, antigen CD29 includes MDF2 MSK12) (ITGB1)	2	X07979							
integrin, beta 2 (antigen CD18 (p95), lymphocyte function-associated antigen 1; macrophage antigen 1 (mac-1) beta subunit) (ITGB2)	32	M15395	+	+		+		+	
integrin, beta 7 (ITGB7)	1	M68892	+						
Integrin-linked kinase (ILK)	1	U40282	+	+	+	+		+	
intercellular adhesion molecule 1 (CD54), human rhinovirus receptor (ICAM1)	1	J03132	+			+	+	+	
intercellular adhesion molecule 2 (ICAM2)	1	X15606	+	+	+	+		+	
intercellular adhesion molecule 3 (ICAM3)	6	X69819	+					+	
intercellular adhesion molecule 4, Landsteiner-Wiener blood group (ICAM4)	1	L27670						+	
Interferon consensus sequence binding protein 1 (ICSBP1)	1	M91196	W, T lymphoma						
Interferon consensus sequence binding protein 1 (ICSBP1) (low match)	1	M91196							
interferon regulatory factor 2 (IRF2)	4	X15949	+	+	+	+			

interferon regulatory factor1 (IRF1)	4	L05072	+	+	+	+		+	
interferon regulatory factor5 (IRF5)	1	U51127	+	+		+			
interferon, gamma-inducible protein 16 (IFI16)	2	M63838	+	+	+	+		+	
interferon, gamma-inducible protein 30 (IFI30)	9	J03909	+	+		+		+	
INTERFERON-INDUCED GUANYLATE-BINDING PROTEIN 1 (GUANINE NUCLEOTIDE-BINDING PROTEIN 1) (non-exact 62%)	1	P32455							
interferon-induced protein 17 (IFI17)	3	X84958		+	+	+		+	
interferon-induced protein 54 (IFI54)	5	M14660							
interferon-inducible (1-8D)	5	X57351	T		+		+	+	
interferon-inducible (1-8U)	1	X57352			+		+	+	
interferon-related developmental regulator 1 (IFRD1)	5	Y10313		+	+			+	
interferon-stimulated transcription factor 3, gamma (48kD) (ISGF3G)	2	M87503		+		+		+	
interleukin 1 receptor, type II (IL1R2)	1	U64094				+			
Interleukin 10 receptor, beta (I.10RB)	1	U08988	T activated		+			+	
interleukin 12 receptor, beta 1 (IL12RB1)	2	U03187	+						only found in T cell
interleukin 13 receptor, alpha 1 (IL13RA1)	2	Y09328		+	+	+	+	+	
interleukin 16 (lymphocyte chemoattractant factor) (IL16)	6	U82972		+					
interleukin 18 receptor 1 (IL18R1)	1	U43672							
interleukin 2 receptor, beta (IL2RB)	9	M26062							
interleukin 2 receptor, gamma (severe combined immunodeficiency) (IL2RG)	6	D11086	+		+			+	
interleukin 4 receptor (IL4R)	3	X52425	+	+		+		+	
interleukin 6 receptor (IL6R)	5	X12830		+				+	
interleukin 6 signal	1	M57230							

transducer (gp130, oncostatin M receptor) (IL6ST)									
interleukin 7 receptor (IL7R)	14	M29696	+					+	
interleukin 7 receptor (IL7R) (low match)	1	AF043123							
interleukin 8 (IL8)	8	Y00787	+		+		+		High in activated T cells, bone and pancreatic islets
interleukin 8 receptor alpha (IL8RA)	11	L19591							
interleukin 8 receptor, beta (IL8RB)	14	M94582							
interleukin enhancer binding factor 2, 45kD (ILF2)	3	U10323	+	+	+	+	+	+	high in uterus
interleukin enhancer binding factor 3, 90kD (ILF3)	2	U10324							
interleukin-1 receptor-associated kinase 1 (IRAK1)	2	L76191		+	+	+		+	
interleukin-1 receptor-associated kinase 1 (low match)	1	U52112							
interleukin-10 receptor, alpha (IL10RA)	5	U00672	+	+	+	+			
interleukin-11 receptor, alpha (IL11RA)	7	Z38102		+	+				
INTERLEUKIN-14 PRECURSOR (IL-14) (HIGH MOLECULAR WEIGHT B-CELL GROWTH FACTOR) (HMW-BCGF) (non-exact 46%)	1	P40222							
intestinal carboxylesterase; liver carboxylesterase-2 (ICE)	1	U60553		+			+		
inversin protein (non-exact 52%)	1	AF084367							
IQ motif containing GTPase activating protein 1 (IQGAP1)	6	L33075							
IQ motif containing GTPase activating protein 2 (IQGAP2)	1	U51903		+		+			
isocitrate dehydrogenase 1 (NADP+), soluble (IDH1)	1	AF020038	+	+	+	+	+	+	

isocitrate dehydrogenase 2 (NADP+), mitochondrial (IDH2)	2	X69433	+	+	+	+	+	+	
isocitrate dehydrogenase 3 (NAD+) alpha (IDH3A)	2	U07681			+				
isocitrate dehydrogenase 3 (NAD+) gamma (IDH3G)	1	Z68907	+	+	+	+		+	
isolate Aus3 cytochrome b (CYTB)	1	AF042516							
isolate TzCCR5-179 CCR5 receptor (CCR5)	1	AF011524							
isopentenyl-diphosphate delta isomerase (IDI1)	5	X17025	+	+	+	+		+	
Janus kinase 1 (a protein tyrosine kinase) (JAK1)	4	M64174	+	+	+	+		+	
Janus kinase 2 (a protein tyrosine kinase) (JAK2)	1	AF005216							
Jk-recombination signal binding protein (RBPJK)	2	L07876							
JM1 protein	1	AJ005890		+		+			
jumonji (mouse) homolog (JMJ)	1	U57592		+	+	+		+	
jun D proto-oncogene (JUND)	1	X51346	+	+	+	+		+	
jun dimerization protein	1	AF111167							only found in germ
junction plakoglobin (JUP)	1	M23410		+	+	+		+	
kangai 1 (suppression of tumorigenicity 6, prostate; CD82 antigen (R2 leukocyte antigen, antigen detected by monoclonal and antibody IA4)) (KAI1)	1	U20770	+	+	+	+	+	+	
karyopherin (importin) beta 1 (KPNB1)	2	L39793	+	+	+	+	+	+	
karyopherin (importin) beta 2 (KPNB2)	1	U72395	+	+	+	+			
karyopherin alpha 1 (importin alpha 5) (KPNA1)	1	S75295	+	+	+		+		
karyopherin alpha 2 (RAG cohort 1, importin alpha 1) (DPNA2)	1	U09559							
karyopherin alpha 3 (importin alpha 4) (KPNA3)	1	D89618		+			+		
karyopherin alpha 4 (KPNA4)	1	M17887		+	+				
Katanin (80 kDa) (KAT)	1	AF052432		+	+	+		+	
KE03 protein	2	AF064604							
Kelch-like ECH-associated	1	D50922							

protein 1 (KIAA0132) (66%aa)									
Keratin 8 (KRT8)	1	X74929		+	+	+	+	+	
ketohehexokinase (fructokinase) (KHK)	1	X78678		+		+	+		
KIAA0001 (KIAA0001) (72% aa)	1	Q15391							
KIAA0001 (KIAA0001) (76% aa)	1	Q15391							
KIAA0001 (KIAA0001) (non-exact 72%)	1	Q15391							
KIAA0002 (KIAA0002)	5	D13627		+	+	+		+	
KIAA0005 (KIAA0005)	4	D13630		+	+	+		+	
KIAA0010 (KIAA0010)	1	D13635		+				+	
KIAA0016 (KIAA0016)	1	D13641	+	+	+	+		+	
KIAA0017 (KIAA0017)	2	D87686							
KIAA0022 (KIAA0022)	2	D14664		+	+	+			
KIAA0023 (KIAA0023)	1	D14689		+					
KIAA0024 (KIAA0024)	1	D14694	+	+	+	+		+	
KIAA0025 (KIAA0025)	1	D14695		+	+	+	+	+	
KIAA0026 (KIAA0026)	2	D14812		+	+	+		+	
KIAA0027	1	D25217		+					
KIAA0032 (KIAA0032)	2	D25215		+	+	+			
KIAA0040 (KIAA0040)	1	D25539	+	+	+	+		+	
KIAA0050 (KIAA0050)	4	D26069							
KIAA0053 (KIAA0053)	17	D29642	+		+	+			
KIAA0057 (KIAA0057)	1	D31762	+	+	+	+	+	+	high in fetal lung
KIAA0058 (KIAA0058)	11	D31767	+	+	+	+		+	
KIAA0063 (KIAA0063)	3	D31884	+	+	+	+		+	
KIAA0064 (KIAA0064)	1	D31764	+	+	+	+		+	
KIAA0066	1	D31886	+	+	+	+		+	
KIAA0068	1	D38549		+	+	+	+	+	
KIAA0073	3	D38552		+	+	+		+	
KIAA0081	2	D42039		+		+		+	
KIAA0084	2	D42043	+	+	+	+		+	
KIAA0085	26	U30498	+	+	+	+	+	+	
KIAA0088	3	D42041	+	+	+	+	+	+	
KIAA0090	2	D42044	+	+	+	+	+	+	
KIAA0092 (KIAA0092)	1	D42054		+	+	+		+	
KIAA0094	3	D42084			+	+			
KIAA0095 (KIAA0095)	1	D42085							
KIAA0096	1	D43636	+	+	+	+		+	
KIAA0097 (KIAA0097)	1	X92474	T	+	+		+		
KIAA0099 (KIAA0099)	3	D43951	+	+	+	+	+	+	
KIAA0102 (KIAA0102)	2	D14658		+		+	+	+	
KIAA0105	1	D14661	B	+			+	+	

KIAA0120	2	P37802							
KIAA0120 (non-exact, 65%)	1	M83106							
KIAA0121 (KIAA0121)	1	D50911	+	+	+	+		+	
KIAA0123	1	D21064		+	+	+		+	
KIAA0128	1	D50918	+	+	+	+		+	
KIAA0129 (KIAA0129)	1	D50919	+	+	+	+			
KIAA0130 (KIAA0130)	1	AF055995		+	+	+			
KIAA0136	2	D50926							
KIAA0137 (KIAA0137)	1	AB004885		+	+	+		+	
KIAA0140 (KIAA0140)	1	D50930	+	+		+		+	
KIAA0141 (KIAA0141)	3	D50931							
KIAA0144 (KIAA0144)	3	D63478	+	+	+	+		+	
KIAA0144 (KIAA0144) (low match)	1	D63478							
KIAA0144 (non-exact 61%)	1	Q14157							
KIAA0144 (non-exact 65%)	1	Q14157							
KIAA0146	2	D63480		+	+	+		+	
KIAA0148 (KIAA0148)	1	D63482		+				+	
KIAA0154	2	D63876	+	+	+	+		+	
KIAA0156	1	D63879		+	+	+		+	
KIAA0160	2	D63881							
KIAA0161 (KIAA0161)	1	D79983	+	+		+			
KIAA0164 (KIAA0164)	3	D79986							
KIAA0167 (KIAA0167)	1	D79989		+					
KIAA0168 (KIAA0168)	3	D79990		+	+	+		+	
KIAA0169	3	D79991							
KIAA0171 (KIAA0171)	3	D79993		+	+	+		+	
KIAA0174 (KIAA0174)	7	D79996	+	+	+	+		+	
KIAA0179	2	D80001		+	+	+		+	
KIAA0181	1	D80003		+	+	+		+	
KIAA0183	4	D80005	+	+	+	+	+	+	
KIAA0184	1	D80006	+	+	+	+		+	
KIAA0191 (72% aa)	1	D83776							
KIAA0191 (non-exact 77%)	1								
KIAA0193 (KIAA0193)	1	D83777	+	+	+	+		+	
KIAA0200 (KIAA0200)	1	D83785		+	+	+		+	
KIAA0210 (KIAA0210)	3	D86965							
KIAA0217	2	D86971	+	+	+	+		+	
KIAA0219	2	U77700		+	+	+		+	
KIAA0222 (KIAA0222)	1	D86975							
KIAA0223	2	D86976							
KIAA0229	1	D86982	+	+					
KIAA0232 (KIAA0232)	1	D86985		+	+	+		+	
KIAA0233 (KIAA0233)	1	D87071							
KIAA0235	2	D87078	+	+	+	+			

KIAA0239	1	D87076	+	+					
KIAA0239 (non-exact 80%)	1	D87076							
KIAA0240	1	D87077							
KIAA0242	4	D87684	+	+	+	+	+	+	
KIAA0248	2	D87435		+	+	+		+	
KIAA0249 (KIAA0249)	3	D87436	+	+	+	+		+	
KIAA0253	5	D87442	+	+	+	+	+	+	
KIAA0254 (KIAA0254)	1	D87443		+	+	+			
KIAA0255(KIAA0255)	4	D87444		+	+	+		+	
KIAA0262 (KIAA0262)	3	D87451	+	+	+	+		+	
KIAA0263 (KIAA0263)	1	D87452	+	+	+	+		+	
KIAA0264	3	D87453		+	+	+		+	
KIAA0268	1	D87742	+	+		+		+	
KIAA0269	1	Q92558							
KIAA0275 (KIAA0275)	13	D87465	+	+		+		+	
KIAA0304 (KIAA0304)	2	AB002302	+	+	+	+	+	+	
KIAA0308	2	AB002306		+	+			+	
KIAA0310 (KIAA0310)	1	AB002308		+	+	+		+	
KIAA0314 (=U96635 M.musculus ubiquitin protein ligase Nedd-4)	3	AB002312							
KIAA0315 (KIAA0315)	4	AB002313		+	+	+	+	+	
KIAA0325 (=L08505 R.norvegicus cytoplasmic dynein heavy chain (MAP 1C))	2	AB002323							
KIAA0329 (KIAA0329)	1	AB002327		+	+	+		+	
KIAA0330	1	AB002328	+	+	+			+	
KIAA0332	1	AB002330		+	+	+		+	
KIAA0333	2	AB002331		+	+	+	+	+	
KIAA0336 (KIAA0336)	3	AB002334	+	+	+	+		+	
KIAA0336 (KIAA0336) (low match)	1	AB002334							
KIAA0342 (KIAA0342)	1	AB002340		+	+			+	
KIAA0344 (KIAA0344)	2	AB002342				+		+	
KIAA0354 (KIAA0354)	1	AB002352	+	+	+	+		+	
KIAA0365 (KIAA0365)	3	AB002363	+	+	+	+	+	+	
KIAA0370	6	AB002368		+	+	+	+	+	
KIAA0372 (KIAA0372)	1	AB002370							
KIAA0373 (KIAA0373)	1	AB002371		+		+			
KIAA0375 (KIAA0375)	1	AB002373		+		+			
KIAA0377 (KIAA0377)	1	AB002375		+		+	+		
KIAA0379	1	AB002377				+			
KIAA0379 (non-exact, 65%)	1	AB002377							
KIAA0380 (KIAA0380)	1	AB002378	+	+		+		+	
KIAA0380 (KIAA0380)	1	AB002378							

(60%aa)									
KIAA0382 (KIAA0382)	2	AB002380		+	+	+		+	
KIAA0383	1	AB002381							
KIAA0386 (KIAA0386)	5	AB002384							
KIAA0392	1	AB002390							
KIAA0397 (KIAA0397)	4	AB007857		+	+	+	+	+	
KIAA0403	3	AB007863							
KIAA0404	1	AB007864		+		+			
KIAA0409	1	AB007869		+		+			
KIAA0421	1	AB007881	+	+	+			+	
KIAA0424 (non-exact 82%)	1	AB007884							
KIAA0428 (KIAA0428)	9	Y13829							
KIAA0429 (KIAA0429)	2	AB007889	+	+	+	+		+	
KIAA0430 (KIAA0430)	2	AB007890							only in ovary
KIAA0432 (KIAA0432)	2	U86753	T	+	+				
KIAA0435 (KIAA0435)	1	AB007895							
KIAA0438 (KIAA0438)	1	AB007898		+	+	+		+	
KIAA0447 (KIAA0447)	3	AB007916	+	+	+	+		+	
KIAA0449	1	AB007918		+				+	
KIAA0456	1	AB007925		+	+	+		+	
KIAA0458 (KIAA0458)	1	AB007927							
KIAA0462	1	AB007931	+	+	+	+		+	
KIAA0465	1	AB007934		+	+	+	+	+	
KIAA0476 (KIAA0476)	1	AB007945		+	+	+			
KIAA0489	1	AB007958							
KIAA0494 (KIAA0494)	1	AB007963	+	+	+	+		+	
KIAA0515	1	AB011087	+	+	+	+		+	
KIAA0521	3	AB011093	+	+				+	
KIAA0525	1	AB011097		+		+			
KIAA0530	1	AB011102		+	+	+			
KIAA0532	1	AB011104	+	+	+	+		+	
KIAA0537 (KIAA0537)	1	AB011109							
KIAA0540	1	AB011112	+	+	+	+		+	
KIAA0543	1	AB011115			+	+		+	
KIAA0544	1	AB011116		+	+	+		+	
KIAA0549	2	AB011121		+	+	+		+	
KIAA0551	2	AB011123		+				+	
KIAA0554	8	AB011126		+	+	+		+	
KIAA0561	1	AB011133		+		+			
KIAA0562 (KIAA0562)	1	AB011134							
KIAA0563 (KIAA0563)	1	AB011135							
KIAA0569 (KIAA0569)	2	AB011141		+	+	+		+	
KIAA0571 (KIAA0571)	2	AB011143		+	+	+			
KIAA0573	1	AB011145		+		+		+	
KIAA0576	1	AB011148							
KIAA0580	1	AB011152							

KIAA0584	1	AB011156		+					
KIAA0592	3	AB011164	+	+	+	+		+	
KIAA0596	1	AB011168		+	+				
KIAA0598 (KIAA0598)	1	AB011170		+	+	+			
KIAA0608	1	AB011180			+	+			
KIAA0614	2	AB014514	+	+	+	+		+	
KIAA0615 (KIAA0615)	1	AB014515							
KIAA0621	1	AB014521		+	+			+	
KIAA0648	1	AB014548		+	+	+		+	
KIAA0652 (KIAA0652)	1	AB014552	+	+	+	+		+	
KIAA0668	1	AB014568							
KIAA0669	1	AB014569							
KIAA0671 (KIAA0671)	1	AB014571			+	+		+	
KIAA0675 (KIAA0675)	1	AB014575		+		+	+		
KIAA0676	1	AB014576		+	+	+		+	
KIAA0677 (KIAA0677)	2	AB014577		+	+	+	+	+	
KIAA0678	1	AB014578	+	+	+	+		+	
KIAA0679	6	AB014579		+	+	+		+	
KIAA0680 (KIAA0680)	1	AB014580							
KIAA0692	1	AB014592	+	+	+	+		+	
KIAA0697	1	AB014597							
KIAA0699	1	AB014599	+	+	+	+		+	
KIAA0700	1	AB014600		+	+	+		+	
KIAA0737 (KIAA0737)	3	AF014837	+	+	+	+		+	
KIAA0748 (KIAA0748)	2	AB018291		+					
KIAA0763 (KIAA0763)	2	AB018306	+	+	+	+		+	
KIAA0769 (KIAA0769)	2	AB018312		+	+	+		+	
KIAA0782	1	AB018325	+	+		+			high in BPH stroma
KIAA0796	1	AB018339		+	+	+		+	
KIAA0798 (KIAA0798)	1	AB018341							
KIAA0823	1	AB020630							
KIAA0854	1	AB020661	+	+	+	+		+	
KIAA0856	1	AB020663		+	+	+		+	
KIAA0860	1	AB020667		+		+			
KIAA0862	1	AF054828		+	+	+			
KIAA0871 (non-exact 88%)	1	AB020678							
KIAA0873	1	AB020680		+	+	+		+	
KIAA0892	1	AB020699	+	+	+	+		+	
KIAA0906	1	AB020713	+	+	+	+		+	
KIAA0991	1	AB023208.1							
killer cell lectin-like receptor subfamily B, member 1 (KLRB1)	1	U11276			+	+		+	
killer cell lectin-like receptor subfamily C, member 4 (KLRC4)	1	U96846							

kinectin 1 (kinesin receptor) (KTN1)	1	D13629							
kinesin family member 5B (KIF5B)	2	X65873		+	+	+			
kinesin-like DNA binding protein	1	AB017430	+	+	+	+		+	
Krueppel-related DNA-binding protein (TF6) (low match)	1	M61869							
Kruppel related gene (clone pHKR1RS)	1	M20675							
Kruppel-like zinc finger protein Zf9	3	U51869	+	+	+	+	+	+	
Kruppel-like zinc finger protein Zf9 (non-exact 76%)	1	U44975		+	+		+	+	
kruppel-type zinc finger protein, ZK1	1	AB011414.1							
L apoferritin	3	X03742							
lactate dehydrogenase A (LDHA)	3	X02152		+	+	+	+	+	
lactate dehydrogenase A (LDHA) (non-exact, 81%)	1	X02152							
lactate dehydrogenase B (LDHB)	6	X13794	+	+	+	+	+	+	high in fetal lung fibroblast
lactotransferrin (LTF)	1	U07643	+			+		+	high in bone marrow
laminin binding protein (low score)	1	D28372							
laminin receptor 1 (67kD); Ribosomal protein SA (LAMR1)	20	X15005	+	+	+	+	+	+	high in many libraries
laminin receptor homolog {3' region}	1	S35960							
laminin, gamma 1 (formerly LAMB2) (LAMC1)	2	J03202	+	+	+			+	
latent transforming growth factor beta binding protein 1 (LTBP1)	2	M34057		+	+	+		+	
LAZ3/BCL6 (=Z79582;D28522/4)	1	Z79581							
LDLC	2	Z34975	+	+	+	+		+	
lecithin-cholesterol acyltransferase (LCAT) (non-exact, 66%)	1	M17959							
lectin, galactoside-binding, soluble, 2 (galectin 2) (LGALS2)	1	M87842				+			
lectin, galactoside-binding, soluble, 3 binding protein	1	L13210	+	+	+	+		+	

(galectin 6 binding protein) (LGALS3BP)									
leucine rich repeat (in FLII) interacting protein 1 (LRRFIP1)	5	AJ223075	+	+	+	+	+	+	
leucocyte immunoglobulin-like receptor-5 (LIR-5)	2	AF072099				+			
leucocyte immunoglobulin-like receptor-6a (LIR-6)	7	AF025530							
leucocyte immunoglobulin-like receptor-7 (LIR-7)	2	U82275		+					only found in CNS
leukemia virus receptor 1 (GLVR1)	1	L20859	+	+	+	+		+	
leukocyte adhesion protein p150,95 alpha subunit	1	M29484							
leukocyte antigen, HLA-A2	3	Y13267							
leukocyte immunoglobulin-like receptor (MIR-10)	3	AF025528		+					
leukocyte tyrosine kinase (LTK)	1	X60702	+						found only in blood
leukocyte-associated Ig-like receptor 1 (LIAR1)	3	AF013249				+			
leukotriene A4 hydrolase (LTA4H)	6	J03459	+	+	+	+	+	+	
leupaxin (LDPL)	2	AF062075	+			+		+	
ligase I, DNA, ATP-dependent (LIG1)	1	M36067	B, T	+	+		+	+	
LIM and SH3 protein 1 (LASP1)	2	X82456	+	+	+	+	+	+	
LIM domain kinase 2 (LIMK2)	2	AC002073	+	+	+	+		+	
line-1 protein	1								
Line-1 repeat mRNA with 2 open reading frames	1	U93566	+	+	+	+	+	+	
Line-1 repeat with 2 open reading frames	1	M22332	+	+	+	+	+	+	high in gastric tumor
LINE-1 REVERSE TRANSCRIPTASE HOMOLOG	1	P08547							
lipase A, lysosomal acid, cholesterol esterase (Wolman disease) (LIPA)	4	X76488	+	+	+	+		+	
lipase, hormone-sensitive (LIPE)	1	L11706	+	+				+	
LMP7	1	L11045							
Lon protease-like protein (LONP)	2	X74215	+	+	+	+		+	
low density lipoprotein-related protein 1 (alpha-2-	2	AF058414					+		only in liver

macroglobulin receptor) (LRP1)									
low density lipoprotein- related protein-associated protein 1 (alpha-2- macroglobulin receptor- associated protein 1) (LRPAP1)	1	M63959		+	+		+	+	
low density lipoprotein- related protein-associated protein 1 (alpha-2- macroglobulin receptor- associated protein 1) (LRPAP1) (non-exact, 75%)	1	M63959							
low-affinity Fc-gamma receptor IIA	1	L08107							
LPS-induced TNF-alpha factor (PIG7)	9	AF010312	+	+	+	+	+	+	
Lst-1	1	U00921	+	+	+	+		+	
L-type amino acid transporter subunit LAT1	1	AF104032							
lung resistance-related protein (LRP)	1	X79882	+	+	+	+		+	
Lymphocyte antigen 75 (LY75)	1	AF011333	B						
lymphocyte antigen 9 (LY9)	2	L42621							
lymphocyte antigen HLA- B*4402 and HLA-B*5101	2	L42345							
lymphocyte cytosolic protein 1 (L-plastin) (LCP1)	42	J02923							
lymphocyte cytosolic protein 2 (SH2 domain- containing leukocyte protein of 76kD) (LCP2)	4	U20158	T lymphoma, T activated						
lymphocyte glycoprotein T1/Leu-1	2	X04391	+		+				
lymphocyte-specific protein 1 (LSP1)	16	M33552	+	+	+	+		+	
lymphocyte-specific protein tyrosine kinase (LCK)	7	M36881		+				+	
lymphoid phosphatase LyP1	1	AF001847							
lymphoid-restricted membrane protein (LRMP)	4	U10485	+		+	+			
lymphoid-specific SP100 homolog (LYSP100-A)	1	U36500						+	
lymphoma proprotein convertase (LPC)	2	U33849	+	+	+	+		+	

LYSOSOMAL PROTECTIVE PROTEIN PRECURSOR (CATHEPSIN A) (CARBOXYPEPTIDASE C)	1	P10619							
lysosomal-associated membrane protein 1 (LAMP1)	1	J04182	+	+	+	+	+	+	
Lysosomal-associated membrane protein 2 (LAMP2)	1	J04183		+	+	+	+	+	
lysozyme (renal amyloidosis) (LYZ)	39	M19045	+	+	+	+		+	
lysyl-tRNA synthetase (KARS)	2	D32053	+	+	+	+		+	
M phase phosphoprotein 10 (U3 small nucleolar ribonucleoprotein) (MPP-10)	1	X98494							
M1-type and M2-type pyruvate kinase	2	X56494							
m6A methyltransferase (MT-A70)	7	AF014837	+	+		+			
mab-21 (C. elegans)-like 1 (MAB21L1)	1	U38810		+	+	+		+	
MacMarcks	1	X70326	+	+	+	+	+	+	
macrophage-associated antigen (MM130)	1	Z22968		+	+	+		+	
MADS box transcription enhancer factor 2, polypeptide A (myocyte enhancer factor 2A) (MEF2A)	1	U49020		+	+	+		+	
MADS box transcription enhancer factor 2, polypeptide C (myocyte enhancer factor 2C) (MEF2C)	1	L08895		+	+	+		+	
major cytoplasmic tRNA-Val(IAC) (=M33940)	1	X17516							
major histocompatibility complex class I beta chain (HLA-B)	1	M95531							
major histocompatibility complex, class I, A (HLA-A)	41	Z93949	+	+	+	+		+	high in villous adenoma
major histocompatibility complex, class I, A (HLA-A) (low match)	1	Z72422							
major histocompatibility complex, class I, C (HAL-	82	M24097	+	+	+	+	+	+	

C)									
major histocompatibility complex, class I, E (HLA-E)	77	M20022	+	+	+	+		+	
major histocompatibility complex, class II, DM BETA (HLA-DMB)	2	U15085	+	+	+	+		+	
major histocompatibility complex, class II, DP beta 1 (HLA-DPB1)	10	M57466	+	+	+	+		+	
major histocompatibility complex, class II, DR beta 1 (HLA-DRB1)	9	V00522	+	+	+	+		+	
Major histocompatibility complex, class II, Y box-binding protein I; DNA-binding protein B (YB1)	2	M24070		+	+		+	+	
malate dehydrogenase 1, NAD (soluble) (mdh1)	1	D55654	+	+	+	+	+	+	
malate dehydrogenase 1, NAD (soluble) (MDH1)	3	D55654		+	+		+	+	
malonyl-CoA decarboxylase precursor	2	AF097832							
maltase-glucoamylase (mg)	1	AF016833				+			
manic fringe (Drosophila) homolog (MFNG)	1	U94352	+	+	+	+		+	
mannose phosphate isomerase (MPI)	1	X76057		+	+	+		+	
mannose phosphate isomerase (mpi)	2	X76057		+	+	+		+	
mannose-6-phosphate receptor (cation dependent) (M6PR)	3	X56253		+	+		+	+	
mannose-P-dolichol utilization defect 1 (MPDU1)	1	AF038961		+	+	+		+	
mannosidase, alpha B, lysosomal (MANB)	1	U60885		+		+	+	+	
mannosyl (alpha-1,3-)-glycoprotein beta-1,2-N-acetylglucosaminyltransferase (MGAT1)	1	M55621	+	+	+	+	+	+	
map 4q35 repeat region	1	AF064849							
MAP kinase-interacting serine/threonine kinase 1 (MKNK1)	2	AB000409		+	+	+	+	+	
MAP/ERK kinase kinase 3 (MEKK3)	5	U78876		+					
MAP/ERK kinase kinase 5	1	D84476		+	+		+		

(MEKK5)									
MAP/microtubule affinity-regulating kinase 3 (MARK3)	4	M80359		+	+			+	
Marenostrin protein	1	Y14441							
MASL1	1	AB016816							
MAX dimerization protein (MAD)	3	L06895						+	
MaxiK potassium channel beta subunit	1	AF035046							
MBP-2 for MHC binding protein 2	1	X65644		+	+	+		+	
Meis (mouse) homolog 3 (MEIS3)	1	U68385		+	+	+		+	
melanoma-associated antigen p97 (melanotransferrin)	1	M12154							
membrane cofactor protein (CD46, trophoblast-lymphocyte cross-reactive antigen) (MCP)	4	X59405		+	+	+		+	
membrane component, chromosome 17, surface marker 2 (ovarian carcinoma antigen CA125) (M17S2)	4	D14696		+	+	+	+	+	
membrane metallo-endoropeptidase (neutral endopeptidase, enkephalinase, CALLA, CD10) (MME)	2	J03779	B		+	+	+	+	
membrane protein, palmitoylated 1 (55kD) (MPP1)	2	M64925		+	+	+	+	+	
meningioma expressed antigen (MGEA)	1	U94780				+			
meningioma-expressed antigen 11 (MEA11)	1	U73682	+	+		+	+		
Menkes Disease (ATP7A) putative Cu ⁺⁺ -transporting P-type ATPase	1	L06133		+					
metallothionein 2A (MT2A)	1	V00594		+	+	+	+	+	
metaxin 1 (MTX1)	1	U46920		+		+		+	
methionine adenosyltransferase II, alpha (MAT2A)	2	X68836	+	+	+	+		+	
methyl-CpG binding domain protein 1 (MBD1) (non-exact 59%aa)	1	Y10746							

methylene tetrahydrofolate dehydrogenase (NAD+ dependent), methenyltetrahydrofolate cyclohydrolase (MTHFD2)	2	X16396	+	+	+	+		+	
methylenetetrahydrofolate dehydrogenase (NADP+ dependent), methenyltetrahydrofolate cyclohydrolase, formyltetrahydrofolate synthetase (MTHFD1)	1	J04031		+	+	+	+	+	
methyltransferase, putative	2	AJ224442							
MHC antigen (HLA-B) (=L42024)	1	U14943							
MHC class 1 region	2	AF055066							
MHC class I antigen (HLA-A2)	1	U70863							
MHC class I antigen (HLA-A33)	1	U19736							
MHC class I antigen (HLA-C)	1	U38975							
MHC class I antigen B*5801 (HLA-B)	1	U52813							
MHC class I antigen HLA-A (HLA-A)	2	AF015930							
MHC class I antigen HLA-A (HLA-A-2402 allele)	1	U36687							
MHC class I antigen HLA-A11K	2	X13112							
MHC class I antigen HLA-B (B*0801 variant) (=AF028596)	1	U67331							
MHC class I antigen HLA-B (B*0801 variant) (=U88254)	1	U67330							
MHC class I antigen HLA-B (B*48 allele)	1	AF017328							
MHC class I antigen HLA-B (HLA-B*1502 allele)	1	AF014770							
MHC class I antigen HLA-B (HLA-B*40MD)	1	U58643							
MHC class I antigen HLA-B (HLA-B*4103 allele)	1	AF028596							
MHC class I antigen HLA-B gene (HLA-B*4402 variant allele)	1	AF035648							
MHC class I antigen HLA-B GN00110-B*3910	1	U52175							
MHC class I antigen HLA-	1	D83030							

Cw*04011									
MHC class I antigen R69772 HLA-A (A*0302)	1	U56434							
MHC class I antigen SHCHA (HLA-B*4403 variant)	1	U58469							
MHC class I histocompatibility antigen (HLA-B) (clone C21/14)	1	U06697							
MHC class I HLA B71	2	L07950							
MHC class I HLA-A (Aw33.1)	1	Flp							
MHC class I HLA-B	1	U18660							
MHC class I HLA-B (HLA- B-07ZEL allele) (=X86704)	1	U18661							
MHC class I HLA-B (HLA- B-08NR allele)	1	U28759							
MHC class I HLA-B*3512	1	L76094							
MHC class I HLA-B41 variant (=U17572)	3	U17572							
MHC class I HLA-B44.2 chain	1	M24038							
MHC class I HLA-B51- cd3.3	1	L41086							
MHC class I HLA-C allele	2	Z33459							
MHC class I HLA-Cw*0304 (=M84172; M99389)	1	D64150							
MHC class I HLA-Cw*0803	3	Z15144							
MHC class I HLA-Cw6	1	M28206							
MHC class I HLA-J antigen	1	L56139							
MHC class I lymphocyte antigen A2 (A2.1) variant DK1	1	M19670							
MHC class I mic-B antigen	1	X91625							
MHC class I polypeptide- related sequence A (MICA)	1	L14848				+			
MHC class I protein HLA-C heavy chain (C*0701new allele) (=AF017331)	1	U61274							
MHC class II DNA Sequence (clone A37G7- 1C11)	1	L18885							
MHC class II DQ-alpha associated with DRw6, DQw1 protein	1	M16995	+		+	+		+	
MHC class II DQ-beta associated with DR2, DQw1 protein	2	M17564		+		+		+	
MHC class II HAL-DQ-	1	M33842							

LTR5 (DQ,w8) DNA fragment, long terminal repeat region									
MHC class II hla-dr alpha-chain (=J00197;M60334;K011171;J00194;M60333;X00274)	1	J00195							
MHC class II HLA-DRB1	1	AF007883							
MHC class II HLA-DRw11-beta-I chain (DRw11.3)	1	M21966							
MHC class II lymphocyte antigen (DPw4-beta-1)	1	M23907							
MHC CLASS II TRANSACTIVATOR CIITA (non-exact 57%)	1	P33076							
MHC HLA-E2.1 (=X87679)	1	M32507							
MHC HLA-E2.1 (alpha-2 domain) (low match)	1	M32507							
Mi-2 autoantigen 240 kDa protein (non-exact 84%)	1	U08379							
microsomal stress 70 protein ATPase core (stch)	1	U04735							
microtubule-associated protein 4 (MAP4)	1	U19727	+	+	+	+		+	
microtubule-associated protein 7 (MAP7)	1	X73882							
mineralocorticoid receptor (aldosterone receptor) (MLR)	2	M16801		+		+		+	
minichromosome maintenance deficient (S. cerevisiae) 3 (MCM31)	1	X62153		+	+	+		+	
minichromosome maintenance deficient (S. cerevisiae) 3-associated protein (MCM3AP)	1	AB011144		+	+	+		+	
minichromosome maintenance deficient (S. cerevisiae) 5 (cell division cycle 46) (MCM5)	2	X74795	+	+	+	+	+	+	
mitochondrial cytochrome b (CYTB)	1	AF042517							
mitochondrial 16S rRNA	11	Z70759							
mitochondrial ATP synthase (F1-ATPase) alpha subunit	2	X59066							
mitochondrial ATP synthase c subunit (P1 form)	1	X69907							

mitochondrial cytochrome b (CYTB)	6	AF042508							
mitochondrial cytochrome b small subunit of complex II	1	AB006202							
mitochondrial CYTOCHROME C OXIDASE POLYPEPTIDE I	1	P00395							
mitochondrial CYTOCHROME C OXIDASE POLYPEPTIDE II	1	P00403							
mitochondrial cytochrome C oxidase subunit II	2	P00403							
mitochondrial cytochrome oxidase subunit II (COII) (=U12692 Hsa4 mitochondrion cytochrome oxidase subunit II)	5	U12691							
mitochondrial DNA loop attachment sequences (clone LAS34)	1	X89763							
mitochondrial DNA polymerase accessory subunit precursor (MtPolB) nuclear gene encoding mitochondrial protein,	1	U94703		+					
mitochondrial DNA, complete genome	1	X93334							
mitochondrial genes for several tRNAs (Phe, Val, Leu) and 12S and 16S ribosomal RNAs.	8	V00710							
mitochondrial genes for tRNA (Phe) and 12S rRNA (fragment)	3	V00660							
mitochondrial inner membrane preprotein translocase Tim17a	1	AF106622							
mitochondrial isolate Afr7 cytochrome b(CYTB)	1	AF042503							
mitochondrial loop attachment sequence (clone LAS88)	1	X89843							
mitochondrial NADH dehydrogenase subunit 2 (ND2)	14	AF014893							
mitochondrial translational initiation factor 2 (MTIF2)	1	L34600		+	+	+		+	
mitochondrion cytochrome b	1	U09500							

mitogen inducible gene mig-2	1	Z24725		+	+	+		+	
mitogen inducible gene mig-2 (non-exact, 71%)	1	Z24725							
mitogen-activated protein kinase-activated protein kinase 3 (MAPKAPK3)	2	U43784		+	+	+		+	
MLN51	2	X80199		+	+	+	+	+	
MLN64 (=D38255 CAB1)	1	X80198	+	+	+	+			
moesin (MSN)	14	M69066	+	+	+	+		+	
monocytic leukaemia zinc finger protein (MOZ)	2	U47742		+	+	+		+	
MOP1 ()	2	U29165							
motor protein (Hs.78504)	2	D21094	+	+	+	+		+	
mouse double minute 2, human homolog of; p53-binding protein (MDM2)	1	U39736			+	+			
M-phase phosphoprotein 6 (MPP-6)	1	X98263		+	+	+		+	
M-phase phosphoprotein, mpp11	1	X98260							
MPS1	1	L20314							
Mr 110,000 antigen	2	D64154		+		+	+	+	
MRC OX-2, V-like region (=M17227)	1	X05324							
mu-adaptin-related protein-2; mu subunit of AP-4 (MU-ARP2)	1	Y08387							
multifunctional polypeptide similar to SAICAR synthetase and AIR carboxylase (ADE2H1)	1	X53793	+	+	+	+		+	
murine leukemia viral (bmi-1) oncogene homolog (BMI1)	1	L13689		+		+		+	
mutant (Daudi) beta2 - microglobulin	44	X07621							
mutated in colorectal cancers (MCC)	1	M62397		+	+			+	
myeloid cell leukemia sequence 1 (BCL2-related) (MCL1)	9	L08246	+	+	+	+	+	+	
myeloid cell nuclear differentiation antigen (MNDA)	11	M81750	+					+	
myeloid differentiation primary response gene (88) (MYD88)	4	U70451		+	+	+		+	
myeloid leukemia factor 2	3	U57342		+		+		+	

(MLF2)									
myeloid/lymphoid or mixed-lineage leukemia (trithorax (Drosophila) homolog); translocated to, 7 (MLLT7)	8	U89867		+	+	+		+	
MYH9 (cellular myosin heavy chain)	1	M81105							
myomesin (M-protein) 2 (165kD) (MYOM2)	1	X69089							
myosin IE (MYO1E)	11	X98411		+		+			
myosin light chain kinase (MLCK)	1	U48959	+		+	+		+	
myosin phosphatase, target subunit 1 (MYPT1)	2	D87930		+	+	+		+	
myosin regulatory light chain (=U26162)	2	D50372							
myosin VIIa (low match 71)	1	U55208							
myosin, heavy polypeptide 9, non-muscle (MYH9)	3	M81105	+	+	+	+		+	
myosin, light polypeptide, regulatory, non-sarcomeric (20kD) (MLCB)	6	X54304	+	+	+	+	+	+	
myosin-I beta	1	X98507	+	+	+	+		+	
myristoylated alanine-rich protein kinase C substrate (MARCKS, 80K-L) (MACS)	1	D10522		+	+				
myxovirus (influenza) resistance 1, homolog of murine (interferon-inducible protein p78) (MX1)	1	M30817	+	+	+	+		+	
myxovirus (influenza) resistance 2, homolog of murine (MX2)	3	M30818			+				
N-acetylgalactosaminidase, alpha- (NAGA)	2	M62783		+	+		+	+	
N-acetylglucosamine receptor 1 (thyroid) (NAGR1)	1	L03532		+	+	+		+	
NACP/alpha-synuclein	2	U46896							
N-acylaminoacyl-peptide hydrolase (APEH)	1	D38441		+	+		+	+	
N-acylsphingosine amidohydrolase (acid ceramidase) (ASAH)	11	U47674	+	+	+	+		+	
NAD+-specific isocitrate dehydrogenase beta subunit precursor (encoding mitochondrial protein)	1	U49283	+	+	+	+	+	+	

NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 5 (13kD, B13) (NDUFA5)	1	U53468.1	+	+	+	+	+	+	
NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 5 (16kD, SGD1) (NDUFB5)	1	AF047181		+	+	+	+	+	
NADH dehydrogenase (ubiquinone) Fe-S protein 2 (49kD) (NADH-coenzyme Q reductase) (NDUFS2)	1	AF050640		+	+	+	+	+	
NADH dehydrogenase (ubiquinone) flavoprotein 2 (24kD) (NDUFV2)	1	M22538			+	+	+	+	
NADH:ubiquinone dehydrogenase 51 kDa subunit (NDUFV1)	2	AF053070	+	+	+	+	+	+	
NADH-CYTOCHROME B5 REDUCTASE (B5R) (50%aa)	1	P00387							
NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 1	1	P03886							
Nardilysin (N-arginine dibasic convertase) (NRD1)	2	U64898	+	+	+	+		+	
nascent-polypeptide-associated complex alpha polypeptide (NACA)	5	X80909		+	+		+	+	
natural killer cell group 7 sequence (NKG7)	8	S69115				+		+	
natural killer cell transcript 4 (NK4)	19	M32011	+						
natural killer-associated transcript 3 (NKAT3)	1	U30274	+						blood only
natural killer-associated transcript 5 (NKAT5)	1	AF022045	+						blood only
natural killer-tumor recognition sequence (NKTR)	1	L04288	B		+		+	+	
N-acetylase/N-sulfotransferase (heparan glucosaminyl) 2 (NDST2)	2	AF042084	+	+		+		+	
Ndr protein kinase	3	Z35102		+					
Nedd4-like ubiquitin-protein ligase WWP1	1	U96113							
nel (chicken)-like 2 (NELL2)	3	D83018		+	+				

N-ethylmaleimide-sensitive factor attachment protein, alpha (NAPA)	1	U39412		+			+		
N-ethylmaleimide-sensitive factor attachment protein, gamma (NAPG)	1	U78107		+	+	+			
neural precursor cell expressed, developmentally down-regulated 5 (NEDD5)	3	X92544	+	+	+	+		+	high in testis
neural precursor cell expressed, developmentally down-regulated 8 (NEDD8)	1	D23662	+	+	+	+	+	+	
neuregulin 1 (NRG1)	1	U02330		+		+	+		
neuroblastoma RAS viral (v-ras) oncogene homolog (NRAS)	4	AB020692	+	+	+	+		+	
Neuroblastoma RAS viral (v-ras) oncogene homolog (NRAS) (low match)	1	X68286							
Neurofibromin 2 (bilateral acoustic neuroma) (NF2)	1	S73853		+				+	
neuronal apoptosis inhibitory protein (NAIP)	2	U19251	+	+	+			+	
neuronal cell adhesion molecule (NRCAM)	1	AB002341		+	+	+		+	
neuropathy target esterase (NTE)	1	AJ004832		+	+	+		+	
neuropeptide Y3 receptor, 5'UTR (low score)	1	D28433							
neurotrophic tyrosine kinase, receptor, type 1 (NTRK1)	14	X03541	+	+	+	+	+	+	
neutrophil cytosolic factor 4 (40kD)	2	U50720							
NG31	1	AF129756							
NGAL (=X83006)	1	X99133							
nibrin (NBS)	1	AF051334							
NIK	1	AB014587		+	+	+		+	
Ninjurin 1; nerve injury-induced protein-1	1	U72661		+	+	+		+	
nitrilase 1 (NIT1) (=AF069984)	1	AF069987							
NKG2-D (low match) (non-exact, 58%)	1	X54870							
Nmi	1	U32849							
N-myristoyltransferase 1 (NMT1)	1	AF043324		+	+	+	+	+	

No arches-like (zebrafish) zinc finger protein (NAR)	1	U79569		+	+	+		+	
non-histone chromosome protein 2 (S. cerevisiae)-like 1 (NHP2L1)	1	D50420	+	+	+	+	+	+	
non-muscle (fibroblast) tropomyosin	1								
non-muscle alpha-actinin	1	U48734							
non-muscle myosin alkali light chain (Hs.77385)	3	M22918	+	+	+	+	+	+	High in fetal adrenal gland and BPH stroma
non-neuronal enolase (EC 4.2.1.11)	1	X16289							
non-receptor tyrosine phosphatase 1	1	M33689							
normal keratinocyte subtraction library mRNA, clone H22a	3	X53778	+	+	+	+	+	+	high in many libraries
notch group protein (N)	3	M99437							
novel protein	1	X99961							
novel T-cell activation protein	1	X94232		+	+	+		+	
N-ras protein NRU	1	A60196							
N-sulfoglucosamine sulfohydrolase (sulfamidase) (SGSH)	1	U60111		+				+	
nsulin induced gene 1 (INSIG1)	1	U96876	+	+	+	+	+	+	
ntegrin, alpha 4 (antigen CD49D, alpha 4 subunit of VLA-4 receptor) (ITGA14)	3	L12002	+			+			
nterferon, gamma-inducible protein 16 (IF116)	1	M63838	+	+	+	+		+	
nterleukin 1, beta (IL1RB)	1	M15330							
nuclear antigen H731-like protein	2	U83908		+	+	+		+	
nuclear antigen Sp100 (SP100)	4	U36501	+			+	+	+	
Nuclear antigen Sp100 (SP100) (85%aa)	1	P23497							
Nuclear antigen Sp100 (SP100) (89%aa)	1	P23497							
nuclear autoantigenic sperm protein (histone-binding) (NASP)	1	M97856	+		+				
nuclear corepressor KAP-1 (KAP-1) (=U95040; X97548 TIF1beta zinc finger protein)	1	U78773							

Nuclear domain 10 protein (NDP52)	4	U22897	+	+	+	+	+	+	
Nuclear factor (erythroid-derived 2)-like 2 (NFE2L2)	1	S74017		+	+	+	+	+	
Nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (p105) (NFKB1)	2	M58603		+	+		+	+	
nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, alpha (NFKBIA)	3	M69043		+	+	+		+	
nuclear factor related to kappa B binding protein (NFRKB)	1	U08191		+	+	+		+	
nuclear mitotic apparatus protein 1 (NUMA1)	3	Z11583	+	+	+	+	+	+	
nuclear receptor coactivator 2 (GRIP1)	1	X97674							
nuclear receptor coactivator 3 (AIB3)	2	AF010227	+	+	+			+	
nuclear receptor coactivator 4 (ELE1)	22	X77548		+	+	+	+	+	
nuclear receptor interacting protein 1 (NRIP1)	1	X84373		+		+		+	
nuclear respiratory factor 1 (NRF1)	1	U02683	B	+	+				
nuclear RNA helicase, DECD variant of DEAD box family (DDXL)	4	U90426	+	+	+	+		+	
nuclear transcription factor Y, alpha (NFYA)	1	X59711	B						
nuclear transcription factor, X-box binding 1 (NFX1)	3	U15306		+	+		+		
nuclear transport factor 2 (placental protein 15) (PP15)	1	X07315	+	+	+	+		+	
nucleobindin (=M96824)	1	U31336							
nucleobindin 1 (NUCB1)	2	M96824	+	+	+	+		+	
nucleolar phosphoprotein p130 (P130)	1	Z34289		+	+				
nucleolar protein (KKE/D repeat) (NOP56)	1	Y12065	+	+	+	+		+	
nucleolar protein (MSP58)	1	AF015308							
nucleolar protein 1 (120kD) (NOL1)	1	M32110	+	+					
nucleolar protein p40	1	U86602	+	+	+	+		+	
nucleolin (NCL)	2	M60858	+	+	+	+		+	
nucleophosmin (nucleolar	14	M28699	+	+	+	+		+	

phosphoprotein B23, numatrin) (NPM1)									
nucleophosmin-retinoic acid receptor alpha fusion protein NPM-RAR long form	1	U41742							
nucleoporin (NUP358) (=D42063 RanBP2 (Ran-binding protein 2))	2	L41840							
nucleoporin 153kD (NUP153)	1	Z25535							
nucleoporin 98kD (NUP98)	1	U41815							
nucleosome assembly protein	1	D28430							
nucleosome assembly protein 1-like 1 (NAP1L1)	1	M86667		+	+	+		+	
nucleosome assembly protein 1-like 4 (NAP1L4)	2	U77456	+	+	+	+		+	
nucleosome assembly protein, 5'UTR	1	D28430							
olfactory receptor (OR7-141)	1	U86281							
OLFACTORY RECEPTOR-LIKE PROTEIN HGMP07E (OR17-4) (non-exact 65%)	1	P34982							
oligodendrocyte myelin glycoprotein (OMG)	7	L05367		+					
O-linked N-acetylglucosamine (GlcNAc) transferase (UDP-N-acetylglucosamine:polypeptide-N-acetylglucosaminyl transferase) (OGT)	1	U77413	+	+		+	+	+	
oncofetal trophoblast glycoprotein 5T4 precursor (non-exact 55%)	1	A53531							
Oncogene TIM (TIM) (non-exact 84%)	1	U02082							
ORF (Hs.77868)	1	M68864	+	+	+	+	+	+	
ORF1; MER37; putative transposase similar to pogo element Length = 454	1	U49973							
origin recognition complex, subunit 2 (yeast homolog)-like (ORC2L)	2	U27459				+			
origin recognition complex, subunit 4 (yeast homolog)-	1	AF022108							

like (ORC4L) (low match)									
ornithine aminotransferase (gyrate atrophy) (OAT)	2	M23204		+	+	+			
ornithine decarboxylase (ODC)	1	M20372							
ornithine decarboxylase antizyme, ORF 1 and ORF 2	11	D78361	+	+	+	+	+	+	High in pancreas, and activated T cells
orphan receptor (Hs.100221)	2	U07132	+	+	+	+		+	
OS-9 precursor	6	AB002806	+	+	+	+	+	+	
osteonectin (=X82259 BM-40)	1	D28381							
ovel centrosomal protein RanBPM (RANBPM)	1	AB008515		+	+	+		+	
over-expressed breast tumor protein	1	L34839							
oviductal glycoprotein 1, 120kD (OVGP1)	1	U09550			+	+	+		
oxidase (cytochrome c) assembly 1-like (OXAIL)	1	X80695		+	+	+	+	+	
oxoglutarate dehydrogenase (lipoamide) (OGDH)	4	D10523	T	+	+		+	+	
oxysterol binding protein (OSBP)	1	M86917	+	+			+		
OZF	1	X70394		+	+	+		+	
OZF (non-exact zinc finger)	1	X70394							
p21/Cdc42/Rac1-activated kinase 1 (yeast Ste20-related) (PAK1)	2	U51120	+	+		+			
P35-related protein (= S80990 ficolin)	1	D63392							
p40	1	U93569							
p40phox (=U50720)	1	X77094							
P47 LBC oncogene	4	U03634							
p53-induced protein (PIG11)	1	AF010315	+	+	+	+			
p54nrb (low match)	1	Y11287							
p62 nucleoporin	1	X58521							
p63 mRNA for transmembrane protein	1	X69910	+	+	+	+		+	
PAC clone DJ0701O16 from 7q33-q36 (non-exact 54%)	1	Q07108							
palmitoyl-protein thioesterase (ceroid-lipofuscinosis, neuronal 1, infantile; Hattia-Santavuori	10	U44772		+	+	+		+	

disease) (PPT)									
papillary renal cell carcinoma (translocation-associated) (PRCC)	1	X99720	+	+	+	+	+	+	
PAR protein	1	AF115850		+		+			
partial EST (clone c-1gh04)	1	Z43627							
PAX3/forkhead transcription factor gene fusion	1	U02368							
paxillin (PXN)	4	D86862		+	+	+		+	
PBK1 protein	2	AJ007398	+	+	+	+		+	
PBS-EST (nz92e01.s1 NCI_CGAP_GCB1 clone IMAGE:1302936) (low score)	1	AA732534							
PDZ domain protein (Drosophila inaD-like) (INALD)	1	AJ224747	+			+		+	
PEBP2aC Runt domain encoding gene (=Z35728)	1	Z38108							
peptidase D (PEPD)	1	J04605							
peptidylprolyl isomerase A (cyclophilin A) (PPIA)	3	Y00052		+	+	+	+	+	high in many libraries
peptidylprolyl isomerase D (cyclophilin D) (PPID)	2	L11667	T	+	+		+	+	
peptidylprolyl isomerase E (cyclophilin E) (PPIE)	1	AF042386		+	+		+	+	
PERB11.1 (=U56942 MHC class I chain-related protein A)	1	U69630							
perforin 1 (preforming protein) (PRF1)	14	M28393							
peroxisomal acyl-CoA thioesterase (PTE1)	2	X86032							
Peroxisomal acyl-coenzyme A oxidase	1	X71440		+	+	+	+	+	
peroxisomal farnesylated protein (PXF)	1	X75535		+	+	+	+	+	
phorbol-12-myristate-13-acetate-induced protein (PMAIP1)	1	D90070	B, W						
phosphate carrier (mitochondrial gene?)	1	X77337							
Phosphate carrier, mitochondrial (PHC)	3	X60036	+	+	+	+		+	
phosphate cytidyltransferase 1, choline, alpha isoform (PCYT1A)	1	L28957	T		+		+		

PHOSPHATIDATE CYTIDYLTRANSFERASE (CDP-DIGLYCERIDE)	1	Q92903							
phosphatidylinositol 3- kinase delta catalytic subunit	2	U57843							
phosphatidylinositol 4- kinase, catalytic, beta polypeptide (PIK4CB)	3	AB005910	+	+	+	+		+	
phosphatidylinositol glycan, class H (PIGH)	1	L19783		+	+	+	+	+	
phosphatidylinositol transfer protein (PI-TPbeta)	2	D30037							
phosphatidylinositol transfer protein, membrane-associated (PITPNM)	2	X98654	B, T lymphoma	+					
phosphatidylinositol transfer protein, membrane-associated (PITPNM) (non-exact 64%)	1	X98654							
phosphatidylinositol-4- phosphate 5-kinase, type II, alpha (PIP5K2A)	1	U14957			+		+		
phosphatidylinositol-4- phosphate 5-kinase, type II, beta (PIP5K2B)	1	U85245		+	+	+		+	
phosphodiesterase 7A (PDE7A)	1	L12052	B, W	+	+		+		
phosphodiesterase IB (PDES1B)	1	U56976		ONLY					
phosphoglucomutase 1 (PGM1)	2	M83088		+	+	+		+	
phosphogluconate dehydrogenase (PGD)	1	U30255			+				
phosphoglycerate kinase 1 (PGK1)	12	V00572							
phosphoglycerate mutase 1 (brain) (PGAM1)	3	J04173	+	+	+	+	+	+	
phosphoglycerate mutase 2 (muscle) (PGAM2)	1	M55673		+	+			+	
phosphoinositide-3-kinase, catalytic, alpha polypeptide (PIK3CA)	1	Z29090		+	+	+			
phosphoinositide-3-kinase, catalytic, delta polypeptide (PIK3CD)	4	U86453		+	+	+		+	
phosphoinositide-3-kinase, catalytic, gamma	1	X83368							

polypeptide (PIK3CG)									
phospholipase C	1	X14034							
phospholipase C, delta 1 (PLCD1)	2	U09117		+	+	+		+	
phospholipase C, gamma 1 (formerly subtype 148) (PLCG1)	1	M34667	+	+	+	+		+	
phospholipid scramblase	1	AF008445							
phosphoribosyl pyrophosphate synthetase-associated protein 1 (PRPSAP1)	1	D61391		+	+			+	
phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide synthetase, phosphoribosylaminoimidazole synthetase (GART)	3	X54199		+	+	+	+	+	
phosphorylase kinase, alpha 2 (liver), glycogen storage disease IX (PHKA2)	3	D38616		+	+	+	+	+	
phosphorylase, glycogen; brain (PYGB)	1	U47025	+	+	+			+	
phosphorylase, glycogen; brain (PYGB) (low match, non-exact, 75%)	1	U47025							
phosphorylase, glycogen; liver (Hers disease, glycogen storage disease type VI) (PYGL)	1	Y15233		+	+	+		+	
phosphorylation regulatory protein HP-10	2								
phosphatidylinositol transfer protein (PITPN)	1	D30036	+	+	+	+		+	
pigment epithelium-derived factor (PEDF)	1	U29953	+	+	+	+	+	+	
pim-1 oncogene (PIM1)	1	M24779	+	+	+			+	
pinin, desmosome associated protein (PNN)	1	U77718	B, monocyte, T lymphoma						
placenta (Diff33)	5	U49188		+	+	+		+	
placenta (Diff33) (non-exact, 69%)	1	U49188							
placenta (Diff48)	18	U49187	+						
placenta (Diff48) (low match)	1	U49187							
placenta(Diff48) (low match)	1	U49187							

plasminogen activator, urokinase receptor (PLAUR)	1	X74039		+		+		+	
platelet factor 4 (PF4)	1	M25897			+			+	
platelet/endothelial cell adhesion molecule (CD31 ntigen) (PECAM1)	8	M37780		+	+	+	+	+	
platelet-activating factor acetylhydrolase 2 (40kD) (PAFAH2)	4	U89386		+	+	+			
platelet-activating factor acetylhydrolase, isoform Ib, alpha subunit (45kD) (PAFAH1B1)	1	U72342	+	+	+	+	+	+	
platelet-activating factor receptor (PTAFR)	1	D10202		+				+	
pleckstrin (PLEK)	10	X07743			+	+		+	
pleckstrin (PLEK) (low match)	1	X07743							
pleckstrin homology, Sec7 and coiled/coil domains 1(cytohesin 1) (PSCD1)	4	M85169	+	+		+		+	
pleckstrin homology, Sec7 and coiled/coil domains, binding protein (PSCDBP)	4	L06633	+			+			
pM5 protein	1	X57398	+	+	+	+		+	
PMP69	2	Y14322							
poly (ADP-ribose) polymerase (NAD (+) ADP-ribosyltransferase) (=X16674)	1	X56140							
poly(A) polymerase (PAP)	1	X76770	+	+	+	+		+	
poly(A)-binding protein-like 1 (PABPL1)	19	Y00345	+	+	+	+	+	+	
poly(rC)-binding protein 1 (PCBP1)	3	X78137	+	+	+	+	+	+	
polyadenylate binding protein	1	U75686							
polycystic kidney disease 1 (autosomal dominant) (PKD1)	5	U24498							
polymerase (DNA directed), beta (POLB)	1	D29013		+			+	+	
polymerase (DNA directed), gamma (POLG)	6	D84103							
polymerase (RNA) II (DNA directed) polypeptide A (220kD) (POLR2A)	1	X63564	+	+	+	+	+	+	
polymyositis/scleroderma	1	L01457	+	+	+	+	+	+	

autoantigen 2 (100kD) (PMSCL2)									
polypyrimidine tract binding protein (heterogeneous nuclear ribonucleoprotein I) (PTB)	1	X65372	+	+	+	+	+	+	
positive regulator of programmed cell death Ich-1L (Ich-1)	3	U13021			+				
postmeiotic segregation increased 2-like 12 (PMS2L12)	1	M16514	+	+	+	+		+	
postmeiotic segregation increased 2-like 8 (PMS2L8)	1	U38964	+	+	+	+		+	
potassium inwardly- rectifying channel, subfamily J, member 15 (KCNJ15)	1	D87291				+		+	
potassium voltage-gated channel, KQT-like subfamily, member 1 (KCNQ1)	1	AF051426		+	+	+		+	
POU domain, class 2, associating factor 1 (POU2AF1)	1	Z49194				+			
POU domain, class 2, transcription factor 1 (POU2F1)	2	X13403		+		+			
PPAR binding protein (PPARBP)	1	Y13467	+	+	+	+		+	
PPAR gamma2	1	D83233							
pre-B-cell colony- enhancing factor (PBEF)	8	U02020							
prefoldin 1 (PFDN1)	1	Y17392	+	+	+	+	+	+	
prefoldin 5 (PRFLD5)	3	D89667	B	+	+		+		
prefoldin subunit 3 (=U96759 von Hippel- Lindau binding protein (VBP-1))	1	Y17394							
pregnancy-associated plasma protein A (PAPPA)	1	U28727		+		+			high in placenta
pre-mRNA splicing factor SF3a (60kD), similar to S. cerevisiae PRP9 (spliceosome-associated protein 61) (SF3A60)	1	U08815	+	+	+	+		+	
pre-mRNA splicing factor SF3a (60kD), similar to S. cerevisiae PRP9	1	U08815							

(spliceosome-associated protein 61) (SF3A60) (low score)									
pre-mRNA splicing factor SRp20, 5'UTR	2	D28423							
preprotein translocase (TIM17)	3	X97544	+	+	+	+		+	
prion protein	1	X82545							
prion protein (p27-30) (Creutzfeld-Jakob disease, Gerstmann-Strausler-Scheinker syndrome, fatal familial insomnia) (PRNP)	1	M13899		+	+	+		+	
pristanoyl-CoA oxidase (low match)	1	Y11411							
pristanoyl-CoA oxidase (low score)	1	Y11411							
procollagen-lysine, 2-oxoglutarate 5-dioxygenase (lysine hydroxylase, Ehlers-Danlos syndrome type VI) (PLOD)	1	M98252		+	+	+		+	
procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha polypeptide 1 (P4HA1)	1	M24486	+	+	+	+	+	+	
procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), beta polypeptide (protein disulfide isomerase; thyroid hormone binding protein p55) (P4HB)	4	X05130	+	+	+	+	+	+	
profilin 1 (PFN1)	1	J03191	+	+	+	+	+	+	
progesterone receptor-associated p48 protein (P48)	2	U28918		+					
prohibitin (PHB)	1	S85655		+	+	+	+	+	
proliferating cell nuclear antigen (PCNA)	3	J04718	+	+	+	+		+	
proliferation-associated gene A (natural killer-enhancing factor A) (PAGA)	4	L19184	+	+	+	+	+	+	
proline-rich protein BstNI subfamily 2 (PRB2) (non-exact, 43%aa)	1	S62936							
proline-serine-threonine phosphatase interacting	1	U94778							

protein 1 (PSTPIP1)									
prolyl endopeptidase (PREP)	2	X74496		+		+		+	
prolylcarboxypeptidase (angiotensinase C) (PRCP)	5	L13977		+	+	+	+	+	
promyelocytic leukemia (PML)	1	M80185	+	+	+	+		+	
properdin P factor, complement (PFC)	4	X57748	+						
pro-platelet basic protein (includes platelet basic protein, beta-thromboglobulin, connective tissue-activating peptide III, neutrophil-activating peptide-2) (PPBP)	1	M54995			+	+		+	
pro-platelet basic protein (includes platelet basic protein, beta-thromboglobulin, connective tissue-activating peptide III, neutrophil-activating peptide-2) (PPBP)	7	M54995	+		+		+		
proprotein convertase subtilisin/kexin type 7 (PCSK7)	4	U40623							
prosaposin (variant Gaucher disease and variant metachromatic leukodystrophy) (PSAP)	89	D00422	+	+	+	+	+	+	
prostaglandin-endoperoxide synthase 1 (prostaglandin G/H synthase and cyclooxygenase) (PTGS1)	1	U63846	B	+			+	+	
prostaglandin-endoperoxide synthase 2 (prostaglandin G/H synthase and cyclooxygenase) (PTGS2)	2	L15326							
prostaglandin-endoperoxide synthase-1 (=L08404; U84208) (all promoters)	1	D64068							
prostate carcinoma tumor antigen (pcta-1)	2	L78132							
protease inhibitor 1 (anti-elastase), alpha-1-	17	K02212		+	+	+	+	+	high in many libraries

antitrypsin (PI)									
protease inhibitor 2 (anti-elastase), monocyte/neutrophil (ELANH2) (low match)	1	M93056				+		+	
proteasome (prosome, macropain) 26S subunit, ATPase, 1 (PSMC1)	3	L02426	B	+	+			+	
proteasome (prosome, macropain) 26S subunit, ATPase, 3 (PSMC3)	1	M34079	+	+	+	+		+	
proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4)	2	AF020736							
proteasome (prosome, macropain) 26S subunit, ATPase, 5 (PSMC5)	5	L38810	+	+	+	+	+	+	
proteasome (prosome, macropain) 26S subunit, ATPase, 6 (PSMC6)	2	D78275	+	+	+	+		+	
proteasome (prosome, macropain) 26S subunit, non-ATPase, 11 (PSMD11)	1	AF001212	T	+			+		
proteasome (prosome, macropain) 26S subunit, non-ATPase, 2 (PSMD2)	2	D78151		+	+			+	
proteasome (prosome, macropain) 26S subunit, non-ATPase, 5 (PSMD5)	1	S79862	T	+	+		+		
proteasome (prosome, macropain) 26S subunit, non-ATPase, 7 (Mov34 homolog) (PSMD7)	1	D50063		+	+	+		+	high in many libraries
proteasome (prosome, macropain) 26S subunit, on-ATPase, 12 (PSMD12)	1	AB003103		+	+	+		+	
proteasome (prosome, macropain) activator subunit 1 (PA28 alpha) (PSME1)	3	L07633	+	+	+	+		+	
proteasome (prosome, macropain) subunit, alpha type, 3 (PSMA3)	2	D00762		+	+	+		+	
proteasome (prosome, macropain) subunit, alpha type, 5 (PSMA5)	3	X61970	+	+	+	+		+	
proteasome (prosome, macropain) subunit, alpha type, 7 (PSMA7)	3	AF054185		+	+	+	+	+	
proteasome (prosome,	1	AF022815							

macropain) subunit, alpha type, 7 (PSMA7) (low match)									
proteasome (prosome, macropain) subunit, beta type, 1 (PSMB1)	1	D00761	+	+	+	+	+	+	
proteasome (prosome, macropain) subunit, beta type, 10 (PSMB10)	1	X71874	+	+		+	+	+	
proteasome (prosome, macropain) subunit, beta type, 6 (PSMB6)	1	D29012		+	+	+		+	
proteasome (prosome, macropain) subunit, beta type, 8 (large multifunctional protease 7) (PSMB8)	1	U17497	+	+	+	+		+	
proteasome (prosome, macropain) subunit, beta type, 9 (large multifunctional protease 2) (PSMB9)	3	Z14977	+			+		+	
proteasome (prosome, macropain) subunit, beta type, 7 (PSMB7)	1	D38048	+	+	+	+	+	+	
protective protein for beta-galactosidase (galactosialidosis) (PPGB)	3	M22960	+	+	+	+	+	+	
protein A alternatively spliced form 2 (A-2)	1	U47925		+					
protein activator of the interferon-induced protein kinase (PACT)	1	AF072860		+	+	+		+	high in testis
protein disulfide isomerase-related protein (P5)	2	D49489	+	+	+	+	+	+	
protein geranylgeranyltransferase type I, beta subunit (PGGT1B)	1	L25441	+	+	+				
protein homologous to chicken B complex protein, guanine nucleotide binding (H12.3)	20	M24194	+	+	+	+	+	+	high in many libraries
protein kinase A anchoring protein	1	AF037439		+					
protein kinase C substrate 80K-H (PRKCSH)	2	U50317	+	+	+	+		+	
protein kinase C, beta 1 (PRKCB1)	6	X06318	+	+	+	+		+	
protein kinase C, delta	1	D10495	+	+	+	+		+	

(PRKCD)									
protein kinase C, eta (PRKCH)	1	M55284			+			+	
protein kinase C, mu (PRKCM) (non-exact 78%)	1	X75756							
Protein kinase C-like 1 (PRKCL1)	2	D26181	+	+	+	+		+	
protein kinase, AMP-activated, gamma 1 non-catalytic subunit (PRKAG1)	1	U42412	B, T lymphoma	+	+				
protein kinase, cAMP-dependent, regulatory, type I, alpha (tissue specific extinguisher 1) (PRKAR1A)	4	M18468		+	+	+	+	+	
protein kinase, DNA-activated, catalytic polypeptide (PRKDC)	1	U47077		+	+		+	+	
protein kinase, mitogen-activated 1 (MAP kinase 1; p40, p41) (PRKM1)	1	Z11695	B	+			+		
protein kinase, mitogen-activated 6 (extracellular signal-regulated kinase, p97) (PRKM6)	1	L77964		+		+	+	+	
protein kinase, mitogen-activated, kinase 3 (MAP kinase kinase 3) (PRKMK3)	1	U66839	+	+	+	+	+		
protein phosphatase 1, catalytic subunit, alpha isoform (PPP1CA)	5	M63960	+	+	+	+	+	+	
protein phosphatase 1, regulatory subunit 10 (PPPR10)	3	Y13247		+	+	+		+	
protein phosphatase 1, regulatory subunit 7 (PPP1R7)	2	Z50749	+	+	+	+	+	+	
protein phosphatase 2 (formerly 2A), catalytic subunit, beta isoform (PPP2CB)	1	X12656	+	+	+	+	+	+	
protein phosphatase 2 (formerly 2A), regulatory subunit B" (PR 72), alpha isoform and (PR 130), beta isoform (PPP2R3)	1	L07590			+	+		+	
protein phosphatase 2, regulatory subunit B (B56), alpha isoform (PPP2R5A)	2	L42373	+	+	+	+		+	
protein phosphatase 2, regulatory subunit B (B56),	3	D78360		+	+	+		+	

delta isoform (PPP2R5D)									
protein phosphatase 2, regulatory subunit B (B56), gamma isoform (PPP2R5C)	1	D26445	+	+	+	+		+	
protein phosphatase 2A regulatory subunit alpha-isoform (alpha-PR65)	5	J02902	+	+	+	+		+	
protein phosphatase 4 (formerly X), catalytic subunit (PPP4C)	2	AF097996	+	+	+	+		+	
protein tyrosine kinase 2 beta (PTK2B)	4	L49207		+		+		+	
protein tyrosine phosphatase epsilon	1	X54134							
protein tyrosine phosphatase type IVA, member 2 (PTP4A2)	2	L48723	+	+	+	+		+	
protein tyrosine phosphatase, non-receptor type 1 (PTPN1)	1	M31724	+	+	+	+			
protein tyrosine phosphatase, non-receptor type 12 (PTPN12)	1	M93425		+	+	+		+	high in testis
protein tyrosine phosphatase, non-receptor type 12 (PTPN12) (non-exact, 70%)	1	M93425							
protein tyrosine phosphatase, non-receptor type 2 (PTPN2)	2	M25393		+	+	+		+	
protein tyrosine phosphatase, non-receptor type 4 (megakaryocyte) (PTPN4)	1	M68941			+	+		+	
protein tyrosine phosphatase, non-receptor type 6 (PTPN6)	7	M74903	+	+	+	+		+	
protein tyrosine phosphatase, non-receptor type 7 (PTPN7)	1	D11327	+			+		+	
protein tyrosine phosphatase, receptor type, alpha polypeptide (PTPRA)	1	M34668	+	+	+	+		+	
protein tyrosine phosphatase, receptor type, c polypeptide (PTPRC)	44	Y00638	+	+		+		+	
protein tyrosine	1	X58288		+	+	+		+	

phosphatase, receptor type, M (PTPRM)									
protein tyrosine phosphatase, receptor type, N polypeptide 2 (PTPRN2)	2	U81561		+		+		+	
protein with polyglutamine repeat (ERPROT213-21)	1	U94836	+	+	+	+		+	
protein-kinase, interferon-inducible double stranded RNA dependent inhibitor (PRKRI)	1	U28424		+	+	+	+	+	
protein-L-isoaspartate (D-aspartate) O-methyltransferase (PCMT1)	4	D13892		+	+				
proteoglycan 1, secretory granule (PRG1)	7	J03223		+		+		+	
prothymosin, alpha (gene sequence 28) (PTMA)	12	M14483	+	+	+	+	+	+	
prp28, U5 snRNP 100 kd protein (U5-100K)	7	AF026402	+	+	+	+		+	
PRP4/STK/WD splicing factor (HPRP4P)	1	AF001687		+	+	+		+	
PTK7 protein tyrosine kinase 7 (PTK7)	1	U40271		+	+	+		+	
purinergic receptor P2X, ligand-gated ion channel, 4 (P2RX4)	3	AF000234		+	+	+		+	
purinergic receptor P2X, ligand-gated ion channel, 7 (P2RX7)	1	Y12851	+						macrophage only
puromycin-sensitive aminopeptidase (PSA)	1	Y07701		+	+			+	
putative ATP(GTP)-binding protein	2	AJ010842		+				+	
putative brain nuclearly-targeted protein (KIAA0765)	1	AB018308	+	+	+	+		+	
putative chemokine receptor; GTP-binding protein (HM74)	1	D10923	+						
putative dienoyl-CoA isomerase (ECH1)	1	AF030249							
putative G-binding protein	1	AF065393							
Putative human HLA class II associated protein I (PHAP1)	1	U73477	B	+			+		
Putative L-type neutral amino acid transporter	1	AB007896							

(KIAA0436)									
putative mitochondrial space protein 32.1	1	AF050198							
PUTATIVE MUCIN CORE PROTEIN PRECURSOR 24 (MULTI-GLYCOSYLATED CORE PROTEIN 24) (MGC-24) (MUC-24)	1	Q04900							
putative nucleic acid binding protein	2	X76302	+	+	+	+		+	
putative outer mitochondrial membrane 34 kDa translocase Htom34	1	U58970		+	+	+		+	
putative p150 (non-exact 88%)	1	U93568							
putative translation initiation factor (SUI1)	1	L26247	+	+	+	+	+	+	High in moderately differentiated colon adenocarcinoma
putative tumor suppressor protein (123F2)	1	AF061836		+	+	+		+	
pyrroline 5-carboxylate reductase	1	M77836	+	+	+	+		+	
pyruvate dehydrogenase (lipoamide) alpha 1 (PDHA1)	1	D90084		+	+	+	+	+	
pyruvate dehydrogenase (lipoamide) beta (PDHB)	2	J03576	+	+	+	+		+	
Pyruvate dehydrogenase complex, lipoyl-containing component X; E3-binding protein (PDX1)	3	Y13145		+	+				
pyruvate kinase, muscle (PKM2)	11	M23725					+		
RAB, member of RAS oncogene family-like (RABL)	1	U18420		+	+	+		+	
RAB1, member RAS oncogene family (RAB1)	3	M28209		+	+	+		+	
RAB11A, member RAS oncogene family (RAB11A)	2	X56740	+	+	+	+		+	high in spleen
RAB11B, member RAS oncogene family (Rab11B)	1	D45418		+				+	
RAB27A, member RAS oncogene family (RAB27A)	3	U38654				+			
RAB5B, member RAS oncogene family (RAB5B)	1	X54871		+	+	+		+	
RAB6, member RAS	1	M28212		+				+	

oncogene family (RAB6)									
RAB7, member RAS oncogene family (RAB7)	1	X93499	+	+	+	+		+	
RAB7, member RAS oncogene family-like 1 (RAB7L1)	2	D84488		+	+	+		+	
RAB9, member RAS oncogene family (RAB9)	1	U44103							
RAD50 (S. cerevisiae) homolog (RAD50)	2	U63139		+	+	+			
RAD51 (S. cerevisiae) homolog C (RAD51C)	1	AF029669		+	+	+		+	
Radin blood group (RD)	2	L03411		+	+	+		+	
RAE1 (RNA export 1, S.pombe) homolog (RAE1)	3	U84720	+	+	+	+		+	
ralA-binding protein (RLIP76)	2	L42542	+	+	+	+			
RAN binding protein 2-like 1 (RANBP2L1)	2	AF012086							
Ran GTPase activating protein 1 (RANGAP1)	3	X82260	+	+	+	+		+	
RAN, member RAS oncogene family (RAN) (low match)	1	M31469							
RanBP2 (Ran-binding protein 2) (=U19248; L41840 sapiens nucleoporin (NUP358))	1	D42063							
ransforming growth factor, beta receptor II (70-80kD) (TGFB2)	4	D50683	+	+	+	+		+	
RAP1A, member of RAS oncogene family (RAP1A)	10	M22995	+	+	+	+	+	+	
RAR-related orphan receptor C (RORC)	1	U16997						+	
RAS guanyl releasing protein 2 (calcium and DAG-regulated)	1	Y12336	+	+					
ras homolog gene family, member A (ARHA)	12	X05026	+	+	+	+	+	+	high in ovary
ras homolog gene family, member G (rho G) (ARHG)	1	X61587	+	+	+	+			
ras homolog gene family, member H (ARHH)	2	Z35227	+	+	+			+	
ras inhibitor (RIN1)	2	M37191		+					
Ras-GTPase activating protein SH3 domain- binding protein 2 (KIAA0660)	2	AF053535	+	+	+	+		+	

Ras-GTPase-activating protein SH3-domain-binding protein (G3BP)	3	U32519	+	+	+	+		+	
ras-related C3 botulinum toxin substrate 2 (rho family, small GTP binding protein Rac2) (RAC2)	11	M29871			+			+	
RAS-RELATED PROTEIN RAP-1B (GTP-BINDING PROTEIN SMG P21B)	1	P09526							
RBQ-1	1	X85133		+	+	+			
rearranged T cell receptor beta variable region (TCRB) (=X58810)	1	L06891							
regulator of Fas-induced apoptosis (TOSO)	1	AF057557	B				+		
regulator of G protein signalling 6 (RGS6)	1	AF073920		+					
regulator of G-protein signalling 14 (RGS14)	2	AF037195	+	+	+	+			
regulator of G-protein signalling 2, 24kD (RGS2)	6	L13391	+	+	+	+		+	
regulator of G-protein signalling 5 (RGS5) (49% aa)	1	O15539							
regulatory factor X, 4 (influences HLA class II expression) (RFX4)	1	M69297			+	+			
regulatory factor X, 5 (influences HLA class II expression) (RFX5)	2	X85786	T	+	+			+	
replication protein A1 (RPA1)	1	M63488	+	+	+	+		+	
replication protein A3 (14kD) (RPA3) (low match)	1	L07493							
reproduction 8 (D8S2298E)	1	D83767		+	+	+			
requiem, apoptosis response zinc finger gene (REQ)	2	U94585	+	+	+	+		+	
requiem, apoptosis response zinc finger gene (REQ) (=AF001433) (low match)	1	U94585							
restin (Reed-Steinberg cell-expressed intermediate filament-associated protein) (RSN)	1	M97501	B, T	+	+				
retinoblastoma 1 (including osteosarcoma) (RB1)	3	L11910	+	+	+	+			

retinoblastoma binding protein 2 homolog 1 (RBBP2H1)	1	AF087481							
retinoblastoma-binding protein 1 (RBBP1)	1	S66427	+	+					
retinoblastoma-binding protein 2 (RBBP2)	5	S66431	+	+	+	+		+	
retinoblastoma-binding protein 4 (RBBP4)	1	X71810		+	+	+		+	
retinoblastoma-binding protein 4 (RBBP4)	1	X74262		+	+	+		+	
retinoblastoma-binding protein 7 (RBBP7)	1	U35143							
retinoblastoma-like 2 (p130) (RBL2)	1	X76061		+	+	+		+	
retinoic acid receptor responder (tazarotene induced) 3 (RARRES3)	1	AF060228		+		+	+	+	
retinoic acid receptor, alpha (RARA)	1	X06538	+	+		+			
retinoic acid responsive (NN8-4AG)	1	U50383		+		+		+	
retinoid X receptor beta (RXR-beta)	2	X66424		+	+	+		+	
REV3 (yeast homolog)-like, catalytic subunit of DNA polymerase zeta (REV3L)	1	AF035537							
Rho GDP dissociation inhibitor (GDI) beta (ARHGDI B)	23	L07916	+	+	+	+	+	+	
Rho GTPase activating protein 4 (ARHGAP4)	2	X78817	+	+					
Rho GTPase activating protein 4 (ARHGAP4) (low match)	1	P98171							
Rho-associated, coiled-coil containing protein kinase 2 (ROCK2)	1	AB014519							
ribonuclease 6 precursor (RNASE6PL)	2	U85625	+	+	+	+	+	+	
ribonuclease 6 precursor (RNASE6PL) (low match)	1	U85625							
ribonuclease, RNase A family, 2 (liver, eosinophil-derived neurotoxin) (RNASE2)	1	X55988					+		
ribonuclease/angiogenin inhibitor (RNH)	3	M36717	+	+	+	+		+	
ribonucleoside diphosphate	1	X65708							

reductase M1 subunit									
ribonucleotide reductase M2 polypeptide (non-exact 91%)	1	P31350							
ribophorin I (RPN1)	1	Y00281	+	+	+	+		+	
ribophorin II (RPN2)	1	Y00282	+	+	+	+	+	+	
ribosomal 18S rRNA	3	M10098							
ribosomal 28S RNA	1	M11167							
ribosomal phosphoprotein P0, 5'UTR (low match)	1	D28418							
Ribosomal protein	1								
ribosomal protein L10 (RPL10)	30	L25899	+	+	+	+	+	+	high in many libraries
RIBOSOMAL PROTEIN L10A (CSA-19)	2	P53025							
ribosomal protein L11 (RPL11)	4	X79234	+	+	+	+	+	+	Alveolar rhabdomyosarcoma
ribosomal protein L12 (RPL19)	2	L06505	+	+	+	+	+	+	
ribosomal protein L13 (PRL13)	1	P26373	+	+	+	+	+	+	high in many libraries
ribosomal protein L14 (RPL14)	4	D87735	+	+	+	+	+	+	high in many libraries
ribosomal protein L17 (RPL17)	4	X53777	+						blood only
ribosomal protein L18 (RPL18)	10	L11566	+	+	+	+		+	
ribosomal protein L18a (RPL18A)	5	L05093		+	+	+	+	+	High in fetal adrenal gland and skin
ribosomal protein L18a homologue	2	X80821				+			
ribosomal protein L19 (RPL19)	15	X63527	+	+	+	+	+	+	
ribosomal protein L21 (RPL21)	6	U14967	+	+	+	+	+	+	
ribosomal protein L22 (RPL22)	3	D17652	+	+	+	+		+	
ribosomal protein L23 (RPL23)	2	X55954	+	+	+	+	+	+	high in many libraries
ribosomal protein L23a (RPL23A)	5	U37230	+	+	+	+	+	+	high in many libraries
ribosomal protein L26 (RPL26)	8	X69392	+	+	+	+	+	+	
ribosomal protein L27 (RPL27)	6	L05094	+	+	+	+		+	
ribosomal protein L27a (RPL27A)	10	U14968	+	+	+	+	+	+	
ribosomal protein L28	6	U14969	+	+	+	+		+	

(RPL28)									
ribosomal protein L29 (RPL29)	6	U10248	+	+	+	+	+	+	
ribosomal protein L3 (RPL3)	81		+	+	+	+	+	+	high in many libraries
ribosomal protein L3 homologue	81	X06323							
ribosomal protein L30 (RPL30)	6	X79238	+	+	+	+	+	+	high in lymphoma
ribosomal protein L30 (RPL30) (low score)	1	X79238							
ribosomal protein L31 (RPL31)	10	X15940	+	+	+	+	+	+	High in alveolar rhabdomyosarcoma
ribosomal protein L32 (RPL32)	3	X03342	+	+	+	+	+	+	
ribosomal protein L33-like (RPL33L)	1	AF047440		+	+	+		+	
ribosomal protein L34 (RPL34)	5	L38941		+	+	+	+	+	
ribosomal protein L34 (RPL34) (low match)	1	L38941							
ribosomal protein L37 (RPL37)	5	D23661	+	+	+	+	+	+	high in barstead prostate
ribosomal protein L37a	4	X66699	+	+	+	+	+	+	high in many libraries
ribosomal protein L38 (RPL38)	1	Z26876	+	+	+	+	+	+	high in many libraries
ribosomal protein L4 (RPL4)	27	D23660	+	+	+	+	+	+	high in many libraries
ribosomal protein L41 (RPL41)	4	AF026844	+	+	+	+	+	+	high in many libraries
ribosomal protein L5 (RPL5)	14	U14966	+	+	+	+	+	+	High in alveolar rhabdomyosarcoma
ribosomal protein L5 (RPL5) (low match)	1	U14966							
ribosomal protein L6 (RPL6)	7	X69391	+	+	+	+	+	+	high in many libraries
ribosomal protein L7 (RPL7)	14	X52967	+	+	+	+	+	+	high in conorm
ribosomal protein L7a (RPL7A)	15	M36072	+	+	+	+	+	+	High in uterus, and seminoma
ribosomal protein L8 (RPL8)	5	Z28407	+	+	+	+	+	+	high in ovary
ribosomal protein L9 (RPL9)	10	U09953		+	+	+	+	+	
ribosomal protein S10 (RPS10)	5	U14972	+	+	+	+	+	+	high in many libraries
ribosomal protein S11 (RPS11)	4	X06617	+	+	+	+	+	+	high in many libraries
ribosomal protein S11	1	AB007152							

(RPS11) (low match)									
ribosomal protein S12 (RPS12)	3	X53505	+	+	+	+	+	+	high in many libraries
ribosomal protein S13 (RPS13)	2	L01124		+	+	+	+	+	
ribosomal protein S14 (RPS14)	12	M13934	+	+	+	+	+	+	
ribosomal protein S15 (RPS15)	2	M32405	+	+	+	+	+	+	
ribosomal protein S16 (RPS16)	3	M60854	+	+	+	+	+	+	High in prostate invasive tumor
ribosomal protein S17 (RPS17)	2	M13932	+	+	+	+	+	+	high in many libraries
ribosomal protein S18	8	X69150							
ribosomal protein S19 (RPS19)	7	M81757	+	+	+	+	+	+	high in many libraries
ribosomal protein S2 (RPS2)	4	X17206	+	+	+	+	+	+	high in many libraries
RIBOSOMAL PROTEIN S2 (RPS4)	2	P15880							
ribosomal protein S20 (RPS20)	7	L06498	+	+	+	+	+	+	high in many libraries
ribosomal protein S21 (RPS21)	3	L04483	+	+	+	+	+	+	high in CD34+/CD38-hematopoietic cells and skin tumor
ribosomal protein S23 (RPS23)	3	D14530		+	+	+		+	
ribosomal protein S24 (RPS24)	7	M31520	+	+	+	+	+	+	high in uterus
ribosomal protein S25 (RPS25)	3	M64716	+	+	+	+	+	+	high in barstead prostate
ribosomal protein S26 (RPS26)	2	X69654		+	+	+	+	+	
ribosomal protein S27 ((metalloproteinase 1) (RPS27)	5	U57847	+	+	+	+	+	+	
ribosomal protein S28 (RPS28)	3	U58682	+	+	+	+		+	
ribosomal protein S29 (RPS29)	2	U14973	+	+	+	+	+	+	
ribosomal protein S3 (RPS3)	9	X55715	+	+	+	+	+	+	high in many libraries
ribosomal protein S3 (RPS3) (low match)	1	U14990							
ribosomal protein S3A (RPS3A)	21	Z83334		+	+	+	+	+	high in many libraries
ribosomal protein S3A (RPS3A) (low score)	1	M77234							
ribosomal protein S4, X-	9	M58458	+	+	+	+		+	high in ovary and

linked (RPS4X)									Synovial sarcoma
ribosomal protein S4, Y-linked (RPS4Y)	2	M58459	+	+	+	+	+	+	
ribosomal protein S5 (RPS5)	4	U14970	+	+	+	+	+	+	high in lymphoma
RIBOSOMAL PROTEIN S6 (PHOSPHOPROTEIN NP33)	1	P10660							
ribosomal protein S6 (RPS6)	22	M20020	+	+	+	+	+	+	
ribosomal protein S6 (RPS6) (non-exact 86%)	1	M77232							
ribosomal protein S6 kinase, 90kD, polypeptide 1 (RPS6KA1)	3	L07597	+	+	+	+		+	
ribosomal protein S6 kinase, 90kD, polypeptide 2 (RPS6KA2)	1	X85106							
ribosomal protein S7 (RPS7)	4	Z25749		+	+	+	+	+	
ribosomal protein S8 (RPS8)	6	X67247		+	+	+	+	+	
ribosomal protein S9 (RPS9)	8	U14971							colon tumor
ribosomal protein, large, P0 (RPLP0)	18	M17885	T		+			+	
ribosomal protein, large, P1 (RPLP1)	12	M17886	T	+	+		+		
ribosomal RNA 18S (=M10098; K03432) (=polyadenylating sequence)	11	X03205							
ribosomal RNA 28S	2	M11167							
ribosomal RNA, 16S	1	U25123							
ring finger protein (non-exact 58%)	1	AJ001019							
ring finger protein 3 (RNF3)	1	AJ001019							
ring finger protein 4 (RNF4)	3	AB000468		+	+	+		+	
ring zinc-finger protein (ZNF127-Xp)	3	U41315		+	+	+		+	
RNA (guanine-7-) methyltransferase (RNMT)	1	AB007858		+	+	+		+	
RNA binding motif protein 5 (RBM5)	4	U23946	+	+	+	+		+	
RNA binding motif, single stranded interacting protein 2 (RBMS2)	1	D28483		+		+		+	
RNA helicase (putative), (Myc-regulated DEAD box	1	X98743	+	+	+	+		+	

protein) (MRD8)									
RNA helicase-related protein	1	AF083255		+	+	+		+	
RNA pol II largest subunit	2	X74872							
RNA polymerase I subunit (RPA40)	1	AF008442		+	+			+	
RTVP-1 protein	2	X91911	+	+	+	+		+	
S100 calcium-binding protein A10 (annexin II ligand, calpactin I, light polypeptide (p11)) (S100A10)	2	M81457			+		+	+	
S100 calcium-binding protein A11 (calgizzarin) (S100A11)	1	X80201		+	+	+		+	
S100 calcium-binding protein A4 (calcium protein, calvasculin, metastasin, murine placental homolog)(S100A4)	3	M80563	B		+		+		
S100 calcium-binding protein A8 (calgranulin A) (S100A8)	7	M21005			+	+		+	high in bone marrow
S100 calcium-binding protein A9 (calgranulin B) (S100A9)	14	X06233			+	+			high in invasive larynx squamous cell carcinoma
S164 gene	1	AF109907							
S-adenosylmethionine decarboxylase 1 (AMD1)	3	M88003	+	+	+	+		+	
SB classII histocompatibility antigen alpha-chain	5	M27487	+	+	+	+		+	
SC35-interacting protein 1 (SRRP129)	5	AF030234	+	+	+	+	+	+	
scaffold attachment factor B (SAFB)	1	U72355	+	+	+	+		+	
scaffold attachment factor B (SAFB) (non-exact 78%)	1	U72355							
scRNA molecule, transcribed from Alu repeat	1	L13713							
SEC14 (S. cerevisiae)-like (SEC14L)	4	D67029		+	+	+		+	
SEC23-like protein B (SEC23B)	2	X97065	+	+	+	+		+	
SEC63 (SEC63)	1	AF100141		+	+			+	
secreted protein, acidic, cysteine-rich (osteonectin) (SPARC)	7	M25746		+	+	+	+	+	high in bone marrow stroma
secretory carrier	1	AF038966		+		+			

membrane protein 1 (SCAMP1)									
secretory carrier membrane protein 2 (SCAMP2)	1	AF005038	+	+	+	+	+	+	
secretory carrier membrane protein 3 (SCAMP3)	1	AF005039							
secretory granule proteoglycan core (clones lambda-PG[6,7,8])	1	M33649							
selectin L (lymphocyte adhesion molecule 1) (SELL)	43	X17519	+			+		+	
selectin P ligand (SELPLG)	13	U02297	+	+					
sema domain, immunoglobulin domain (Ig), transmembrane domain (TM) and short cytoplasmic domain, (semaphorin) 4D (SEMA4D)	2	U60800		+		+		+	
Ser/Arg-related nuclear matrix protein (plenty of prolines 101-like) (SRM160)	4	AF048977		+	+	+	+	+	
serine palmitoyltransferase subunit I (SPTI)	1	Y08685		+	+	+		+	
serine palmitoyltransferase, subunit II (LCB2)	1	AB011098	+	+	+	+		+	
serine protease	1	J02907							
serine protease inhibitor, Kunitz type, 2 (SPINT2)	1	U78095	+	+	+	+		+	
serine/threonine kinase 10 (STK10)	1	AB015718	+	+	+	+		+	
serine/threonine kinase 19 (STK19)	1	L26260	+	+	+	+			
serine/threonine kinase 4 (STK4)	1	U18297		+				+	
serine/threonine protein kinase KKIALRE (KKIALRE)	1	X66358		+	+	+		+	
serine/threonine protein-kinase (NIK)	1	Y10256		+	+	+			
SERINE/THREONINE-PROTEIN KINASE RECEPTOR R3 PRECURSOR (SKR3)	1	P37023							
serologically defined colon	2	AF039694							

cancer antigen 16 (NY-CO-16)									
serologically defined colon cancer antigen 33 (SDCCAG33)	1	AF039698	B, T	+	+		+		
serologically defined colon cancer antigen 33 (SDCCAG33) (low score)	1	AF039698							
serologically defined colon cancer antigen 33 (SDCCAG33) (low score)	1	AF039698							
serum deprivation response (phosphatidylserine-binding protein) (SDPR) (=S67386)	1	AF085481.1							
serum/glucocorticoid regulated kinase (SGK)	2	Y10032	+	+	+	+		+	
SET domain, bifurcated 1 (SETDB1)	2	D31891	+	+	+			+	
SH2 domain protein 1A, Duncan's disease lymphoproliferative syndrome) (SH2D1A)	1	AF073019	T					+	
SH3 binding protein (SAB)	2	AB005047	+	+	+	+		+	
SH3 domain protein 1B (SH3D1B)	4	U61167	+			+		+	
SH3BGR PROTEIN (=21-GLUTAMIC ACID-RICH PROTEIN;21-GARP) (non-exact 82%aa)	1	P55822							
SH3-binding domain glutamic acid-rich protein like (SH3BGRL)	1	AF042081	+	+	+	+		+	
SH3-domain GRB2-like 1 (SH3GL1)	1	U65999	+	+	+	+		+	
SHC (Src homology 2 domain-containing) transforming protein 1 (SHC1)	2	X68148		+	+	+		+	
siah binding protein 1 (SiahBP1)	2	U51586		+	+	+		+	
siah binding protein 1 (SiahBP1) (non-exact, 69%)	1	U51586							
Sialomucin CD164 (CD164)	9	D14043							
sialophorin (gpL115, leukosialin, CD43) (SNP)	2	J04536							
sialyltransferase (STHM)	1	U14550			+	+		+	

sialyltransferase 1 (beta-galactoside alpha-2,6-sialyltransferase) (SIAT1)	2	X17247	+	+	+	+	+	+	
sialyltransferase 4A (beta-galactosidase alpha-2,3-sialyltransferase) (SIAT4A)	1	AF059321	B	+	+		+	+	
sialyltransferase 8 (alpha-2, 8-polysialyltransferase) D (SIAT8D)	1	L41680		+					
signal peptidase 25kDa subunit	1	L38950							
signal recognition particle 14kD (homologous Alu RNA-binding protein) (SRP14)	1	X73459	+	+	+	+	+	+	
signal recognition particle 54kD (SRP54)	1	U51920			+	+		+	
signal recognition particle 9kD (SRP9)	2	U20998		+	+	+	+	+	
signal recognition particle receptor ('docking protein') SRPR	5	X06272							
signal regulatory protein, beta, 1 (SIRP-BETA-1)	5	Y10376		+				+	
signal sequence receptor, alpha (translocon-associated protein alpha) (SSR1)	2	Z12830				+		+	
signal sequence receptor, beta (translocon-associated protein beta) (SSR2)	2	X74104	+	+	+	+		+	
signal transducer and activator of transcription (STAT5A)	4	L41142	+	+	+	+	+	+	
signal transducer and activator of transcription 2, 113KD (STAT2)	1	U18671						+	
signal transducer and activator of transcription 3 (acute-phase response factor) (STAT3)	3	L29277							
signal transducer and activator of transcription 5A (STAT5A)	2	U48730	+	+	+	+	+	+	
signal transducing adaptor molecule (SH3 domain and ITAM motif) 1 (STAM)	1	U43899							
silencing mediator of retinoid and thyroid	1	U37146							

hormone action (SMRT)									
similar to beta-transducin superfamily proteins (SAZD)	1	U02609	+	+	+			+	
similar to <i>S. cerevisiae</i> SSM4 (TEB4)	1	AB011169		+	+	+		+	
similar to yeast pre-mRNA splicing factors, Prp1/Zer1 and Prp6	1	AF026031	+	+	+	+		+	
SIT protein	1	AJ010059.1							
Sjogren syndrome antigen A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro) (SSA1)	2	M62800					+		
Sjogren syndrome antigen A1 (52kD, ribonucleoprotein autoantigen SS-A/Ro) (SSA1) (non-exact 63%) (match to zinc finger)	1	M62800							
SKAP55 homologue (SKAP-HOM)	1	AJ004886		+	+	+		+	
skb1 (<i>S. pombe</i>) homolog (SKB1)	2	AF015913	+	+	+	+		+	
skeletal muscle abundant protein	1	X87613	+	+	+	+		+	
SMA3 (SMA3)	1	X83300	+	+		+		+	
small acidic protein	3	U51678	+	+	+	+		+	
small EDRK-rich factor 2 (SERF2)	2	Y10351	+	+	+	+	+	+	high in fetal lung
small inducible cytokine A5 (RANTES) (SCYA5)	2	M21121	+	+	+	+	+	+	high in many libraries
small inducible cytokine subfamily C, member 2 (SCYC2)	1	D63789							
small nuclear ribonucleoprotein polypeptide B" (SNRPB2)	2	M15841		+	+	+		+	
small nuclear ribonucleoprotein polypeptide N (SNRPN)	4	J04615	+	+	+	+	+	+	
small nuclear ribonucleoprotein polypeptides B and B1 (SNRPB)	2	J04564	+	+	+	+		+	
small nuclear RNA activating complex, polypeptide 5, 19kD	1	AF093593	+	+	+	+		+	

(SNAPC5)									
smallest subunit of ubiquinol-cytochrome c reductase	1	D55636	+	+	+	+	+	+	high in fetal lung
SMC (mouse) homolog, X chromosome (SMCX)	1	L25270	+	+	+	+		+	
SMT3B protein (2)	2	X99585	+	+	+	+	+	+	
SNARE protein (YKT6) (low match)	1	U95735							
SNC19	1	U20428							
SNC73 protein (SNC73)	2	J00220	+	+		+	+	+	high in many libraries
solute carrier family 1 (neutral amino acid transporter), member 5 (SLC1A5)	2	U53347		+		+		+	
Solute carrier family 11 (proton-coupled divalent metal ion transporters), member 1 (SLC11A1)	7	D50403	+						
solute carrier family 17 (sodium phosphate), member 3 (SLC17A3)	1	U90545				+			
solute carrier family 19 (folate transporter), member 1 (SLC19A1)	1	U17566	B, lymphoma	+			+		
solute carrier family 2 (facilitated glucose transporter), member 1 (SLC2A1)	1	K03195	+	+	+	+	+	+	
solute carrier family 23 (nucleobase transporters), member 2 (SLC23A2)	3	D87075		+	+	+		+	~
solute carrier family 25 (mitochondrial carrier; oxoglutarate carrier), member 11 (SLC25A11)	1	AF070548	B, T	+	+		+	+	
solute carrier family 31 (copper transporters), member 2 (SLC31A2)	3	U83461		+		+			
solute carrier family 4, anion exchanger, member 2 (erythrocyte membrane protein band 3-like 1) (SLC4A2)	1	X62137		+	+			+	
solute carrier family 4, sodium bicarbonate cotransporter, member 8 (SLC4A8)	1	AB018282		+					
solute carrier family 7 (cationic amino acid	2	M80244	T, W	+	+		+		

transporter, y+ system), member 5 (SLC7A5)									
solute carrier family 7 (cationic amino acid transporter, y+ system), member 6 (SLC7A6)	3	D87432	+	+	+			+	
solute carrier family 7 (cationic amino acid transporter, y+ system), member 6 (SLC7A6) (non-exact 77%)	1	D87432							
solute carrier family 9 (sodium/hydrogen exchanger), isoform 6 (SLC9A6)	1	AF030409		+	+	+		+	
somatic cytochrome c (HCS)	2	M22877							
SON DNA binding protein (SON)	2	X63753		+	+	+		+	
son of sevenless (Drosophila) homolog 1 (SOS1)	1	L13858	+	+		+			
sorcin (SRI)	1	M32886							
sortilin 1 (SORT1)	2	X98248		+		+		+	
sortilin-related receptor, L(DLR class) A repeats-containing (SORL1)	6	Y08110							
sorting nexin 1 (SNX1)	3	U53225	+	+	+	+		+	
sorting nexin 2 (SNX2)	2	AF043453							
sorting nexin 6 (SNX6) (=U83194.1 TRAF4-associated factor 2)	1	AF121856.1							
Sp3 transcription factor (SP3)	1	X68560	+	+	+	+		+	
Sp3 transcription factor (SP3)	4	M97191	+	+	+	+		+	
special AT-rich sequence binding protein 1 (binds to nuclear matrix/scaffold-associating DNA's) (SATB1)	1	M97287							
speckle-type POZ protein (SPOP)	4	AJ000644							
speckle-type POZ protein (SPOP) (non-exact)	1	AJ000644							
spectrin SH3 domain binding protein 1 (SSH3BP1)	6	U87166	+	+	+	+			
Spectrin, alpha, non-	2	J05243		+	+			+	

erythrocytic 1 (alpha-fodrin) (SPTAN1)									
spermidine/spermine N1-acetyltransferase (SAT)	11	M55580							
spermidine/spermine N1-acetyltransferase (SAT) (non-exact, 84%)	1	U40369							
spermine synthase (SMS)	1	AD001528	+	+	+	+		+	
SPF31 (SPF31)	1	AF083190	+	+	+	+		+	
sphingomyelin phosphodiesterase 1, acid lysosomal (acid sphingomyelinase) (SMPD1)	1	X52679		+	+		+		
SPINDLIN HOMOLOG (PROTEIN DXF34)	1	Q99865							
spinocerebellar ataxia 1 (olivopontocerebellar ataxia 1, autosomal dominant, ataxin 1) (SCA1)	3	X79204	B	+			+		
spinocerebellar ataxia 2 (olivopontocerebellar ataxia 2, autosomal dominant, ataxin 2) (SCA2)	1	U70323	B				+		
spinocerebellar ataxia 7 (olivopontocerebellar atrophy with retinal degeneration) (SCA7)	2	AJ000517		+					
spliceosome associated protein (SAP 145)	3	U41371		+	+	+	+	+	
splicing factor (CC1.3) (CC1.3)	2	L10910	+	+	+	+	+	+	
splicing factor SRp40-1 (SRp40)	7	U30826	+	+	+	+	+	+	
splicing factor, arginine/serine-rich 11 (SFRS11)	3	M74002	B	+	+		+	+	
splicing factor, arginine/serine-rich 7 (35kD) (SFRS7)	4	L41887		+	+	+		+	
Src-like adapter protein (non-exact, 76%aa)	1	U30473							
Src-like-adapter (SLA)	6	D89077		+	+	+		+	
Src-like-adapter (SLA) (low match)	1	D89077							
Src-like-adapter (SLA) (low score)	1	U44403							
stannin (SNN)	2	AF030196	+	+	+	+		+	
STAT induced STAT	1	AB004904				+			

inhibitor 3 (SSI-3)									
STE20-like kinase 3 (MST-3)	2	AF024636	+	+	+	+		+	
step II splicing factor SLU7 (SLU7)	1	AF101074		+		+	+	+	
steroid sulfatase	1	M17591							
steroid sulfatase (microsomal), arylsulfatase C, isozyme S (STS)	1	J04964		+	+	+			
sterol carrier protein 2 (SCP2)	1	M55421		+	+	+	+	+	
sterol O-acyltransferase (acyl-Coenzyme A: cholesterol acyltransferase) 1 (SOAT1)	1	AF059202					+		
stimulated trans-acting factor (50 kDa) (STAF50)	6	X82200	+	+		+			
Striatin, calmodulin-binding protein (STRN) (low match, 71%aa)	1	U17989							
Stromal antigen 2 (STAG2)	2	Z75331			+	+	+	+	
stromal interaction molecule 1 (STIM1)	3	U52426	+	+	+	+		+	
structure specific recognition protein 1 (SSRP1)	1	M86737		+	+	+		+	
succinate dehydrogenase complex, subunit A, flavoprotein (Fp) (SDHA)	5	L21936			+				
succinate dehydrogenase complex, subunit B, iron sulfur (Ip) (SDHB)	1	U17248	+	+	+	+		+	
succinate dehydrogenase complex, subunit C, integral membrane protein, 15kD (SDHC)	1	U57877	+	+	+	+		+	
succinate dehydrogenase complex, subunit D, Integral membrane protein (SDHD)	3	AB006202		+	+		+		
succinate-CoA ligase, GDP-forming, beta subunit (SUCLG2)	1	AF058954		+	+	+	+	+	
succinyl CoA synthetase	1	Z68204							
sudD (suppressor of bimD6, Aspergillus nidulans) homolog (SUDD)	2	AF013591		+			+	+	
sulfotransferase family 1A, phenol-preferring, member	1	L19999		+			+	+	

1 (SULT1A1)									
sulfotransferase family 1A, phenol-preferring, member 3 (SULT1A3) (non-exact 67%)	1	U37686							
superoxide dismutase 1, soluble (amyotrophic lateral sclerosis 1 (adult)) (SOD1)	4	X02317		+	+		+	+	
superoxide dismutase 2, mitochondrial (SOD2)	5	Y00985		+	+	+	+	+	
supervillin (SVIL)	2	AF051851			+	+		+	
suppression of tumorigenicity 5 (ST5)	2	U15131		+		+		+	
suppression of tumorigenicity 5 (ST5) (non-exact 82%)	1	U15779							
suppressor of K ⁺ transport defect 1 (SKD1)	1	AF038960			+	+			
suppressor of Ty (S.cerevisiae) 3 homolog (SUPT3H)	1	AF064804	+	+	+	+		+	
suppressor of Ty (S.cerevisiae) 4 homolog 1 (SUPT4H1)	2	U38817	+	+	+	+		+	
suppressor of Ty (S.cerevisiae) 5 homolog (SUPT5H)	2	U56402		+				+	
suppressor of Ty (S.cerevisiae) 6 homolog (SUPT6H)	2	U46691	+	+	+	+	+	+	
suppressor of variegation 3-9 (Drosophila) homolog 1 (SUV39H1)	1	AF019968		+	+	+			
survival of motor neuron 1, telomeric (SMN1)	1	U18423							
SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 1 (SMARCA1) (non-exact, 75%)	1	M88163			+	+		+	
SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 2 (SMARCA2)	2	D26155		+					
SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a,	1	D26156	+	+	+	+	+	+	

member 4 (SMARCA4)									
SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily c, member 2 (SMARCC2)	4	U66616	+	+	+	+	+	+	
SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily e, member 1 (SMARCE1)	2	AF035262	B, W	+	+		+	+	
synaptobrevin-like 1 (SYBL1)	1	X95803		+	+	+		+	
synaptosomal-associated protein, 23kD (SNAP23)	2	AJ011915		+	+	+		+	
syndecan binding protein (syntenin) (SDCBP)	15	AF006636	+	+	+	+		+	
synovial sarcoma, translocated to X chromosome (SSXT)	2	X79201		+					
syntaxin 16	1	AF038897							
syntaxin 3A (STX3A)	2	U32315		+		+		+	
syntaxin 6 (STX6)	1	AJ002078.1							
SYNTAXIN BINDING PROTEIN 3 (UNC-18 HOMOLOG 3) (UNC-18C)	1	O00186							
syntaxin-16C	1	AF008937							
SYT interacting protein (SIP)	1	AF080561		+	+	+		+	
T cell activation, increased late expression (TACTILE)	4	M88282				+			
T cell receptor V alpha gene segment V-alpha-7 (clone IGRa11)	2	X58744							
T cell receptor V alpha gene segment V-alpha-w27	1	X58740							
T3 receptor-associated cofactor-1	5	S83390	+	+	+	+	+	+	
tafazzin (cardiomyopathy, dilated 3A (X-linked); endocardial fibroelastosis 2; Barth syndrome) (TAZ)	1	X92763	+	+		+		+	
TAFII100 protein (non-exact 53%)	1	U80191							
tankyrase, TRF1-interacting ankyrin-related ADP-ribose polymerase (TNKS)	1	AF082556		+	+	+		+	
TAP1, TAP2, LMP2, LMP7	1	X66401							

and DOB									
TAR DNA-binding protein-43	6	U23731	+	+	+	+		+	
Tat interactive protein (60kD) (TIP60)	2	U40989	+	+	+	+		+	
TATA box binding protein (TBP)-associated factor, RNA polymerase II, C1, 130kD (TAF2C1) (non-exact, 55%)	1	O00268							
TATA box binding protein (TBP)-associated factor, RNA polymerase II, F, 55kD (TAF2F)	4	X97999		+	+	+	+	+	
TATA box binding protein (TBP)-associated factor, RNA polymerase II, G, 32kD (TAF2G)	2	U21858		+	+	+	+	+	
TATA box binding protein (TBP)-associated factor, RNA polymerase II, I, 28kD (TAF2I)	1	D63705	+	+	+	+		+	
Tax1 (human T-cell leukemia virus type I) binding protein 1 (TAX1BP1)	1	U33821		+	+	+	+	+	
T-box 2 (TBX2) (non-exact 77%)	1	U28049			+	+		+	
TBP-associated factor 172 (TAF-172)	1	AJ001017		+		+		+	
T-cell death-associated gene 8 (TDAG8)	1	U95218				+			
T-cell leukemia/lymphoma 1A (TCL1A)	1	X82240	+						
T-cell leukemia/lymphoma 1A (TCL1A) (low match)	1	X82240							
T-cell receptor (delta D2-J1-region) (clone K3B)	1	M22197							
T-cell receptor (V beta 5.1, J beta 1.5, C beta 1) (low match)	1	M97705							
T-cell receptor alpha delta (=M94081)	2	AE000662							
T-cell receptor alpha enhancer-binding protein, short form (=X58636 Mouse LEF1 lymphoid enhancer binding factor 1 (=D16503))	1	B39625							
T-cell receptor delta gene	1	M22197							

D2-J1-region, clone K3B									
T-cell receptor germline beta chain gene V-region (V) V-beta-MT1-1	1	M11955							
T-cell receptor germline beta-chain gene J2.1 exon	1	M14159	+						only in blood
T-cell receptor germline delta-chain D-J region	2	M22152							
T-cell receptor interacting molecule (TRIM) protein	2	AJ224878						+	
T-cell receptor rearranged delta-chain, V-region (V-delta 3-J)	1	M21784							
T-cell receptor, alpha (V,D,J,C) (TCRA)	3	AE000660	+	+	+	+		+	
T-cell receptor, beta cluster (TCRB)	3	L34740	+	+	+	+	+	+	high in pancreas
T-cell receptor, delta (V,D,J,C) (TCRD)	2	X73617			+	+		+	
T-cell, immune regulator 1 (TCIRG1)	3	U45285							only found in tumor
TCF-1 mRNA for T cell factor 1	1	X59870							
TCF-1 mRNA for T cell factor 1 (splice form B) (low match)	1	X59870							
T-COMPLEX PROTEIN 1, ETA SUBUNIT (TCP-1-ETA) (CCT-ETA) (HIV-1 NEF INTERACTING PROTEIN)	1	Q99832							
T-COMPLEX PROTEIN 1, THETA SUBUNIT (TCP-1-THETA) (CCT-THETA) (KIAA0002)	1	P50990							
TCR eta =T cell receptor(eta-exon)	1	S94421							
TCR V Beta 13.2	1	X75419							
TERA	1	AC004472							
testis enhanced gene transcript (TEGT)	33	X75861	+	+	+	+	+	+	
tetracycline transporter-like protein (TETRAN)	2	L11669		+	+	+		+	
tetratricopeptide repeat domain 1 (TTC1)	1	U46570	+	+	+	+		+	
tetratricopeptide repeat domain 2 (TTC2)	1	U46571		+		+		+	
tetratricopeptide repeat domain 3 (TTC3)	1	D84296	+	+	+	+		+	

TGFB1-induced anti-apoptotic factor 1 (TIAF1)	1	D86970	+	+	+	+		+	
thioredoxin reductase 1 (TXNRD1)	3	S79851		+	+	+		+	
THIOREDOXIN-DEPENDENT PEROXIDE REDUCTASE PRECURSOR, mitochondrial (ANTI-OXIDANT PROTEIN 1) (AOP-1)	1	P30048							
threonyl-tRNA synthetase (TARS)	1	M63180		+	+	+		+	
thrombin inhibitor	1	Z22658							
thrombospondin 1 (THBS1)	2	X04665		+	+	+	+	+	
thromboxane A synthase 1 (platelet, cytochrome P450, subfamily V) (TBXAZ1)	1	M80647		+		+	+	+	
thymidine kinase 2, mitochondrial (TK2)	2	X76104		+	+		+		
thymidylate kinase (CDC8)	1	L16991		+	+	+		+	
thymine-DNA glycosylase (TDG)	2	U51166	+	+	+	+		+	
Thymosin, beta 10 (TMSB10)	2	M20259	+	+	+	+	+	+	
thymosin, beta 4, X chromosome (TMSB4X)	29	M17733		+	+	+		+	
thyroid autoantigen 70kD (Ku antigen) (G22P1)	7	J04611							
thyroid hormone receptor coactivating protein (SMAP)	1	AF016270		+		+		+	
thyroid hormone receptor interactor 7 (TRIP7)	2	L40357		+	+	+		+	
thyroid hormone receptor interactor 8r (TRIP8)	4	L40411		+					
thyroid hormone receptor-associated protein, 230 kDa subunit (TRAP230)	1	D83783							
thyroid receptor interacting protein 15 (TRIP15)	2	L40388	+	+	+	+			
TI-227H	1	D50525							
TIA1 cytotoxic granule-associated RNA-binding protein (TIA1)	1	M77142		+	+	+		+	
tissue inhibitor of metalloproteinase 1 (erythroid potentiating activity, collagenase)	1	X02598	+	+	+	+	+	+	

inhibitor) (TIMP1)									
tissue inhibitor of metalloproteinase 2 (TIMP2)	1	M32304	+	+	+	+		+	high in placenta
tissue specific transplantation antigen P35B (TSTA3)	1	U58766	+	+	+	+		+	
titin (TTN)	1	X64697	+	+	+	+		+	high in muscle
TNF receptor-associated factor 2 (TRAF2)	1	U12597		+	+	+		+	
TNF receptor-associated factor 3 (TRAF3)	1	AF110908.1		+					
TNF receptor-associated factor 6 (TRAF6) (low match)	1	U78798							
toll-like receptor 1 (TLR1)	1	U88540				+			
toll-like receptor 2 (TLR2)	1	U88878	+	+		+		+	
toll-like receptor 4 (TLR4)	1	U88880		+			+		
toll-like receptor 5 (TLR5)	1	AF051151		+		+			
topoisomerase (DNA) I (TOP1)	1	J03250		+	+	+			
topoisomerase (DNA) II beta (180kD) (TOP2B)	2	X68060	+	+	+	+		+	
topoisomerase (DNA) III beta (TOP3B)	3	D87012	+						
TR3beta	1	D85245		+					
TRAF family member-associated NF-kB activator (TANK)	3	U63830	+	+	+	+	+	+	
TRANSALDOLASE	1	P37837							
transaldolase 1 (TALDO1)	4	L19437		+	+	+	+	+	
transaldolase-related protein	1	AF010398							
transcobalamin II (TCII)	1	AF047576							
transcription elongation factor B (SIII), polypeptide 1-like (TCEB1L)	2	Z47087	+	+	+	+		+	
transcription elongation factor B (SIII), polypeptide 3 (110kD, elongin A) (TCEB3)	1	L47345	+	+	+	+	+	+	
transcription factor 12 (HTF4, helix-loop-helix transcription factors 4) (TCF12)	1	M83233	+	+	+	+		+	
transcription factor 17 (TCF17)	2	D89928		+		+			
transcription factor 4 (TCR4)	2	X52079		+	+	+		+	

transcription factor 6-like 1 (mitochondrial transcription factor 1-like) (TCF6L1)	2	M62810	+	+	+	+			
transcription factor 7-like 2 (T-cell specific, HMG-box) (TCF7L2)	1	Y11306		+	+	+		+	
transcription factor binding to IGHE enhancer 3 (TFE3)	1	X96717	+	+	+	+		+	
transcription factor IL-4 Stat	7	AF067575	+	+	+	+	+	+	
transcription factor IL-4 Stat (low match)	1	U16031							
transcription factor ISGF-3 (=M97936)	4	M97935							
transcription factor REST	1	A56138							
transcription factor TFIID	1	Z22828							
transcriptional adaptor 2 (ADA2, yeast, homolog)-like (TADA2L)	1	AF064094							
transcriptional intermediary factor 1 (TIF1) (non-exact 72%)	1	AF009353							
transducin (beta)-like 1 (TBL1)	1	Y12781	+	+	+	+		+	
transducin-like enhancer of split 3, homolog of Drosophila E(sp1) (TLE3)	1	M99438	+	+					
Transformation/transcription domain-associated protein (TRRAP)	1	AF076974	+	+	+	+		+	
transformation-sensitive, similar to Saccharomyces cerevisiae STI1 (STI1L)	2	M86752		+	+	+		+	
transforming growth factor beta-activated kinase 1 (TAK1) (non-exact 78%)	1	AB009356							
transforming growth factor beta-stimulated protein TSC-22 (TSC22)	3	AJ222700	+	+	+	+		+	
transforming growth factor, beta receptor III (betaglycan, 300kD) (TGFB3)	1	L07594		+	+	+		+	
transforming growth factor, beta-induced, 68kD (TGFB1)	2	4507466	+	+	+	+	+	+	
TRANSFORMING GROWTH FACTOR-BETA INDUCED PROTEIN IG-H3	2	Q15582							

PRECURSOR (BETA IG-H3)									
transforming, acidic coiled-coil containing protein 1 (TACC1) (non-exact 70%)	1	AF049910							
transgelin 2 (TAGLN2)	14	D21261	+	+	+	+	+	+	
transgelin 2 (TAGLN2) (non-exact)	1	D21261							
trans-Golgi network protein (46, 48, 51kD isoforms) (TGN51)	2	AF029316		+		+			
transient receptor potential channel 1 (TRPC1)	1	X89066		+	+	+		+	
transketolase (Wernicke-Korsakoff syndrome) (TKT)	7	L12711		+	+	+		+	
translation factor sui1 homolog (GC20)	1	AF064607		+	+	+	+	+	
translin (TSN)	3	X78627	+	+	+	+		+	
translin-associated factor X (TSNAX)	1	X95073		+	+	+		+	
transmembrane glycoprotein (A33)	1	U79725							
transmembrane protein (63kD), endoplasmic reticulum/Golgi intermediate compartment (P63)	1	X69910	+	+	+	+		+	
transmembrane protein 1 (TMEM2)	1	AB001523		+		+		+	
TRANSMEMBRANE PROTEIN SEX PRECURSOR (non-exact 65%)	1	P51805							
transmembrane trafficking protein (TMP21)	2	X97442	+	+	+	+	+	+	
transporter 1, ABC (ATP binding cassette) (TAP1)	3	L21208	+	+	+	+		+	
Treacher Collins-Franceschetti syndrome 1 (TCOF1)	2	U40847	+	+	+	+		+	high in many libraries
triosephosphate isomerase 1 (TPI1)	2	X69723	+	+	+	+	+	+	
tropomyosin	2	X04201		+	+	+		+	
tropomyosin 4 (TPM4)	2	X05276	+	+	+	+		+	
TRPM-2 protein	2	M63376							
tryptase I precursor (non-exact 64%)(=P20231)	1	A35863							
tryptophan rich basic protein (WRB)	1	Y12478							

tryptophanyl-tRNA synthetase (WARS)	1	X59892	+	+	+	+	+	+	
Ts translation elongation factor, mitochondrial (TSFM)	1	L37936	+	+		+		+	
ttopoisomerase (DNA) II beta (180kD)	1	Z15115		+	+			+	
Tu translation elongation factor, mitochondrial (TUFM)	4	L38995							
tuberous sclerosis 1 (TSC1)	1	AF013168		+	+	+		+	
tuberous sclerosis 2 (TSC2)	1	X75621		+	+	+		+	
tubulin, alpha 1 (testis specific) (TUBA1)	1	X06956		+			+		
tubulin, alpha, ubiquitous (K-ALPHA-1)	11	K00558	+	+	+	+	+	+	high in many libraries
tubulin, alpha, ubiquitous (K-ALPHA-1) (low match)	1	K00558							
tubulin-specific chaperone c (TBCC)	1	U61234		+	+	+		+	
tumor necrosis factor (ligand) superfamily, member 10 (TNFSF10)	7	U37518		+	+	+		+	
tumor necrosis factor (ligand) superfamily, member 13 (TNFSF13)	1	AF046888	+	+		+		+	
tumor necrosis factor (ligand) superfamily, member 14 (TNFSF14)	1	AF036581							
tumor necrosis factor (ligand) superfamily, member 6 (TNFSF6)	1	D38122	+						Found only in library 386: T-cell lymphoma
tumor necrosis factor (ligand) superfamily, member 8 (TNFSF8)	1	L09753	B only						
tumor necrosis factor alpha-inducible cellular protein containing leucine zipper domains (FIP2)	1	AF061034		+	+	+		+	
Tumor necrosis factor receptor superfamily member 7 (TNFRSF7)	2	M63928		+			+		
tumor necrosis factor receptor superfamily, member 10b (TNFRSF10B)	1	AF016266		+	+	+	+	+	
tumor necrosis factor receptor superfamily,	3	AF012629					+		

member 10c, decoy without an intracellular domain (TNFRSF10C)									
tumor necrosis factor receptor superfamily, member 10d, decoy with truncated death domain (TNFRSF10D) (non-exact 84%)	1	AF023849							found only in prostate
tumor necrosis factor receptor superfamily, member 12 (translocating chain-association membrane protein) (TNFRSF12)	1	U94508	+	+	+	+		+	
tumor necrosis factor receptor superfamily, member 14 (herpesvirus entry mediator) (TNFRSF14)	1	U70321	+	+	+	+		+	
tumor necrosis factor receptor superfamily, member 1B. (TNFRSF1B)	5	U52165	+	+	+	+		+	
tumor necrosis factor receptor superfamily, member 6 (TNFRSF6)	1	X63717	B, W					+	
tumor necrosis factor receptor superfamily, member 7 (TNFRSF7)	1	M63928	+	+					
tumor necrosis factor, alpha-induced protein 2 (TNFAIP2)	8	M92357		+	+		+		
tumor necrosis factor, alpha-induced protein 3 (TNFAIP3)	2	M59465							
tumor protein 53-binding protein, 1 (TP53BP1)	1	AF078776		+	+	+		+	
tumor protein p53 (Li-Fraumeni syndrome) (TP53)	1	M14695	+	+				+	
Tumor protein p53-binding protein (TP53BPL)	1	U82939	+			+		+	
tumor protein, translationally-controlled 1 (TPT1)	35	X16064							
tumor protein, translationally-controlled 1 (TPT1) (low score)	1	X16064							
tumor rejection antigen (gp96) 1 (TRA1)	9	X15187	+	+	+	+	+	+	

tumorous imaginal discs (Drosophila) homolog (TID1)	2	AF061749		+						
TXK tyrosine kinase (TXK)	2	L27071								
type II integral membrane protein (NKG2-E)	1	AJ001685						+		found only in fetal liver/spleen
TYRO protein tyrosine kinase binding protein (TYROBP)	3	AF019562			+					
tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, beta polypeptide (YWHAB)	1	X57346	+	+	+	+			+	high in ecnorm
tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, zeta polypeptide (YWHAZ)	1	M86400								
tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, zeta polypeptide (YWHAZ)	1	M86400								
Tyrosine kinase 2 (TYK2)	3	X54637		+	+	+			+	
TYROSINE-PROTEIN KINASE ZAP-70 (70 KD ZETA-ASSOCIATED PROTEIN) (SYK-RELATED TYROSINE KINASE)	2	P43403								
tyrosyl-tRNA synthetase (YARS)	1	U89436	+	+	+	+			+	
U1 small nuclear RNA	1	M14387								
U19H snoRNA (=M63485 R.norvegicus matrin 3)	1	AJ224166								
U2(RNU2) small nuclear RNA auxillary factor 1 (non-standard symbol) (U2AF1)	1	M96982		+	+	+			+	
U22 snoRNA host gene (UHG)	2	U40580								
U4/U6-associated RNA splicing factor (HPRP3P)	4	AF016370		+	+	+			+	
U49 small nuclear RNA	1	X96649								
U5 snRNP-specific protein (220 kD), ortholog of S. cerevisiae Prp8p (PRP8)	1	AB007510	+	+	+	+			+	
U5 snRNP-specific protein, 116 kD (U5-116KD)	4	D21163	+	+	+	+			+	

U5 snRNP-specific protein, 200 kDa (DEXH RNA helicase family) (U5-200-KD)	3	Z70200							
Uba80 mRNA for ubiquitin	4	S79522	+	+	+	+	+	+	high in ovary
ubiquinol-cytochrome c reductase (6.4kD) subunit (UQCR)	1	D55636	+	+	+	+	+	+	high in fetal lung
UBIQUINOL-CYTOCHROME C REDUCTASE IRON-SULFUR SUBUNIT PRECURSOR (RIESKE IRON-SULFUR PROTEIN) (RISP) (low match)	1	P47985							
ubiquitin A-52 residue ribosomal protein fusion product 1 (UBA52)	2	X56999							
ubiquitin activating enzyme E1-like protein (GSA7)	1	AF094516		+	+			+	
ubiquitin C (UBC)	5	AB009010		+	+	+	+	+	high in ovary
ubiquitin carboxyl-terminal esterase L3 (ubiquitin thiolesterase) (UCHL3)	1	M30496	+	+	+	+		+	
ubiquitin fusion degradation 1-like (UFD1L)	1	U64444	+	+	+	+		+	
ubiquitin protein ligase E3A (human papilloma virus E6-associated protein, Angelman syndrome) (UBE3A)	1	U84404	B	+	+			+	
ubiquitin specific protease 10 (USP10)	4	D80012	+	+	+	+		+	
ubiquitin specific protease 11 (USP11)	1	U44839	+	+	+	+	+	+	
ubiquitin specific protease 15 (USP15)	3	AB011101	+	+	+	+		+	
ubiquitin specific protease 19 (USP19)	1	AB020698		+					
ubiquitin specific protease 4 (proto-oncogene) (USP4)	1	AF017305	B	+	+		+	+	
ubiquitin specific protease 4 (proto-oncogene) (USP4) (non-exact, 66%)	1	AF017306							
ubiquitin specific protease 7 (herpes virus-associated) (USP7)	1	Z72499		+	+	+		+	
ubiquitin specific protease 8 (USP8)	5	D29956		+	+	+		+	

UBIQUITIN-ACTIVATING ENZYME E1 (A1S9 PROTEIN) (56%)	1	P22314							
ubiquitin-activating enzyme E1 (A1S9T and BN75 temperature sensitivity complementing) (UBE1)	1	M58028	+	+	+	+		+	
ubiquitin-activating enzyme E1, like (UBE1L)	1	L34170	+	+		+		+	
UBIQUITIN-BINDING PROTEIN P62; phosphotyrosine independent ligand for the Lck SH2 domain p62 (P62)	1	U41806			+		+		
ubiquitin-conjugating enzyme E2 variant 1 (UBE2V1)	2	U49278	+	+	+	+	+	+	
ubiquitin-conjugating enzyme E2 variant 2 (UBE2V2)	1	X98091							
UBIQUITIN-CONJUGATING ENZYME E2-17 KD (UBIQUITIN-PROTEIN LIGASE)	1	Q16781							
ubiquitin-conjugating enzyme E2B (RAD6 homolog) (UBE2B)	1	M74525	+	+	+	+		+	
ubiquitin-conjugating enzyme E2G 2 (homologous to yeast UBC7) (UBE2G2)	1	AF032456	+	+	+	+		+	
ubiquitin-conjugating enzyme E2H (homologous to yeast UBC8) (UBE2H)	1	Z29328	+	+	+	+		+	
ubiquitin-conjugating enzyme E2L 1 (UBE2L1)	1	X92962		+	+			+	
ubiquitin-conjugating enzyme E2L 3 (UBE2L3)	3	AJ000519		+	+	+		+	
ubiquitin-conjugating enzyme E2L 6 (UBE2L6)	4	AF031141		+	+	+	+	+	
ubiquitin-like 1 (sentrin) (UBL1)	2	U61397	+	+	+	+		+	
UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 2 (GalNAc-T2) (GALNT2)	2	X85019							
UDP-N-acetyl-alpha-D-galactosamine:polypeptide	1	X92689							

N-acetylgalactosaminyltransferase 3 (GalNAc-T3) (GALNT3) (non-exact 65%)									
inactive progesterone receptor, 23 Kd (P23)	2	L24804		+	+	+		+	
unconventional myosin-ID (MYO1F)	3	U57053							
uncoupling protein homolog (UCPH)	1	U94592							
uncoupling protein homolog (UCPH) (low match 67%)	1	U94592							
Unknown gene product	1	AC002310							
unknown mRNA (clone 24514)	1	AF070542							
unknown protein (clone ICRFp507L0677)	2	Z70223							
unknown protein (Hs.93832)	1	AF070626	+	+	+	+	+	+	
unknown protein IT14	1	AF040966							
uppressor of Ty (S.cerevisiae) 6 homolog	1	D79984	+	+	+	+	+	+	
upregulated by 1,25-dihydroxyvitamin D-3 (VDUP1)	74	S73591	+	+	+	+		+	high in heart
upregulated by 1,25-dihydroxyvitamin D-3 (VDUP1) (low match)	1	S73591							
upregulated by 1,25-dihydroxyvitamin D-3 (VDUP1) (low match)	1	S73591							
upregulated by 1,25-dihydroxyvitamin D-3 (VDUP1) (low score)	1	S73591							
upstream binding factor (hUBF)	1	X53461	+	+		+		+	
UV radiation resistance associated gene (UVRAG)	2	X99050		+	+	+		+	
vacuolar proton-ATPase, subunit D; V-ATPase, subunit D (ATP6DV)	4	X71490		+	+	+	+	+	
v-akt murine thymoma viral oncogene homolog 1 (AKT1)	1	M63167	+	+	+	+		+	
Vanin 2 (VNN2)	3	AJ132100							
vasodilator-stimulated phosphoprotein (VASP)	3	Z46389	+		+	+		+	

vav 1 oncogene (VAV1)	1	M59834							+	
vav 2 oncogene (VAV2)	1	S76992	+	+						
v-crk avian sarcoma virus CT10 oncogene homolog (CRK)	1	D10656	W	+	+			+		
v-erb-b2 avian erythroblastic leukemia viral oncogene homolog 3 (ERBB3)	1	M29366							+	
VERSICAN CORE PROTEIN PRECURSOR	1	P13611								
Vesicle-associated membrane protein 1 (synaptobrevin 1) (VAMP1)	1	M36196		+	+	+			+	
vesicle-associated membrane protein 3 (cellubrevin) (VAMP3)	1	U64520								
v-fos FBJ murine osteosarcoma viral oncogene homolog (FOS)	26	K00650		+	+	+	+	+		high in aorta
v-fos FBJ murine osteosarcoma viral oncogene homolog (FOS) (low match)	1	K00650								
villin 2 (ezrin) (VIL2)	1	X51521	+	+	+	+			+	
villin-like protein	1	D88154								
vimentin (VIM)	12	X56134		+	+	+	+	+		high in many libraries
vinculin (VCL)	4	M33308		+	+	+			+	
vitamin A responsive; cytoskeleton related (JWA)	6	AF070523		+	+	+			+	
v-jun avian sarcoma virus 17 oncogene homolog (JUN)	2	U65928	+	+	+	+			+	
v-myb avian myeloblastosis viral oncogene homolog (MYB)	1	M15024			+			+		
voltage-dependent anion channel 1 (VDAC1)	1	L06132	+	+	+	+			+	
voltage-dependent anion channel 3 (VDAC3)	4	U90943		+	+	+			+	
von Hippel-Lindau syndrome (VHL)	1	L15409		+	+	+			+	
von Willebrand factor (vWF) (low matched)	1	X06828								
v-raf murine sarcoma 3611 viral oncogene homolog 1 (ARAF1)	2	L24038	+	+	+	+				
v-raf-1 murine leukemia viral oncogene homolog 1	1	X03484	+	+	+	+			+	

(RAF1)									
v-ral simian leukemia viral oncogene homolog B (ras related; GTP binding protein) (RALB)	3	M35416							
V-rel avian reticuloendotheliosis viral oncogene homolog A (nuclear factor of kappa light polypeptide gene enhancer in B-cells 3 (p65)) (RELA)	1	L19067		+	+	+		+	
v-yes-1 Yamaguchi sarcoma viral related oncogene homolog (LYN)	2	M16038	+	+		+		+	
WD repeat domain 1 (WDR1)	1	AB010427	+	+	+	+	+	+	
WDR1 (=AF020260)	1	AF020056							
WD-repeat protein (HAN11)	2	U94747		+	+			+	
Williams-Beuren syndrome chromosome region 1 (WBSCR1)	12	AF045555	+	+	+	+	+	+	
Wiskott-Aldrich syndrome protein interacting protein (WASPIP)	4	X86019	+	+	+			+	
X (inactive)-specific transcript (XIST)	2	M97168							
xeroderma pigmentosum, complementation group C (XPC)	3	D21089	+	+	+	+			
XIAP associated factor-1	2	X99699				+			
XIB	1	X90392		+	+		+	+	
X-linked anhidrotic ectodermal dysplasia	1	AF003528							
X-ray repair complementing defective repair in Chinese hamster cells 5 (double-strand-break rejoining; Ku autoantigen, 80kD) (XRCC5)	1	M30938	+	+	+	+		+	high in spleen
XRP2 protein	1	AJ007590							
yeloid differentiation primary response gene (88) (MYD88)	1	U84408		+	+	+		+	
zeta-chain (TCR) associated protein kinase (70kD) (ZAP70)	1	L05148	+			+			

zeta-chain (TCR) associated protein kinase (70kD) (ZAP70) (low match)	1	L05148							
zinc finger protein (Hs.47371)	2	U69274	+	+	+	+		+	
zinc finger protein (Hs.78765)	1	U69645	+	+	+	+		+	
zinc finger protein 10 (KOX 1) (ZNF10)	1	X78933						+ only	
ZINC FINGER PROTEIN 124 (HZF-16) (non-exact 51%)	1	Q15973							
zinc finger protein 124 (HZF-16) (ZNF124) (non- exact, 78%)	1	S54641							
ZINC FINGER PROTEIN 133	1	P52736							
zinc finger protein 136 (clone pHZ-20) (ZNF136)	1	U09367			+	+			
zinc finger protein 140 (clone pHZ-39) (ZNF140)	1	U09368		+		+		+	
zinc finger protein 140 (clone pHZ-39) (ZNF140) (non-exact 59%)	1	AF060865							
zinc finger protein 140 (clone pHZ-39) (ZNF140) (non-exact 73%)	1	U09368							
zinc finger protein 140 (clone pHZ-39) (ZNF140) (non-exact 73%aa)	1	S66508							
zinc finger protein 140 (clone pHZ-39) (ZNF140) (non-exact, 80%)	1	U09368							
zinc finger protein 143 (clone pHZ-1) (ZNF143)	2	U09850	+	+	+	+	+	+	
zinc finger protein 143 (clone pHZ-1) (ZNF143) (low match)	1	U09850							
zinc finger protein 148 (pHZ-52) (ZNF148)	1	AF039019	+						
ZINC FINGER PROTEIN 151 (MIZ-1 PROTEIN) (low match)	1	Q13105							
zinc finger protein 173 (ZNF173)	1	U09825	B, T	+	+		+		
zinc finger protein 192 (ZNF192) (non-exact, 66%)	1	U57796							

zinc finger protein 198 (ZNF198)	1	AJ224901		+	+	+			
zinc finger protein 2 (ZNF2) (low match)	1	X60152							
zinc finger protein 200 (ZNF200)	1	AF060866		+		+			
zinc finger protein 207 (ZNF207)	6	AF046001	+	+	+	+	+	+	high in prostate
zinc finger protein 216 (ZNF216)	2	AF062072	+	+	+	+		+	
zinc finger protein 217 (ZNF217)	1	AF041259	T activated					+	
ZINC FINGER PROTEIN 22 (ZINC FINGER PROTEIN KOX15) (non-exact 58%)	1	P17026							
zinc finger protein 230 (ZNF230)	1	U95044		+					
Zinc finger protein 239 (ANF239)	1	L26914		+		+			
zinc finger protein 261 (ZNF261)	1	AB002383		+	+	+		+	
zinc finger protein 262 (ANF262)	1	AB007885		+	+	+		+	
zinc finger protein 263 (ZNF263)	1	D88827							
zinc finger protein 264 (ZNF264)	1	AB007872		+	+	+			
ZINC FINGER PROTEIN 33A (ZINC FINGER PROTEIN KOX31) (KIAA0065) (HA0946)	1	Q06730							
zinc finger protein 42 (myeloid-specific retinoic acid- responsive) (ZNF42)	1	M58297	+	+	+	+		+	
zinc finger protein 43 (HTF6) (ZNF43) (low match)	1	X59244							
zinc finger protein 43 (HTF6) (ZNF43) (non-exact, 54%)	1	X59244							
zinc finger protein 43 (HTF6) (ZNF43) (non-exact, 71%)	1	X59244							
ZINC FINGER PROTEIN 43 (ZINC PROTEIN HTF6) (non-exact 67%)	1	P28160							
zinc finger protein 45 (a Kruppel-associated box	1	L75847							only found in testis

(KRAB) domain polypeptide) (ZNF45)									
ZINC FINGER PROTEIN 46 (ZINC FINGER PROTEIN KUP) (non-exact 62%)	1	P24278							
zinc finger protein 6 (CMPX1) (ZNF6)	1	X56465		+	+	+		+	
zinc finger protein 74 (Cos52) (ZNF74) (non-exact, 67%)	1	X71623							
zinc finger protein 76 (expressed in testis) (ZNF76)	1	M91592		+	+	+		+	
ZINC FINGER PROTEIN 83 (ZINC FINGER PROTEIN HPF1) (non-exact 65%)	1	P51522							
zinc finger protein 84 (HPF2) (ZNF84)	1	M27878	T activated	+	+			+	
zinc finger protein 85 (ZNF85))	2	U35376		+	+	+			
zinc finger protein 9 (ZNF9)	5	M28372		+	+	+	+	+	
ZINC FINGER PROTEIN 93 (=ZINC FINGER PROTEIN HTF34) (non-exact 70%)	1	P35789							
zinc finger protein C2H2-25 (ZNF25)	3	U38904		+	+	+			
zinc finger protein clone L3-4	1	AF024706							
zinc finger protein homologous to Zfp-36 in mouse (ZFP36)	4	M92843	+						blood only
ZINC FINGER PROTEIN HRX (ALL-1) (71%a.a.)	1	Q03164							
zinc finger protein HZF4	1	X78927							
zinc finger protein RIZ	1	D45132	+	+	+	+		+	
zinc finger protein, subfamily 1A, 1 (Ikaros) (LYF1)	1	U40462	+						
zinc finger protein, subfamily 1A, 1 (Ikaros) (LYF1) (low match)	1	U40462							
zinc finger transcriptional regulator (GOS24)	1	M92844							
zinc-finger helicase (hZFH)	2	U91543	+	+	+	+		+	
Zn-15 related zinc finger protein (rlf)	1	U22377		+	+	+			

Zn-15 related zinc finger protein (rlf) (non-exact 56%)	1	U22377							
ZNF80-linked ERV9 long terminal repeat	1	X83497							
ZW10 (Drosophila) homolog, centromere/kinetochore protein (ZW10)	2	U54996		+					
zyxin (ZYX)	4	X95735							

Column 1: List of unique genes derived from 6,283 known ESTs from blood cells. Column 2: Number of genes found in randomly sequenced ESTs from blood cells. Column 3: Accession number. Column 4: "+" indicates the presence of the unique gene in publicly available cDNA libraries of blood (Bl), brain (Br), heart (H), kidney (K), liver (Li) and lung (Lu).

**Comparison to previously identified tissue-specific genes was determined using the GenBank of the National Centre of Biotechnology Information (NCBI) Database.

Discussion

Every cell and tissue comprising the human body share the necessary genetic information required to maintain cellular homeostasis. These "housekeeping" genes function in basic cellular maintenance, including energy metabolism and cellular structure in all cell types. However, in certain situations, even the housekeeping genes show altered expression. Thus, it is necessary to define the use of these genes as internal controls from one investigation to another. Current results from the human blood cell EST database indicate that over 50% of the transcripts are widely expressed throughout the human body. Most of the cell or tissue specific genes are also detectable in blood cells by RT-PCR analysis.

For example, isoformic myosin heavy chain genes are known to be generally expressed in cardiac muscle tissue. In the rodent, the β MyHC gene is only highly expressed in the fetus and in diseased states such as overt cardiac hypertrophy, heart failure and diabetes; the β MyHC gene is highly expressed shortly after birth and continues to be expressed in the adult heart. In the human, however, β MyHC is highly expressed in the ventricles from the fetal stage through adulthood. This highly expressed β MyHC, which harbours several mutations, has been

demonstrated to be involved in familial hypertrophic cardiomyopathy (Geisterfer-Lowrance *et al.* 1990). It was reported that mutations of β MyHC can be detected by PCR using blood lymphocyte DNA (Ferrie *et al.*, 1992). Most recently, it was also demonstrated that mutations of the myosin-binding protein C in familial hypertrophic cardiomyopathy can be detected in the
5 DNA extracted from lymphocytes (Niimura *et al.*, 1998).

Similarly, APP and APC, which are known to be tissue specific and predominantly expressed in the brain and intestinal tract, are also detectable in the transcripts of blood. These cell- or tissue-specific transcripts are not detectable by Northern blot analysis. However, the low number of transcript copies can be detected by RT-PCR analysis. These findings strongly
10 demonstrate that genes preferentially expressed in specific tissues can be detected by a highly sensitive RT-PCR assay. In recent years, evidence has been obtained to indicate that expression of cell or tissue-restricted genes can be detected in the peripheral blood of patients with metastatic transitional cell carcinoma (Yuasa *et al.* 1998) and patients with prostate cancer (Gala *et al.* 1998).

Atrial natriuretic factor (ANF) and zinc finger protein (ZFP), which are known to be highly expressed in heart tissue biopsies and in the plasma of heart failure patients, are also detectable in the transcripts of blood. Differential expression of zinc finger protein among the normal, diabetic and asymptomatic preclinical subjects may have additional value as a prophylactic "early warning system". On a related note, there is now more attention/discussion
15 in the cardiovascular disease field being focused on Syndrome X, loosely defined as a continuum of hypertension, increasing sugar levels, diabetes, kidney failure, culminating in heart failure, with the possibility of stroke and heart attack at any time in the continuum. The early identification of patients at risk of organ failure has been a challenge to the medical community for some time and the present method has the potential of resolving or, at least,
20 ameliorating this challenge.
25

The present invention demonstrates that a simple drop of blood may be used to determine the quantitative expression of various mRNAs that reflect the health/disease state of the subject through the use of RT-PCR analysis. This entire process takes about three hours or

less. The single drop of blood may also be used for multiple RT-PCR analyses. There is no need for large samples and/or costly and time-consuming separation of cell types within the blood for this method as compared to the methods described by Kimoto (1998) and Chelly et al. (1989; 1988). It is believed that the present finding can potentially revolutionize the way that diseases are detected, diagnosed and monitored because it provides a non-invasive, simple, highly sensitive and quick screening for tissue-specific transcripts. The transcripts detected in whole blood have potential as prognostic or diagnostic markers of disease, as they reflect disturbances in homeostasis in the human body. Delineation of the sequences and/or quantitation of the expression levels of these marker genes by RT-PCR will allow for an immediate and accurate diagnostic/prognostic test for disease or to assess the efficacy and monitor a particular therapeutic.

In addition to RT-PCR, other methods of amplifying may also be used for the purpose of measuring/quantitating tissue-specific transcripts in human blood. For example, mass spectrometry may be used to quantify the transcripts (Koster et al., 1996; Fu et al., 1998). The application of presently disclosed method for detecting tissue-specific transcripts in blood does not restrict to subjects undergoing course of therapy or treatment, it may also be used for monitoring a patient for the onset of overt symptoms of a disease. Furthermore, the present method may be used for detecting any gene transcripts in blood. A kit for diagnosing, prognosing or even predicting a disease may be designed using gene-specific primers or probes derived from a whole blood sample for a specific disease and applied directly to a drop of blood. A cDNA library specific for a disease may be generated from whole blood samples and used for diagnosis, prognosis or even predicting a disease.

The following references were cited herein:

Claudio JO *et al.* (1998). *Genomics* 50:44-52.

Chelly J *et al.* (1989). *Proc. Nat. Acad. Sci. USA*. 86:2617-2621.

Chelly J *et al.* (1988). *Nature* 333:858-860.

Dreys J & Ryser S (1997). *Nature Biotech.* 15:1318-9.

Ferrie RM *et al.* (1992). *Am. J. Hum. Genet.* 51:251-62.

Fu D-J *et al.* (1998). *Nat. Biotech* 16: 381-4.

- Gala JL *et al.* (1998). *Clin. Chem.* 44(3):472-81.
- Geisterfer-Lowrance AAT *et al.* (1990). *Cell* 62:999-1006.
- Groden J *et al.* (1991). *Cell* 66:589-600.
- Hwang DM *et al.* (1997). *Circulation* 96:4146-4203.
- 5 Jandreski MA & Liew CC (1987). *Hum. Genet.* 76:47-53.
- Jin O *et al.* (1990). *Circulation* 82:8-16
- Kimoto Y (1998). *Mol. Gen. Genet* 258:233-239.
- Koster M *et al.* (1996). *Nat. Biotech* 14: 1123-8.
- Liew & Jandreski (1986). *Proc. Nat. Acad. Sci. USA.* 83:3175-3179
- 10 Liew CC *et al.* (1990). *Nucleic Acids Res.* 18:3647-3651.
- Liew CC (1993). *J Mol. Cell. Cardiol.* 25:891-894
- Liew CC *et al.* (1994). *Proc. Natl. Acad. Sci. USA.* 91:10645-10649.
- Liew *et al.* (1997). *Mol. and Cell. Biochem.* 172:81-87.
- Niimura H *et al.* (1998). *New Eng. J. Med.* 338:1248-1257.
- 15 Ogawa M (1993). *Blood* 81:2844-2853.
- Santoro IM & Groden J (1997). *Cancer Res.* 57:488-494.
- Yuasa T *et al.* (1998). *Japanese J. Cancer Res.* 89:879-882.

Any patents or publications mentioned in this specification are indicative of the levels of those skilled in the art to which the invention pertains. Further, these patents and
20 publications are incorporated by reference herein to the same extent as if each individual publication was specifically and individually indicated to be incorporated by reference.

One skilled in the art will appreciate readily that the present invention is well adapted to carry out the objects and obtain the ends and advantages mentioned, as well as those objects, ends and advantages inherent herein. The present examples, along with the methods, procedures,
25 treatments, molecules, and specific compounds described herein are presently representative of preferred embodiments, are exemplary, and are not intended as limitations on the scope of the invention. Changes therein and other uses will occur to those skilled in the art which are encompassed within the spirit of the invention as defined by the scope of the claims.